

List of Participants

- [1] Abadikhah, Hamidreza (Mr.) Department of Materials Science and Engineering, University of Science and Technology of China, Hefei, Anhui 230026, China (hamid@mail.ustc.edu.cn)
- [2] Ahmad, Abid (Mr.) State Key Laboratory of New Ceramics and Fine Processing, School of Materials Science and Engineering, Tsinghua University, Beijing, 100084, China (tawheedabid@gmail.com)
- [3] Ahn, Chang Won (Dr.) Department of Physics, University of Ulsan, 93 Daehak-ro, Nam-gu, Ulsan, 44610 Korea (cwahn@ulsan.ac.kr)
- [4] Ai, Bing (Ms.) China Building Materials Academy, Beijing 100024, China (aibing2018@163.com)
- [5] Ai, Jian-Ping (Dr.) Jiangxi Key Laboratory of Surface Engineering, Jiangxi Science & Technology Normal University, Nanchang 330013, China (ai861027@163.com)
- [6] Ai, Shi-Yun (Prof.) College of Chemistry and Material Science, Shandong Agricultural University, Tai'an, Shandong Province 271018, China (ashy@sdau.edu.cn)
- [7] Ai, Tao-Tao (Prof.) School of Materials Science and Engineering, Shaanxi University of Technology, Shaanxi Hanzhong 723000, China (aitaotao0116@126.com)
- [8] Al-jlahawi, Zaid (Mr.) Materials and Engineering Research Institute, Sheffield Hallam University, Howard St, Sheffield, S1 1WB, UK (b6034143@my.shu.ac.uk)
- [9] Amanov, Auezhan (Prof.) Department of Mechanical Engineering, Sun Moon University, Asan 31460, Korea (avaz2662@sunmoon.ac.kr)
- [10] An, Dong (Ms.) Beijing Institute of Technology, School of Material Science and Engineering, Beijing Institute of Technology, Beijing 100081, China (andong@bit.edu.cn)
- [11] An, Li-Qiong (Dr.) College of Ocean Science and Engineering, Shanghai Maritime University, Shanghai 201306, China (anlq@shmtu.edu.cn)
- [12] An, Sheng-Li (Prof.) Key Laboratory of Integrated Exploitation of Bayan Obo Multi-Metal Resources, Inner Mongolia University of Science and Technology, Baotou 014010, China
- [13] An, Zhi-Min (Mr.) School of Civil Engineering, Beijing Jiaotong University, Beijing 100044, China (17120980@bjtu.edu.cn)
- [14] Ang, Ran (Prof.) Key Laboratory of Radiation Physics and Technology, Ministry of Education, Institute of Nuclear Science and Technology, Sichuan University, Chengdu 610064, China (rang@scu.edu.cn)
- [15] Azizm Hafiz Sartaj (Mr.) School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (hafizsartajaziz@gmail.com)
- [16] Azuma, Masaki (Prof.) Laboratory for Materials and Structures, Tokyo Institute of Technology, 4259 Nagatsuta, Midori-ku, Yokohama, Kanagawa, 226-8503 Japan (mazuma@msl.titech.ac.jp)
- [17] Bai, Cheng-Ying (Dr.) Institute of Composite Materials, College of Materials Science and Chemical Engineering, Harbin Engineering University, Harbin, China (chengyingbai@163.com)
- [18] Bai, Fei-Ming (Prof.) State Key Laboratory of Electronic Thin Films and Integrated Devices, University of Electronic Science and Technology of China, Chengdu 611731, China (fmbai@uestc.edu.cn)
- [19] Bai, Yang (Prof.) Key Laboratory of Environmental Fracture (Ministry of Education), University of Science and Technology Beijing, Beijing 100083, China (baiy@mater.ustb.edu.cn)
- [20] Bai, Yue-Lei (Dr.) Center for Composite Materials and Structures, Harbin Institute of Technology, Harbin 150080, China (baiyl@hit.edu.cn)
- [21] Balázsi, Csaba (Prof.) Institute for Technical Physics and Materials Science, Hungarian Academy of Sciences, Konkoly-Thege M. 29-33, 1121 Budapest, Hungary (balazsi.csaba@energia.mta.hu)
- [22] Balázsi, Katalin (Dr.) Institute for Technical Physics and Materials Science, Hungarian Academy of Sciences, Konkoly-Thege M. 29-33, 1121 Budapest, Hungary (balazsi.katalin@energia.mta.hu)
- [23] Bando, Yoshio (Prof.) Institute of Molecular Plus, Tianjin University, Tianjin 300072, China (bando.yoshio@nims.go.jp)
- [24] Bao, Chong-Gao (Prof.) State Key Laboratory for Mechanical Behavior of Materials, Xi'an Jiaotong University, Xi'an, Shaanxi 710049, China (cgbao@mail.xjtu.edu.cn)
- [25] Bao, Qi-Fu (Prof.) Jingdezhen Ceramic Institute, Jingdezhen, 333001, China (bqf2002@hotmail.com)
- [26] Bao, Wei-Chao (Dr.) State Key Laboratory of High Performance Ceramics and Superfine Microstructure, Shanghai Institute of Ceramics, Shanghai 200050, China (baoweichao@hotmail.com)

- [27] Bao, Yi-Wang (Prof.) China Building Materials Academy, Guanzhuang, Beijing 100024, China (yiwangbao28@163.com)
- [28] Belmonte, Manuel (Dr.) Institute of Ceramics and Glass (ICV-CSIC), Campus de Canioblanca, Kalsen 5, 28049 Madrid, Spain (mbelmonte@icv.csic.es)
- [29] Bernard, Samuel (Dr.) Univ. Limoges, CNRS, IRCER, UMR 7315, F-87000, Limoges, France (samuel.bernard@unilim.fr)
- [30] Bernardo, Enrico (Prof.) Università degli Studi di Padova, Dipartimento di Ingegneria Industriale, Edificio Ex Fisica Tecnica, Via Marzolo, 9 - 35131 Padova, Italy (enrico.bernardo@unipd.it)
- [31] Bernik, Slavko (Prof.) Jozef Stefan Institute, Department for Nanostructured Materials, Jamova cesta 39, 1000 Ljubljana, Slovenia (slavko.bernik@ijs.si)
- [32] Bertolla, Luca (Dr.) Brittle Fracture Group, Institute of Physics of Materials of the Czech Republic, Žitkova 22, 61662 Brno, Czech Republic (bertolla@drs.ipm.cz)
- [33] Bi, Hong-Yan (Ms.) The State Key Laboratory of Advanced Technology for Materials Synthesis and Processing, Wuhan University of Technology, Wuhan 430070, China (411654267@qq.com)
- [34] Bi, Jia-Chang (Ms.) Ningbo Institute of Materials Technology & Engineering CAS, Ningbo, 315201, China (bijiachang@nimte.ac.cn)
- [35] Bi, Lei (Prof.) Institute of Materials for Energy and Environment, and College of Materials Science and Engineering, Qingdao University, Ningxia Road No.308, Qingdao 266071, China (bilei@qdu.edu.cn)
- [36] Bi, Yu-Bao (Dr.) High Temperature Materials Institute, Henan University of Science and Technology, Luoyang 471003, China (bi_yubao@163.com)
- [37] Bian, Shuai-Shuai (Mr.) State Key Laboratory of New Ceramics and Fine Processing, School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (bss16@mails.tsinghua.edu.cn)
- [38] Bian, Ying-Hua (Ms.) Henan Building Materials Research & Design Institute Co. Ltd., Zhengzhou 450002, China (1838846453@qq.com)
- [39] Binner, Jon (Prof.) College of Engineering and Physical Sciences, University of Birmingham, Birmingham B15 2TT, UK (j.binner@bham.ac.uk)
- [40] Bourjol, Maxence (Mr.) 3DCERAM Sinto SAS, 87280 Limoges, France (maxence.bourjol@3dceram.com)
- [41] Bućko, Mirosław M. (Prof.) AGH University of Science and Technology, Faculty of the Materials Science and Ceramics, al. Mickiewicza 30, 30-059 Krakow, Poland (bucko@agh.edu.pl)
- [42] Cai, Bo-Wen (Dr.) School of Materials Science and Engineering, Tsinghua University, Beijing, 100084, China (easoncc@mail.tsinghua.edu.cn)
- [43] Cai, Zheng-Wei (Mr.) State Key Laboratory of Advanced Technology for Materials Synthesis and Processing, Biomedical Materials and Engineering Research Center of Hubei Province, Wuhan University of Technology, Wuhan 430070, China (1984972906@qq.com)
- [44] Cai, Zi-Ming (Mr.) State Key Laboratory of New Ceramics and Fine Processing, School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (czm15@mails.tsinghua.edu.cn)
- [45] Cao, Chuan-Ru (Mr.) School of Materials Science and Engineering, Shanghai Institute of Technology, Shanghai 201418, China (chuanru.cao@outlook.com)
- [46] Cao, Cui-Hui (Mr.) Institute of Process Engineering, Chinese Academy of Sciences, Beijing 100190, China (chcao@iue.ac.cn)
- [47] Cao, Ding (Dr.) College of Science, Beijing University of Chemical Technology, Beijing 100029, China (caoding@mail.buct.edu.cn)
- [48] Cao, Jun-Chang (Mr.) Shandong Industrial Ceramic Research & Design Institute Co., Ltd., Zibo 255031, China (xdjunchang@163.com)
- [49] Cao, La-Mei (Prof.) Science and Technology on Advance High Temperature Structural Materials Laboratory, AECC Beijing Institute of Aeronautical Materials, Beijing 10095, China (amy.clm@sohu.com)
- [50] Cao, Qian-Hui (Ms.) Institute of Magnetic Fluids Research, School of Mechanical, Electronic and Control Engineering, Beijing Jiaotong University, Beijing, 100044, China (17121348@bjtu.edu.cn)
- [51] Cao, Shi-Yu (Ms.) State Key Lab of Advanced Technology for Materials Synthesis and Processing, Wuhan University of Technology, Wuhan 430070, China (csy0817@whut.edu.cn)

- [52] Cao, Wen-Bin (Prof.) School of Materials Science and Engineering, University of Science and Technology Beijing, Beijing 100083, China (wbcao@ustb.edu.cn)
- [53] Cao, Xun (Dr.) Shanghai Institute of Ceramics, Chinese Academy of Sciences, Dingxi 1295, Changning, Shanghai 200050, China (cxun@mail.sic.ac.cn)
- [54] Cao, Yan-Wei (Prof.) Ningbo Institute of Materials Technology and Engineering, Chinese Academy of Sciences, Ningbo 315201, China (ywcao@nimte.ac.cn)
- [55] Cao, Ye-Jie (Dr.) Department of Materials Science and Engineering, Northwestern Polytechnical University, Xi'an 710072, China (caoyejie@nwpu.edu.cn)
- [56] Cao, Zhen-Zhu (Prof.) College of Chemical Engineering, Inner Mongolia University of Technology, Hohhot, 010051, China (czz03@163.com)
- [57] Cao, Zheng (Ms.) School of Metallurgy and Ecological Engineering, University of Science and Technology Beijing, No. 30, Xueyuan Road, Beijing 100083, China (caozhengaaaa@163.com)
- [58] Carty, William M. (Prof) Ceramic Engineering & Glass Engineering Science, New York State College of Ceramics, Kazuo Inamori School of Engineering, Alfred University, Alfred, NY 14802, USA (carty@alfred.edu)
- [59] Chan, Yi-Tsu (Prof.) Department of Chemistry, National Taiwan University, Taipei 10617, Taiwan (ytchan@ntu.edu.tw)
- [60] Chang, Ai-Min (Prof.) Xinjiang Technical Institute of Physics & Chemistry of CAS, Urumqi Xinjiang 830011, China (changam@ms.xjb.ac.cn)
- [61] Chang, Yun-Fei (Dr.) Condensed Matter Science and Technology Institute, Harbin Institute of Technology, Harbin 150080, Heilongjiang, China (changyunfei@hit.edu.cn)
- [62] Che, Ren-Chao (Prof.) Laboratory of Advanced Materials, Fudan University, Shanghai 200438, China (rcche@fudan.edu.cn)
- [63] Chen, An-Nan (Mr.) State Key Laboratory of Materials Processing and Die & Mould Technology, School of Materials Science and Engineering, Huazhong University of Science and Technology, Wuhan 430074, China (annanchennuaa@hust.edu.cn)
- [64] Chen, Bo-Wen (Mr.) Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 200050, China (chenbowen@student.sic.ac.cn)
- [65] Chen, Dian-Dian (Ms.) School of Materials Science and Engineering, Chang'an University, Xi'an 710064, China (1798898011@qq.com)
- [66] Chen, Fei (Prof.) State Key Laboratory of Advanced Technology for Materials Synthesis and Processing, Wuhan University of Technology, Wuhan 430070, China (chenfei027@whut.edu.cn)
- [67] Chen, Feng-Hua (Dr.) Institute of Chemistry, Chinese Academy of Sciences, Beijing 100190, China (fhchen@iccas.ac.cn)
- [68] Chen, Hai-Feng (Mr.) Department of Material Chemistry, Huzhou University, Huzhou 313000, China (header@zjhu.edu.cn)
- [69] Chen, Han (Ms.) Key Laboratory of Transparent and Opto-functional Inorganic Materials, Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 201899, China (chenhan@student.sic.ac.cn)
- [70] Chen, Hao (Mr.) School of Materials Science and Engineering, Shanghai University, Shanghai 200000, China (airsupply@shu.edu.cn)
- [71] Chen, He-Tuo (Dr.) Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 200050, China (chenhetuo@mail.sic.ac.cn)
- [72] Chen, Heng (Mr.) School of Materials Science and Engineering, Tianjin University, Tianjin 300350, China (15966650660@163.com)
- [73] Chen, I-Wei (Prof.) Department of Materials Science & Engineering, University of Pennsylvania, LRSB Building, Philadelphia, PA 19104-6272, USA (iweichen@seas.upenn.edu)
- [74] Chen, Ji-Kun (Dr.) School of Materials Science and Engineering, University of Science and Technology of Beijing, Beijing 100083, China (jikunchen@ustb.edu.cn)
- [75] Chen, Jian-Jun (Prof.) Department of Materials Engineering, College of Materials and Textile, Zhejiang Sci-Tech University, Hangzhou 310018, China (chen@zstu.edu.cn)
- [76] Chen, Jie (Mr.) Henan Province Industrial Technology Research Institute of Resources and Materials, Zhengzhou University, Zhengzhou 450001, China (jack113.gg@163.com)

- [77] Chen, Jie (Mr.) Sichuan University, School of Materials Science and Engineering, Chengdu 610065, China (478510465@qq.com)
- [78] Chen, Ke (Dr.) Ningbo Institute of Materials Technology and Engineering, Chinese Academy of Sciences, Ningbo 315201, China (chenke@nimte.ac.cn)
- [79] Chen, Lei (Dr.) Tribology Research Institute, School of Mechanical Engineering, Southwest Jiaotong University, Chengdu 610031, China (chenlei@swjtu.edu.cn)
- [80] Chen, Lei (Dr.) School of Materials Science and Engineering, Harbin Institute of Technology, Harbin 150001, China (chenleihit@hit.edu.cn)
- [81] Chen, Li-Dong (Prof.) State Key Laboratory of High Performance Ceramics and Superfine Microstructure, Shanghai Institute of Ceramics, Shanghai 200050, China
- [82] Chen, Lin (Mr.) Faculty of Material Science and Engineering, Kunming University of Science and Technology, Kunming 650093, China (1106846650@qq.com)
- [83] Chen, Mei-Ling (Ms.) Department of Chemistry and Chemical Engineering, Guangxi University, Nanning 530000, China (cmlccc0521@163.com)
- [84] Chen, Min (Dr.) School of Materials Science and Energy Engineering, Foshan University, Foshan 528000, China (minchen1981@126.com)
- [85] Chen, Ming-Wei (Dr.) AVIC Composite Technology Center, Beijing 101300, China (mingwei070806@163.com)
- [86] Chen, Peng-Ju (Mr.) Central South University, Powder Metallurgy Research Institute, Changsha 410083, China (chenpj1992@163.com)
- [87] Chen, Shao-Ping (Prof.) College of Materials Science and Engineering, Taiyuan University of Technology, Taiyuan 030024, China (sxchenshaoping@163.com)
- [88] Chen, Shuang (Mr.) School of Materials Science and Engineering, Huazhong University of Science and Technology, Wuhan 430074, China (chenshuang@hust.edu.cn)
- [89] Chen, Si-An (Dr.) Science and Technology on Advanced Ceramic Fibers and Composites Laboratory, National University of Defense Technology, Changsha 410073, China (chensian07@nudt.edu.cn)
- [90] Chen, Wan-Ping (Prof.) School of Physics and Technology, Wuhan University, Wuhan 430072, China (wpchen@whu.edu.cn)
- [91] Chen, Wei (Mr.) Department of Biomedical Engineering, Guangzhou Medical University, Guangzhou 511436, China (326647006@qq.com)
- [92] Chen, Xi (Ms.) School of Material Science and Engineering, Changchun University of Science and Technology, Changchun 130022, China
- [93] Chen, Xian-Hui (Prof.) Department of Physics, University of Science and Technology of China, Hefei, Anhui 230026, China (xhchen@ustc.edu.cn)
- [94] Chen, Xiao-Dong (Mr.) School of Chemical Engineering, Inner Mongolia University of Technology, Hohhot 010051, China (343597046@qq.com)
- [95] Chen, Xiao-Feng (Prof.) Department of Biomedical Engineering, School of Materials Science and Engineering, South China University of Technology, Guangzhou 510641, China (chenxf@scut.edu.cn)
- [96] Chen, Xiao-Long (Dr.) Institute of Advanced Wear & Corrosion Resistant and Functional Materials, Jinan University, Guangzhou 510632, China (xiaolong.chen@jnu.edu.cn)
- [97] Chen, Xiao-Ming (Prof.) Department of Biomedical Engineering, Guangzhou Medical University, Guangzhou, 511436, China (xmchenw@126.com)
- [98] Chen, Xiao-Pu (Mr.) Key Laboratory of Transparent Opto-functional Inorganic Materials, Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 201899, China (xpchen@student.sic.ac.cn)
- [99] Chen, Xing (Prof.) Institute of Industry and Equipment Technology, Hefei University of Technology, Hefei 230009, China (xingchen@hfut.edu.cn)
- [100] Chen, Xing-Tao (Dr.) College of Material Science and Technology, Nanchang University, Nanchang 330031, China (chenxingtao@ncu.edu.cn)
- [101] Chen, Xu-Xuan (Ms.) School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (xuxuanchan@163.com)
- [102] Chen, Yi-Gao (Mr.) School of Materials Science and Engineering, Northwestern Polytechnical University, Xi'an 710072, China (chenyigao321@mail.nwpu.edu.cn)

- [103] Chen, Yi-Jie (Mr.) Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 200011, China (229826254@qq.com)
- [104] Chen, Yong-Qiang (Mr.) School of Materials Science and Engineering, Zhengzhou University, Zhengzhou 450001, China (15294628626@163.com)
- [105] Chen, Yu (Prof.) School of Mechanical Engineering, Chengdu University, Chengdu 610106, China (chenyu01@cdu.edu.cn)
- [106] Chen, Yu-Feng (Prof.) China Building Materials Academy, Guanzhuang, Beijing 100024, China (chenyufeng@cbmamail.com.cn)
- [107] Chen, Yu-Gu (Ms.) State Key Lab of New Ceramics and Fine Processing, School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (chenyg16@mails.tsinghua.edu.cn)
- [108] Chen, Yu-Xin (Mr.) Key Laboratory of Integrated Exploitation of Bayan Obo Multi-Metal Resources, Inner Mongolia University of Science and Technology, Baotou 014010, China (cyx_1314@126.com)
- [109] Chen, Yue (Dr.) Department of Mechanical Engineering, The University of Hong Kong, Pokfulam Road, Hong Kong (yuechen@hku.hk)
- [110] Chen, Yun-Tian (Mr.) Powder Metallurgy Research Institute, Central South University, Changsha 410083, China (308932444@qq.com)
- [111] Chen, Zhang-Wei (Prof.) Additive Manufacturing Institute, Shenzhen University, Shenzhen 518060, China (chen@szu.edu.cn)
- [112] Chen, Zhao-Yang (Prof.) Key Laboratory of Functional Materials and Devices for Special Environments of CAS, Xinjiang Key Laboratory of Electronic Information Materials and Devices, Xinjiang Technical Institute of Physics and Chemistry of CAS, Urumqi 830000, China (czy@ms.xjb.ac.cn)
- [113] Chen, Zhi-Bo (Ms.) Henan Province Industrial Technology Research Institute of Resources and Materials, Zhengzhou University, Zhengzhou 450001, China (czbczbczbczbc@icloud.com)
- [114] Chen, Zhi-Gang (Prof.) Division of Research and Innovations, Centre for Future Materials, University of Southern Queensland, B410, 37 Sinnathamby Boulevard, Springfield Central Qld 4300, Australia (zhigang.chen@usq.edu.au)
- [115] Cheng, Chuan-Bing (Mr.) Key Laboratory of Processing and Testing Technology of Glass & Functional Ceramics of Shandong Province, School of Materials Science and Engineering, Qilu University of Technology (Shandong Academy of Sciences), Jinan 250353, China (chengchuanbing@163.com)
- [116] Cheng, Lai-Fei (Prof.) Science and Technology on Thermostructural Composite Materials Laboratory, Northwestern Polytechnical University, Xi'an, Shaanxi 710072, China (chenglf@nwpu.edu.cn)
- [117] Cheng, Li-Jin (Dr.) State Key Laboratory of Materials Processing and Die & Mould Technology, School of Materials Science and Engineering, Huazhong University of Science and Technology, Wuhan 430074, China (ljcheng@hust.edu.cn)
- [118] Cheng, Li-Qian (Dr.) Department of Materials Science and Engineering, China University of Mining & Technology, Beijing 100083, China (chenglq@cumtb.edu.cn)
- [119] Cheng, Liang (Mr.) Institute of Materials, China Academy of Engineering Physics, Mianyang 621907, China (mcchengliang@126.com)
- [120] Cheng, Ren-Fei (Mr.) Shenyang National Laboratory for Materials Science, Institute of Metal Research, Chinese Academy of Sciences, Shenyang 110016, China (rfcheng16b@imr.ac.cn)
- [121] Cheng, Su (Dr.) Department of Engineering Mechanics, Harbin University of Science and Technology, Harbin 150080, China (chengsu2002@163.com)
- [122] Cheng, Ta-Wui (Prof.) Institute of Mineral Resources Engineering, National Taipei University of Technology, Taiwan (twcheng@ntut.edu.tw)
- [123] Cheng, Xing (Mr.) Collaborative Innovation Center for Advanced Nuclear Energy Technology, Institute of Nuclear and New Energy Technology, Tsinghua University, Beijing 100084, China (cx950219@mail.tsinghua.edu.cn)
- [124] Cheng, Ye-Hong (Mr.) National Key Laboratory of Science and Technology on Advanced Composites in Special Environments, and Center for Composite Materials and Structures, Harbin Institute of Technology, Harbin 150080 (chengyehong@yeah.net)
- [125] Cheng, Yi-Lin (Ms.) College of Material Science and Engineering, Wuhan Institute of Technology, Hubei 470073, China (1179060363@qq.com)
- [126] Cheng, Zhen-Xiang (Dr.) Institute for Superconducting and Electronic Materials, University of Wollongong, Innovation Campus, North Wollongong, NSW 2500, Australia (cheng@uow.edu.au)

- [127] Chi, Meng-Shuang (Ms.) Key Laboratory for Advanced Ceramics and Machining Technology of Ministry of Education, School of Materials Science and Engineering, Tianjin University, Tianjin 300350, China (1378522330@qq.com)
- [128] Ching, Wai-Yim (Prof.) University of Missouri - Kansas City, 250C Robert H. Flarsheim Hall, 5100 Rockhill Road, Kansas City, Missouri 64110-2499, USA (chingw@umkc.edu)
- [129] Chong, Xiao-Yu (Dr.) Faculty of Material Science and Engineering, Kunming University of Science and Technology, Kunming 650093, China (617458806@qq.com)
- [130] Chu, Yan-Hui (Dr.) School of Materials Science and Engineering, South China University of Technology, Guangzhou, 510641, China (chuyh@scut.edu.cn)
- [131] Colorado, Henry A. (Prof.) CComposites Laboratory, Universidad de Antioquia UdeA, Calle 70 N°. 52-21, Medellín, Colombia (henry.colorado@udea.edu.co)
- [132] Coral Fonseca, Fabio (Dr.) IPEN, Av. Prof. Lineu Prestes 2242, São Paulo, SP, 05508-000, Brazil (fabiofc@usp.br)
- [133] Cui, Jing-Yi (Ms.) Institute for Advanced Ceramics, School of Materials Science and Engineering, Harbin Institute of Technology, Heilongjiang, Harbin 150080, China (2563467357@qq.com)
- [134] Dai, Fu-Zhi (Dr.) Science and Technology on Advanced Functional Composite Laboratory, Aerospace Research Institute of Materials & Processing Technology, Beijing 100076, China (dfzshiwo@163.com)
- [135] Dai, Li (Ms.) College of Chemistry and Material Science, Shandong Agricultural University, Tai'an, Shandong Province 271018, China (davy-712@163.com)
- [136] Dai, Ya-Jie (Dr.) The State Key Laboratory of Refractories and Metallurgy, Wuhan University of Science and Technology, Wuhan 430081, China (yajie.dai@wust.edu.cn)
- [137] Dai, Ye-Jing (Dr.) School of Material Science and Engineering, Tianjin University, Tianjin 300072, China (daiyj04@gmail.com)
- [138] Dang, Feng (Prof.) Key Laboratory for Liquid-Solid Structural Evolution and Processing of Materials (Ministry of Education), Shandong University, Jinan 250061, China (dangfeng@sdu.edu.cn)
- [139] de la Fuente, Germán F. (Prof.) ICMA (CSIC-Universidad de Zaragoza), Campus Río Ebro, EINA, c/M^a de Luna, 3 E50018 Zaragoza, Spain (german.delafuente.leis@csic.es)
- [140] Delaunay, Jean-Jacques (Dr.) School of Engineering, The University of Tokyo, 7-3-1 Hongo, Bunkyo-ku, Tokyo 113-8656, Japan (jean@mech.t.u-tokyo.ac.jp)
- [141] Demirskiyi, Dmytro (Dr) WPI-Advanced Institute for Materials Research (WPI-AIMR), Tohoku University, 2-1-1 Katahira, Aoba-ku, Sendai, 980-8577 Japan (demirskiyi.dmytro.e2@tohoku.ac.jp)
- [142] Deng, Bin (Dr.) Department of the Prosthodontics, The General Hospital of Chinese PLA, Beijing 100853, China (dengbin301@139.com)
- [143] Deng, Chang-Sheng (Prof.) Institute of Nuclear and New Energy Technology, Tsinghua University, Beijing 100084, China (changsheng@tsinghua.edu.cn)
- [144] Deng, Li-Na (Ms.) China Building Material Test& Certification Group Co., Ltd., Beijing 100024, China (dengln221@163.com)
- [145] Deng, Shu-Xiang (Ms.) Technical Institute of Physics and Chemistry, CAS. Beijing 100190, China (dengshuxiang17@mailsucas.ac.cn)
- [146] Deng, Zhen-Yan (Prof.) Department of Physics, Shanghai University, Shanghai 200444, China (zydeng@shu.edu.cn)
- [147] Ding, Dong-Hai (Prof.) College of Materials Science and Engineering, Xi'an University of Architecture and Technology, Xi'an 710055, China (dingdongxauat@163.com)
- [148] Ding, Guo-Jiao (Mr.) Institute of Advanced Structure Technology, Beijing Institute of Technology, Beijing 100081, China (254454756@qq.com)
- [149] Ding, Hong-Hui (Ms.) Key Laboratory for Advanced Ceramics and Machining Technology of Ministry of Education, School of Material Science and Engineering, Tianjin University, Tianjin 300072, China (dinghh@tju.edu.cn)
- [150] Ding, Ya-Jun (Mr.) Shenyang National Laboratory for Materials Science, Institute of Metal Research, Chinese Academy of Sciences, Shenyang 110016, China (yjdj14s@imr.ac.cn)
- [151] Dong, Bin-Bin (Mr.) Department of Materials Science and Engineering, University of Science and Technology of China, Hefei, Anhui 230026, China (ba170140@mail.ustc.edu.cn)

- [152] Dong, Chen-Jiang (Mr.) School of Materials Science & Engineering, Zhengzhou University of Aeronautics (Henan), Zhengzhou 450046, China (john_dong@foxmail.com)
- [153] Dong, De-Hua (Prof.) School of Materials Science and Engineering, University of Jinan, Jinan 250022, China (mse_dongdh@163.com)
- [154] Dong, Fan (Prof.) Research Center for Environmental Science & Technology, Institute of Fundamental and Frontier Sciences, University of Electronic Science and Technology of China, Chengdu, Sichuan 610054, China (dfctbu@126.com)
- [155] Dong, Guang-Zhi (Mr.) State Key Laboratory of Solidification Processing, School of Materials Science and Engineering, Northwestern Polytechnical University, Xi'an 710072, China (dongguangzhi@nwpu.edu.cn)
- [156] Dong, Lin-Lin (Ms.) Institute of Chemical Materials, China Academy of Engineering Physics, Mianyang 621900, China (18710704869@163.com)
- [157] Dong, Long-Hao (Mr.) The State Key Laboratory of Refractories and Metallurgy, Wuhan University of Science and Technology, Wuhan 430081, China (donglonghao1125@163.com)
- [158] Dong, Shuai (Prof.) School of Physics, Southeast University, Nanjing 211189, China (sdong@seu.edu.cn)
- [159] Dong, Wei-Xia (Prof.) Jingdezhen Ceramic Institute, Jingdezhen, 333001, China (weixia_dong@sina.com)
- [160] Dong, Ying-Chao (Prof.) School of Environmental Science & Technology, Dalian University of Technology, Dalian, China (ycdong@dlut.edu.cn)
- [161] Dou, Rui (Prof.) Technology and Engineering Center for Space Utilization, Chinese Academy of Sciences, Beijing 100094, China (ruidou6@hotmail.com)
- [162] Du, Hai-Yan (Prof.) School of Materials Science and Engineering, Tianjin University, Tianjin 300072, China (hydu@tju.edu.cn)
- [163] Du, Jiao-Long (Mr.) School of Material Science and Engineering, Zhengzhou University, Zhengzhou 450001, China (jiaolongdu@126.com)
- [164] Duan, Guo-Tao (Prof.) School of Optical and Electronic Information, Huazhong University of Science and Technology, Wuhan 430074, China (duangt@mail.hust.edu.cn)
- [165] Duan, Wen-Jiu (Mr.) Institute for Advanced Ceramics, School of Materials Science and Engineering, Harbin Institute of Technology, Harbin, 15000, China (dwenjiu@foxmail.com)
- [166] Duan, Wen-Yan (Dr.) Technology and Engineering Centre for Space Utilisation, Chinese Academy of Science, Beijing, 10094, China (duanwenyan03@yeah.net)
- [167] Duan, Xiao-Ming (Dr.) Institute for Advanced Ceramics, School of Materials Science and Engineering, Harbin Institute of Technology, Harbin 150080, China (dxmhit@126.com)
- [168] Dudina, Dina (Dr.) Lavrentyev Institute of Hydrodynamics SB RAS, Lavrentyev Ave. 15, Novosibirsk, 630090, Russia (dina1807@gmail.com)
- [169] Duke, Mikel C. (Prof.) Institute for Sustainable Industries and Liveable Cities, Victoria University, Melbourne, Australia (mikel.duke@vu.edu.au)
- [170] Duo, Shu-Wang (Prof.) Jiangxi Key Laboratory of Surface Engineering, Jiangxi Science and Technology Normal University, Nanchang 330013, China (swduo@126.com)
- [171] Esposito, Vincenzo (Prof.) Department of Energy Conversion and Storage, Technical University of Denmark, Frederiksborgvej 399, Building 775, DK - 4000 Roskilde, Denmark (vies@dtu.dk)
- [172] Fabrichnaya, Olga (Dr.) Technical University Bergakademie Freiberg, Germany (fabrich@ww.tu-freiberg.de)
- [173] Fahrenholtz, William (Prof.) Department of Materials Science and Engineering, Missouri University of Science and Technology, Rolla, MO 65409, USA (billf@mst.edu)
- [174] Fan, Er-Chuang (Mr.) School of Materials Science and Engineering, Zhengzhou University, Zhengzhou 450001, China (1871403073@qq.com)
- [175] Fan, Guang-Rao (Ms.) State Key Laboratory of Solidification Processing, Northwestern Polytechnical University, Xi'an 710072, China (807984959@qq.com)
- [176] Fan, Heng-Zhong (Dr.) State Key Laboratory of Solid Lubrication, Lanzhou Institute of Chemical Physics, Chinese Academy of Sciences, Lanzhou 730000, China (hzhfan@licp.cas.cn)

- [177] Fan, Hui-Qing (Prof.) State Key Laboratory of Solidification Processing, School of Materials Science and Engineering, Northwestern Polytechnical University, Xi'an 710072, China (hqfan@nwpu.edu.cn)
- [178] Fan, Peng (Mr.) State Key Laboratory of Advanced Technology for Materials Synthesis and Processing, Wuhan University of Technology, Wuhan 430070, China (785024352@qq.com)
- [179] Fan, Xi-An (Prof.) School of Materials and Metallurgy, Wuhan University of Science and Technology, 947 Heping Road, Qingshan District, Wuhan 430081, China (groupfxa@163.com)
- [180] Fan, Xiao-Hui (Dr.) School of Materials Science and Engineering, Shanghai Jiao Tong University, Shanghai 200240, China (xhfan@sjtu.edu.cn)
- [181] Fan, Xiao-Meng (Dr.) Science and Technology on Thermostructural Composite Materials Laboratory, Northwestern Polytechnical University, Xi'an, 710072, China (fanxiaomeng@nwpu.edu.cn)
- [182] Fan, Yu-Chi (Prof.) School of Materials Science and Engineering, Donghua University, Shanghai, China (yuchifan@dhu.edu.cn)
- [183] Fan, Yuan-Yuan (Ms) School of Materials Science and Engineering, Shaanxi University of Technology, Shaanxi Hanzhong 723000, China (fanyuanyuan950602@163.com)
- [184] Fan, Yun-Hao (Mr.) Beihang University, School of Materials Science and Engineering, Beijing 100191, China (378003709@qq.com)
- [185] Fang, Cheng (Mr.) National Key Laboratory of Science and Technology on Advanced Composites in Special Environments, Harbin Institute of Technology, Harbin 150080, China (fangchenghit@126.com)
- [186] Fang, Guang-Wu (Dr.) School of Mechanical Engineering, Anhui University of Technology, Ma'anshan, Anhui 243002, China (fgw89424@ahut.edu.cn)
- [187] Fang, Kai (Mr.) China Building Materials Academy, Ceramic Research Institute, Beijing 100024, China (f_a_n_g_k_a_i@126.com)
- [188] Fang, Teng (Dr.) State Key Laboratory of Silicon Materials and School of Materials Science and Engineering, Zhejiang University, Hangzhou 310027, China (fangteng_123@163.com)
- [189] Fang, Zhen-Yi (Prof.) Beijing Industrial Technology Research Institute, No.5, Xingguang 4 Ave, OPTO-Mechatronics Industrial Park, Zhongguancun Science Park, Tongzhou District, Beijing 101111, China (fangzhenyi@bitri.cn)
- [190] Faryna, Marek (Prof.) Polish Academy of Sciences, Institute for Metallurgy and Materials Science, 25ReymontaSt., 30-059 Krakow, Poland (m.faryna@imim.pl)
- [191] Fei, Chun-Long (Mr.) School of Microelectronics, Xidian University, Xi'an, 710071, China (clfei@xidian.edu.cn)
- [192] Fei, Lin-Feng (Dr.) Department of Applied Physics, The Hong Kong Polytechnic University, Hong Kong (feilinfeng@gmail.com)
- [193] Feng, Hang-Hang (Mr.) College of Materials Science and Engineering, Beijing University of Technology, Beijing 100124, China (s201709149@emails.bjut.edu.cn)
- [194] Feng, Jing (Prof.) Faculty of Material Science and Engineering, Kunming University of Science and Technology, Kunming 650093, China (jingfeng@kmust.edu.cn)
- [195] Feng, Tian-Yi (Mr.) The State Key Laboratory of Advanced Technology for Materials Synthesis and Processing, Wuhan University of Technology, Wuhan 430070, China (761869273@qq.com)
- [196] Feng, Ya-Gang (Mr.) Key Laboratory of Transparent Opto-functional Inorganic Materials, Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 201899, China (fengyagang@student.sic.ac.cn)
- [197] Feng, Ying-Jie (Mr.) School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (fengyj15@mails.tsinghua.edu.cn)
- [198] Feteira, Antonio (Dr.) Materials and Engineering Research Institute, Sheffield Hallam University, Howard St, Sheffield, S1 1WB, UK (a.feteira@shu.ac.uk)
- [199] Fisher, John G. (Dr.) School of Materials Science and Engineering, Chonnam National University, Gwangju 61186, Korea (johnfisher@jnu.ac.kr)
- [200] Frömling, Till (Dr.) Institute of Materials Science, Technische Universität Darmstadt, Alarich-Weiss-Strasse 2, Darmstadt 64287, Germany (froemling@ceramics.tu-darmstadt.de)
- [201] Fu, Chenguang (Dr.) Max Planck Institute for Chemical Physics of Solids, Nöthnitzer Str. 40, 01187 Dresden, Germany (chenguang.fu@cpfs.mpg.de)

- [202] Fu, Hua (Prof.) School of Materials Science and Engineering, Shijiazhuang Tiedao University, 17 Northeast, Second Inner Ring , Shijiazhuang 050043, China (1115279899@qq.com)
- [203] Fu, Lan (Prof.) Department of Electronic Materials Engineering, Research School of Physics and Engineering, The Australian National University, Canberra, ACT 2601, Australia (lan.fu@anu.edu.au)
- [204] Fu, Qian-Gang (Prof.) School of Materials Science and Engineering, Northwestern Polytechnical University, Xi'an 710072, China (fuqiangang@nwpu.edu.cn)
- [205] Fu, Qing-Qiao (Ms.) School of Materials Science and Engineering, Shanghai University, Shanghai 200444, China (18817231098@163.com)
- [206] Fu, Qiu-Yun (Prof.) School of Optical and Electronic Information, Huazhong University of Science and Technology, Wuhan 430074, China (fuqy@mail.hust.edu.cn)
- [207] Fu, Shuai (Mr.) Max Planck Institute for Polymer Research, Ackermannweg 10, 55128 Mainz, Germany (fu01@mpip-mainz.mpg.de)
- [208] Fuji, Masayoshi (Prof.) Advanced Ceramics Research Center, Nagoya Institute of Technology, Honmachi 3-101-1, Tajimi 507-0033 Gifu, Japan (fuji@nitech.ac.jp)
- [209] Fukushima, Manabu (Dr.) Department of Materials and Chemistry, National Institute of Advanced Industrial Science and Technology (AIST), Central 1-1-1, Umezono, Tsukuba, Ibaraki, 305-8560, Japan (manabu-fukushima@aist.go.jp)
- [210] Furuse, Hiroaki (Dr.) Kitami Institute of Technology, Hokkaido, Japan (furuse@mail.kitami-it.ac.jp)
- [211] Gao, Shu-Yue (Ms.) School of Materials Science and Engineering, Shanghai Institute of Technology, Shanghai 201418, China (shuyuegao@outlook.com)
- [212] Gao, Shuang (Dr.) School of Materials Science and Engineering, Southwest Jiaotong University, Chengdu 610031, China (sgao10s@alum.imr.ac.cn)
- [213] Gao, Xiang-Hu (Dr.) State Key Laboratory of Solid Lubrication, Lanzhou Institute of Chemical Physics, Chinese Academy of Sciences, Lanzhou 730000, China (gaoxh@licp.cas.cn)
- [214] Gao, Yan-Feng (Prof.) Department of Materials Science and Engineering, Shanghai University, Shanghai 200444, China (yfgao@shu.edu.cn)
- [215] Gao, Yang (Mr.) Shaanxi University of Science & Technology, School of material science and engineering, Xi'an 710021, China (18292491256@163.com)
- [216] Ge, Ben (Dr.) China University of Mining & Technology, Beijing 100083, China (geben_1106@163.com)
- [217] Ge, Bing-Hui (Prof.) Institute of Physical Science and Information Technology, Anhui University, Hefei 230039, China (bhge@iphy.ac.cn)
- [218] Ge, Meng-Ni (Ms.) College of Mechanics and Materials, Hohai University, Nanjing 211100, China (15189800991@163.com)
- [219] Ge, Yuan-Yuan (Dr.) School of Chemistry & Chemical Engineering, Guangxi University, 100 Daxuedong Road, Nanning 530004, China (geyy@gxu.edu.cn)
- [220] Ge, Zhen-Hua (Prof.) Faculty of Materials Science and Technology, Kunming University of Science and Technology, Kunming 650093, China (ggzhh@qq.com)
- [221] Geffroy, Pierre-Marie (Dr.) IRCER, CNRS, ENSCI, Université de Limoges, 12 rue Atlantis, 87068 Limoges, France (pierre-marie.geffroy@unilim.fr)
- [222] Geng, Guang-Ren (Mr.) School of Materials Science and Engineering, University of Jinan, Jinan 250022, China (275065302@qq.com)
- [223] Gong, Jiang-Hong (Dr.) School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (gong@tsinghua.edu.cn)
- [224] Goto, Takashi (Prof.) New Industry Creation Hatcher Center, Tohoku University, 6-6-10 Aza-Aoba Aramaki Aoba-ku Sendai 980-8579, Japan (goto@imr.tohoku.ac.jp)
- [225] Grasso, Salvatore (Prof.) School of Materials Science and Engineering, Southwest Jiaotong University, Chengdu 61 0031 , China (s.grasso@swjtu.edu.cn)
- [226] Gray, Stephen (Prof.) Institute for Sustainable Industries and Liveable Cities, Victoria University, Melbourne, Australia (stephen.gray@vu.edu.au)
- [227] Gregorova, Eva (Dr.) Department of Glass and Ceramics, University of Chemistry and Technology, Prague (UCT Prague), Technicka 5, 16628 Prague 6, Czech Republic (eva.gregorova@vscht.cz)

- [228] Gu, Hui (Prof.) School of Materials Science and Engineering, Shanghai University, Shanghai 200444, China (gujiaoshu@shu.edu.cn)
- [229] Gu, Jing-Hua (Prof.) School of Materials Science and Engineering, Beihang University, 100191, Beijing, China (gujh@buaa.edu.cn)
- [230] Gu, Jun-Feng (Mr.) State Key Lab of Advanced Technology for Materials Synthesis and Processing, Wuhan University of Technology, Wuhan 430070, China (gujunfeng@whut.edu.cn)
- [231] Gu, Ning (Prof.) Department of Biological Science and Medical Engineering, Southeast University, Nanjing 210009, China (guning@seu.edu.cn)
- [232] Gu, Quan-Chao (Mr.) National Key Laboratory of Science and Technology on Advanced Ceramic Fibers and Composites, National University of Defense Technology, Changsha 410073, China (308092251@qq.com)
- [233] Gu, Yu-Fei (Mr.) Guangxi Key Laboratory of Information Material, Guangxi Collaborative Innovation Center of Structure and Property for New Energy and Materials, School of Material Science and Engineering, Guilin University of Electronic Technology, Guilin, 541004, China (1499053208@qq.com)
- [234] Guan, Li (Dr.) School of Materials Science and Engineering, Zhengzhou University of Aeronautics (Henan), 450046, China (guan_de@zua.edu.cn)
- [235] Guan, Li-Li (Ms.) Inner Mongolia University of Science and Technology, School of Materials and Metallurgy, Baotou 014010, China (guanlili907007@163.com)
- [236] Guan, Xing-Yu (Mr.) School of Materials Science and Engineering, Key Lab of Advanced Ceramics and Machining Technology of Ministry of Education, Tianjin University, Tianjin 300072, China (1195559488@qq.com)
- [237] Guo, An-Ran (Dr.) School of Materials Science and Engineering, Tianjin University, Tianjin 300072, China (arguo@tju.edu.cn)
- [238] Guo, Dong (Prof.) Beihang University, Beijing 100191, China (dong.guo@buaa.edu.cn)
- [239] Guo, Er-Jia (Prof.) Beijing National Laboratory for Condensed Matter Physics, Institute of Physics, Chinese Academy of Sciences, Beijing 100190, China (ejguo@iphy.ac.cn)
- [240] Guo, Han (Ms.) State Key Laboratory of Advanced Technology for Material Synthesis and Processing, Wuhan University of Technology, 122 Luoshi Road, Wuhan 430070, China (guohan@whut.edu.cn)
- [241] Guo, Jing (Dr.) School of Materials Science and Engineering, Xi'an Jiaotong University, Xi'an 710049, China (guojingshareall@163.com)
- [242] Guo, Jun-Jie (Prof.) Key Laboratory of Interface Science and Engineering in Advanced Materials of Ministry of Education, Taiyuan University of Technology, Taiyuan 030024, China (guojunjie@tyut.edu.cn)
- [243] Guo, Lei (Dr.) School of Materials Science and Engineering, Tianjin University, Tianjin 300072, China (glei028@tju.edu.cn)
- [244] Guo, Li-Min (Prof.) School of Environmental Science and Technology, Huazhong University of Science and Technology, Wuhan, China (lmguo@hust.edu.cn)
- [245] Guo, Lin-Lin (Prof.) School of Materials Science and Engineering, Tianjin University, Tianjin 300350, China (guoll@tju.edu.cn)
- [246] Guo, Qi-Long (Prof.) School of Civil Engineering, Northwest Minzu University, Lanzhou 730124, China (guoqilong8@126.com)
- [247] Guo, Qing-Hu (Mr.) State Key Lab Silicate Materials for Architecture, Center for Smart Materials and Device Integration, School of Materials Science and Engineering, Wuhan University of Technology, Wuhan 430070, China (guoqinghu@whut.edu.cn)
- [248] Guo, Ru (Ms.) State Key Laboratory of Powder Metallurgy, Central South University, Changsha 410083, China (guoru123@csu.edu.cn)
- [249] Guo, Shuqi (dr.) Research Center for Structural Materials, National Institute for Materials Science, 1-2-1 Sengen, Tsukuba, Ibaraki 305-0047, Japan (guo.shuqi@nims.go.jp)
- [250] Guo, Wei-Jia (Mr.) State Key Laboratory of New Ceramics and Fine Processing, School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (guoweijia0315@163.com)
- [251] Guo, Wei-Ming (Dr.) Guangdong University of Technology, School of Electromechanical Engineering, Guangzhou 510006, China (guo1237@126.com)
- [252] Guo, Xiao-Lu (Prof.) School of Materials Science and Engineering, Tongji University, Shanghai 201804, China (guoxiaolu@tongji.edu.cn)

- [253] Guo, Xiao-Wei (Mr.) School of Material Science and Engineering, Guilin University of Technology, Guilin 541004, China (781860301@qq.com)
- [254] Guo, Xin (Prof.) Changchun University of Science and Technology, Department of Materials Science and Engineering, Changchun 130022, China (guoyml@126.com)
- [255] Guo, Yi-Ping (Prof.) State Key Lab of Metal Matrix Composites, School of Materials Science and Engineering, Shanghai Jiao Tong University, Shanghai 200240, China (ypguo@sjtu.edu.cn)
- [256] Hai, Wan-Xiu (Dr.) School of Materials Science and Engineering, North Minzu University, Yinchuan 750021, China (guyuanhwx@163.com)
- [257] Han, Cang-Juan (Ms.) The State Key Laboratory of Refractories and Metallurgy, Wuhan University of Science and Technology, Wuhan 430081, China (282882443@qq.com)
- [258] Han, Dan (Dr.) Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 201899, China (handan@mail.sic.ac.cn)
- [259] Han, Ding (Dr.) China Building Materials Academy, Beijing 100024, China (tjuhd@163.com)
- [260] Han, Feng (Dr.) Institute of Engineering Thermodynamics, German Aerospace Center (DLR), Pfaffenwaldring 38-40, 70569 Stuttgart, Germany (feng.han@dlr.de)
- [261] Han, Hyoung-Su (Prof.) School of Materials Science and Engineering, University of Ulsan, 14, Techno saneop-ro 55 beon-gil, Nam-gu, Ulsan, Republic of Korea (hsejs@ulsan.ac.kr)
- [262] Han, Jian-Shen (Mr.) State Key Laboratory of Advance Refractories, Sinosteel Luoyang Institute of Refractories Research Co., Ltd., Luoyang 471039, China (hjs109510@163.com)
- [263] Han, Yi (Mr.) School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (hanyiemail@163.com)
- [264] Han, Ying-Chao (Prof.) State Key Laboratory of Advanced Technology for Materials Synthesis and Processing, Wuhan University of Technology, Wuhan 430070, China (hanyingchao@whut.edu.cn)
- [265] Han, Zhuo-Qun (Mr.) School of Materials Science and Engineering, University of Jinan, Jinan 250022, China (765849056@qq.com)
- [266] Hanzel, Ondrej (Dr.) Institute of Inorganic Chemistry, Slovak Academy of Sciences, Dúbravskácesta 9, 84536 Bratislava, Slovak Republic (ondrej.hanzel@savba.sk)
- [267] Hao, Jianhua (Prof.) Department of Applied Physics, The Hong Kong Polytechnic University, Hung Hom, Hong Kong, China (jh.hao@polyu.edu.hk)
- [268] Hao, Wei (Mr.) School of Materials Science and Engineering, Shanghai Jiao Tong University, Shanghai 200240, China (haoweimaster@163.com)
- [269] He, Chong (Mr.) School of Materials Science and Engineering, Tianjin University, Tianjin 300072, China (853548386@qq.com)
- [270] He, Gang (Dr.) Key Laboratory of Cryogenics, Technical Institute of Physics and Chemistry, Chinese Academy of Science, Beijing 100190, China (ipchg@mail.ipc.ac.cn)
- [271] He, Pei-Gang (Dr.) Institute for Advanced Ceramics, School of Materials Science and Engineering, Harbin Institute of Technology, Harbin 150080, China (hithepeigang@126.com)
- [272] He, Ru-Jie (Dr.) Institute of Advanced Structure Technology, Beijing Institute of Technology, Beijing 100081, China (herujie@bit.edu.cn)
- [273] He, Tianwei (Mr.) School of Chemistry, Physics and Mechanical Engineering, Science and Engineering Faculty, Queensland University of Technology, Gardens Point Campus, Brisbane, QLD 4001, Australia (he.tianwei@hdr.qut.edu.au)
- [274] He, Yan (Ms.) School of Materials Science and Engineering, Henan Polytechnic University, Jiaozuo, Henan 454000, China (heyanhpu@163.com)
- [275] He, Zhu (Prof.) Department of Thermal Energy Engineering, School of Materials and Metallurgy, Wuhan University of Science and Technology, Wuhan 430081, China (hezhu@wust.edu.cn)
- [276] Hilmas, Greg (Prof.) Department of Materials Science and Engineering, Missouri University of Science and Technology, Rolla, MO 65409, USA (ghilmas@mst.edu)
- [277] Hinoki, Tatsuya (Dr.) Institute of Advanced Energy, Kyoto University, Gokasho, Uji, Kyoto 611-0011, Japan (hinoki@iae.kyoto-u.ac.jp)
- [278] Hinterstein, Manuel (Dr.) Institute for Applied Materials, Karlsruhe Institute of Technology, Haid-und-Neu Strasse 7, Karlsruhe, Germany (m.hinterstein@kit.edu)

- [279] Hong, Jia-Wang (Prof.) School of Aerospace Engineering, Beijing Institute of Technology, Beijing 100081, China (jw_hong@bit.edu.cn)
- [280] Hong, Min (Dr.) Centre for Future Materials, University of Southern Queensland, Springfield Central Qld 4300, Australia (min.hong@usq.edu.au)
- [281] Hou, Feng (Dr.) Key Laboratory of Advanced Ceramics and Machining Technology of Ministry of Education, School of Materials Science and Engineering, Tianjin University, Tianjin 300072, China (houf@tju.edu.cn)
- [282] Hou, Qing-Dong (Mr.) School of High Temperature Materials and Magnesium Resource Engineering, University of Science and Technology Liaoning, Anshan 114051, China (houqingdongs@163.com)
- [283] Hou, Xian-Bo (Mr.) School of Civil Engineering, Beijing Jiaotong University, Beijing 100044, China (18115002@bjtu.edu.cn)
- [284] Hou, Xin-Mei (Prof.) Collaborative Innovation Center of Steel Technology, University of Science and Technology Beijing, Beijing, 100083, China (houxinmeiustb@ustb.edu.cn)
- [285] Hou, Ying-Lai (Mr.) School of Science, Northwestern Polytechnical University, Xi'an 710072, P. R. China (houyinglai@mail.nwpu.edu.cn)
- [286] Hou, Zhao-Ping (Prof.) College of Materials and Engineering, Taiyuan University of Technology, Taiyuan 030024, China (houzhaoping@tyut.edu.cn)
- [287] Hsiang, Hsing-I (Prof.) No.1, University Road, Dept. Resources Engineering, National Cheng Kung University, Tainan, Taiwan (hsingi@mail.ncku.edu.tw)
- [288] Hu, Chao-Liang (Mr.) School of Materials Science and Engineering, State Key Laboratory of Silicon Materials, Zhejiang University, Hangzhou 310027, China (3130102291@zju.edu.cn)
- [289] Hu, Chun-Feng (Prof.) School of Materials Science and Engineering, Southwest Jiaotong University, Chengdu 610031, China (chfhu@live.cn)
- [290] Hu, Min (Ms.) Guangdong University of Technology, School of Electromechanical Engineering, Guangzhou 510006, China (minmin0032@163.com)
- [291] Hu, Ming-Zhe (Prof.) Department of Physics and Electronics, Liupanshui Normal University, Liupanshui 553004, China (mingzhe-hu@163.com)
- [292] Hu, Shu-Juan (Dr.) School of mechanical and chemical engineering, Wuzhou University, Wuzhou 543002, China (humenghan2011@126.com)
- [293] Hu, Tian-Yi (Mr.) Materials Genome Institute, School of Materials Science and Engineering, Shanghai University, Shanghai 200444, China (hutianyi3@126.com)
- [294] Hu, Xiao-Ming (Mr.) School of Materials and Metallurgy, Wuhan University of Science and Technology, 947 Heping Road, Qingshan District, Wuhan, 430081, China (x_m_hu@163.com)
- [295] Hu, Xiu-Jie (Ms.) Beijing Aileen Vac Furnace Technology Inc., Beijing 102200, China (aileen@afi-furnace.com)
- [296] Hu, Xuan (Ms.) State Key Laboratory of Advanced Technology for Materials Synthesis and Processing, Wuhan University of Technology, 122 Luoshi Road, Wuhan 430070, China (xuanhu@whut.edu.cn)
- [297] Hu, Zhi-Ying (Mr.) State Key Laboratory of Advanced Technology for Materials Synthesis and Processing, Wuhan University of Technology, 122 Luoshi Road, Wuhan 430070, China (h3z1y2@whut.edu.cn)
- [298] Huang, Ao (Prof.) The State Key Laboratory of Refractories and Metallurgy, Wuhan University of Science and Technology, Wuhan 430081, China (huangao@wust.edu.cn)
- [299] Huang, Chuan-Wei (Dr.) Shenzhen Key Laboratory of Special Functional Materials, College of Materials Science and Engineering, Shenzhen University, Nanshan District, Shenzhen, 518060, Guangdong, China (cwhuang@szu.edu.cn)
- [300] Huang, Hai-Tao (Prof.) Department of Applied Physics, Hong Kong Polytechnic University, Hung Hom, Kowloon, Hong Kong (aphhuang@polyu.edu.hk)
- [301] Huang, Jun-Tong (Prof.) School of Materials Science and Engineering, Nanchang Hangkong University, Nanchang 330063, China (huangjt@nchu.edu.cn)
- [302] Huang, Meng-Chu (Dr.), Editor, Applied Sciences, Springer Nature, Unit 10-11, Floor 42, No. 989 Changle Road, Xuhui District, Shanghai 200031, China (mengchu.huang@springer.com)
- [303] Huang, Mu-Zhang (Mr.) School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (huangmuzhang@foxmail.com)

- [304] Huang, Rong-Xia (Dr.) Guangdong University of Technology, School of Electromechanical Engineering, Guangzhou 510006, China (9319484@qq.com)
- [305] Huang, Si-Si (Ms.) Northwestern Polytechnical University, School of Materials Science and Engineering, Xian 710072, China (huangsi2223@qq.com)
- [306] Huang, Si-Yu (Ms.) Shanghai Institute of Ceramics, Chinese Academy of Sciences, Key Laboratory of Inorganic Functional Materials and Devices, Shanghai 200050, China (huangsiyu@student.sic.ac.cn)
- [307] Huang, Wen-Huan (Ms.) Shaanxi Key Laboratory of Chemical Additives for Industry, College of Chemistry and Chemical Engineering, Shaanxi University of Science and Technology, 710021, Xi'an, China (huangwenhuan@sust.edu.cn)
- [308] Huang, Xiao-Xiao (Prof.) School of Materials Science and Engineering, Harbin Institute of Technology, Harbin 150001, China (swliza@hit.edu.cn)
- [309] Huang, Xue-Gang (Dr.) Hypervelocity Aerodynamics Institute, China Aerodynamics Research and Development Center, Mianyang 621000, China (emei-126@126.com)
- [310] Huang, Yu (Ms.) School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (huangyu18@mails.tsinghua.edu.cn)
- [311] Huang, Zhenguo (Dr.) School of Civil & Environmental Engineering, University of Technology Sydney, Australia (zhenguo.huang@uts.edu.au)
- [312] Huang, Zhen-Ying (Prof.) Institute of Materials Science and Engineering, School of Mechanical and Electronic Control Engineering, Beijing Jiaotong University, Beijing 100044, China (zhyhuang@bjtu.edu.cn)
- [313] Huo, Si-Jia (Mr.) Institute for Advanced Ceramics, School of Materials Science and Engineering, Harbin Institute of Technology, Harbin, 150080, China (hugo_hit@163.com)
- [314] Huo, Yan-Li (Dr.) China Building Materials Academy, Guanzhuang, Beijing 100024, China (huoyanli@aliyun.com)
- [315] Ikesue, Akio (Dr.) Key Laboratory of Transparent and Opto-functional Inorganic Materials, Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 201899, China (poly-ikesue@s5.dion.ne.jp)
- [316] Ikuhara, Yuichi (Prof.) Institute of Engineering Innovation, School of Engineering, The University of Tokyo, Tokyo 113-8656, Japan (ikuhara@sigma.t.u-tokyo.ac.jp)
- [317] Imran, Muhammad (Mr.) School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (mimraniui@yahoo.com)
- [318] Ionescu, Emanuel (Dr.) TU Darmstadt, Institute for Materials Science, Otto-Berndt-Str. 3, D-64287 Darmstadt, Germany (ionescu@materials.tu-darmstadt.de)
- [319] Ishihara, Saki (Ms.) Institute of Engineering Innovation, The University of Tokyo, Tokyo, 113-8656 Japan (s.ishihara@sigma.t.u-tokyo.ac.jp)
- [320] Itoh, Mitsuru (Prof.) Laboratory for Materials and Structures, Tokyo Institute of Technology, 4259 Nagatsuta, Midori, Yokohama 226-8503, Japan (itoh.m.aa@m.titech.ac.jp)
- [321] Iwamoto, Yuji (Prof.) Department of Life Science and Applied Chemistry, Graduate School of Engineering, Nagoya Institute of Technology, Gokiso-cho, Showa-ku, Nagoya 466-8555, Japan (iwamoto.yuji@nitech.ac.jp)
- [322] Jeon, Jae-Ho (Dr.) Nano-functional Materials Department, Korea Institute of Materials Science, Changwon, Korea (jjh@kims.re.kr)
- [323] Jeong, Seong-Min (Dr.) Energy & Environmental Division, Korea Institute of Ceramic Engineering and Technology, Jinju 52851, Korea (smjeong@kicet.re.kr)
- [324] Jeong, Soon-Jong (Dr.) Energy Conversion Research Center, Korea Electrotechnology Research Institute (KERI), Changwon, 51543 Korea (sjeong@keri.re.kr)
- [325] Ji, Hai-Peng (Dr.) School of Materials Science and Engineering, Zhengzhou University, Zhengzhou, China (jihp@zzu.edu.cn)
- [326] Ji, Huan-Li (Ms.) Key Laboratory for Advanced Ceramics and Machining Technology of Ministry of Education, School of Materials Science and Engineering, Tianjin University, Tianjin 300072, China (jihuanli@163.com)
- [327] Ji, Hui-Ming (Prof.) Key Laboratory for Advanced Ceramics and Machining Technology of Ministry of Education, School of Material Science and Engineering, Tianjin University, Tianjin 300072, China (jihuiiming@tju.edu.cn)

- [328] Ji, Wei (Dr.) State Key Laboratory of Advanced Technology for Materials Synthesis and Processing, Wuhan University of Technology, Wuhan 430070, China (jiwei@whut.edu.cn)
- [329] Ji, Ya-Rou (Ms.) College of Materials Science and Engineering, Beijing University of Technology, Beijing 100124, China (jiyarou@emails.bjut.edu.cn)
- [330] Jia, De-Chang (Prof.) Institute for Advanced Ceramics, School of Materials Science and Engineering, Harbin Institute of Technology, Harbin 150080, China (dcjia@hit.edu.cn)
- [331] Jia, Fang (Ms.) Beijing University of Chemical Technology, College of Materials Science and Engineering, Beijing 100000, China (13260170896@163.com)
- [332] Jian, Gang (Dr.) School of Materials Science and Engineering, Jiangsu University of Science and Technology, Zhenjiang 212003, China (jianggang456@126.com)
- [333] Jiang, Cong-Cong (Ms.) Shandong Provincial Key Laboratory of Preparation and Measurement of Building Materials, University of Jinan, Jinan 250022, China (mse_jiangcc@163.com)
- [334] Jiang, Hao-Chuan (Prof.) Ningbo Institute of Materials Technology and Engineering, Chinese Academy of Sciences, Ningbo 315201, China (jianghaochuan@nimte.ac.cn)
- [335] Jiang, Jin-Ming (Mr.) Air Force Engineering University, Xi'an 710051, China (jiangjinming@nwpu.edu.cn)
- [336] Jiang, Juan (Ms.) School of Materials Science and Engineering, Shanghai Jiao Tong University, 800 Dongchuan Road, Minghang District, Shanghai 200240, China (jiangjuan0604@163.com)
- [337] Jiang, Peng-Cheng (Mr.) The State Key Laboratory of Refractories and Metallurgy, Wuhan University of Science and Technology, Wuhan 430081, China (821730240@qq.com)
- [338] Jiang, Qiang-Guo (Mr.) School of Electromechanical Engineering, Guangdong University of Technology, Guangzhou 510006, Guangdong, China (qiangguojiang@gdut.edu.cn)
- [339] Jiang, Tao (Mr.) School of Materials and Metallurgy, Inner Mongolia University of Science and Technology, Baotou 014010, China (835005574@qq.com)
- [340] Jiang, Wan (Prof.) School of Materials Science and Engineering, Donghua University, Shanghai, China (wanjiang@dhu.edu.cn)
- [341] Jiang, Xiaoning (Prof.) Department of Mechanical and Aerospace Engineering, North Carolina State University, Raleigh, NV, USA (xjiang5@ncsu.edu)
- [342] Jiang, Yin-Zhu (Prof.) State Key Laboratory of Silicon Materials, School of Material Science and Engineering, Zhejiang University, Hangzhou, 310027, China (yzjiang@zju.edu.cn)
- [343] Jiang, Zhuo-Yu (Mr.) National Key Laboratory of Advanced Composites, AECC Beijing Institute of Aeronautical Materials, Beijing 100095, China (jzy180@163.com)
- [344] Jiao, Jian (Dr.) National Key Laboratory of Advanced Composites, AECC Beijing Institute of Aeronautical Materials, Beijing 100095, China (18601192125@163.com)
- [345] Jie, Wen-Jing (Dr.) College of Chemistry and Materials Science, Sichuan Normal University, Chengdu 610068, China (wenjing.jie@sicnu.edu.cn)
- [346] Jin, En-Dong (Mr.) School of Metallurgy, Northeastern University, Shenyang 110819, China (jinendong1989@163.com)
- [347] Jin, Hai-Ze (Mr.) Institute for Advanced Ceramics, School of Materials Science and Engineering, Harbin Institute of Technology, Harbin 150080, China (jhzhit@163.com)
- [348] Jin, Lai-Zhen (Mr.) Harbin University of Science And Technology, Department of Architectural Engineering, Harbin 150080, China (837737071@qq.com)
- [349] Jin, Sen (Mr.) School of Materials Science and Engineering, Henan Polytechnic University, Jiaozuo 454000, China (215630183@qq.com)
- [350] Jin, Shengli (Prof.) Montanuniversitaet, Peter-Tunner Strasse 5, 8700 Leoben, Austria (shengli.jin@unileoben.ac.at)
- [351] Jo, Wook (Dr.) School of Materials Science and Engineering, Ulsan National Institute of Science and Technology, Ulsan 44919, Korea (wookjo@unist.ac.kr)
- [352] Johnson, Sylvia (Dr.) 411 Jack London ave, Alameda, CA 94501, USA (sylviamjohnson@hotmail.com)
- [353] Ju, Xiao-Jing (Ms.) Shenyang National Laboratory for Materials Science Institute of Metal Research, Chinese Academy of Sciences, Shenyang 110016, China (xjju15s@imr.ac.cn)
- [354] Jung, In-Ho (Prof.) Department of Materials Science and Engineering, Seoul National University, 1 Gwanak-gu, Gwanak-ro, Seoul, 08826, Korea (in-ho.jung@snu.ac.kr)

- [355] Kang, Suk-Joong (Prof.) Department of Materials Science and Engineering, KAIST, Daejeon 34141, Korea (sjkang@kaist.ac.kr)
- [356] Kang, Yan-Ru (Mrs.) Qujing Normal University, Qujing 655011, China (kangyr@tju.edu.cn)
- [357] Kholoptsev, Vladislav (Dr.) Institute of Applied Physics, Russian Academy of Sciences, 46 Ulyanov St., Nizhny Novgorod 603950 Russia (holo@ipfran.ru)
- [358] Kim, Byung-Nam (Dr.) National Institute for Materials Science, 1-2-1 Sengen, Tsukuba, Ibaraki 305-0047 Japan (kim.byung-nam@nims.go.jp)
- [359] Kim, Dong-Pyo (Prof.) Center for Intelligent Microprocess of Pharmaceutical Synthesis, Pohang University of Science and Technology (POSTECH), 37673 Pohang, Korea (dpkim@postech.ac.kr)
- [360] Kim, Hai-Doo (Dr.) Korea Institute of Materials Science, Changwon, Korea (haidoo1555@gmail.com)
- [361] Kim, Ik Jin (Prof.) Institute of Processing and Application of Inorganic Materials, (PAIM), Department of Materials Science and Engineering, Hanseo University # 360, Seosan-si, Chungnam, 356-706, Korea (ijkim@hanseo.ac.kr)
- [362] Kim, Ill Won (Prof.) Department of Physics, University of Ulsan, 93 Daehak_ro, Nam-Gu, Ulsan, Korea 680-749 (kimiw@mail.ulsan.ac.kr)
- [363] Kim, Myong-Ho (Prof.) School of Materials Science and Engineering, Changwon National University, Gyeongnam 51140, Korea (mhkim@changwon.ac.kr)
- [364] Kim, Won-Jeong (Prof.) Department of Physics, Changwon National University, Sarim-dong 9, Changwon 51140, Korea (kwj@changwon.ac.kr)
- [365] Kim, Yong-Hyeon (Mr.) Functional Ceramics Laboratory, Department of Materials Science and Engineering, University of Seoul, Seoul 02504, Korea (kim0411kim@uos.ac.kr)
- [366] Kim, Young-Wook (Prof.) Functional Ceramics Laboratory, Department of Materials Science and Engineering, University of Seoul, Seoul 02504, Korea (ywkim@uos.ac.kr)
- [367] Kirihara, Soshu (Prof.) Joining and Welding Research Institute, Osaka University, 11-1 Mihogaoka Ibaraki, Osaka 567-0047, Japan (kirihara@jwri.osaka-u.ac.jp)
- [368] Kita, Hideki (Prof.) Department of Chemical Systems Engineering, Graduate School of Engineering, Nagoya University, Nagoya 464-8603, Japan (kita.hideki@material.nagoya-u.ac.jp)
- [369] Klemm, Hagen (Prof.) Processes and Components, Fraunhofer-Institut für Keramische Technologien und Systeme IKTS, Winterbergstraße 28, 01277 Dresden, Germany (hagen.klemm@ikts.fraunhofer.de)
- [370] Ko, Jae-Hyeon (Prof.) Department of Physics, Hallym University, Chuncheon, Gangwondo 24252, Korea (hwangko@hallym.ac.kr)
- [371] Koch, Denise Silke (Dr.) Forschungszentrum Jülich GmbH, Institute of Energy and Climate Research, Materials Synthesis and Processing (IEK-1), 52425 Jülich, Germany (d.koch@fz-juelich.de)
- [372] Kong, Jie (Prof.) School of Science, Northwestern Polytechnical University, Xi'an, 710072, China (kongjie@nwpu.edu.cn)
- [373] Kong, Ling-Bing (Prof.) College of New Materials and New Energies, Shenzhen Technology University, Shenzhen 518118, Guangdong, China (lbkongtunus@126.com)
- [374] Kong, Wen-Wen (Ms.) Key Laboratory of Functional Materials and Devices for Special Environments of CAS, Xinjiang Key Laboratory of Electronic Information Materials and Devices, Xinjiang Technical Institute of Physics and Chemistry of CAS, Urumqi 830011 China (kongww@ms.xjb.ac.cn)
- [375] Koruza, Jurij (Dr.) Institute of Material Science, Technische Universität Darmstadt, Alarich-Weiss-Straße 2, 64287 Darmstadt, Germany (koruza@ceramics.tu-darmstadt.de)
- [376] Koumoto, Kunihito (Prof.) Toyota Physical and Chemical Research Institute, Nagakute, Aichi, Japan (koumoto@toyotariken.jp)
- [377] Kovalcikova, Alexandra (Dr.) Institute of Materials Research, Slovak Academy of Sciences, Division of ceramics and non-metallic systems SEM/FIB laboratory, Watsonova 47, 040 01 Kosice, Slovak Republic (akovalcikova@saske.sk)
- [378] Kuang, Feng-Hua (Dr.) China Building Materials Academy, Guanzhuang, Beijing 100024, China (fenghuakuang@163.com)
- [379] Kuo, Chun-Hong (Dr.) Institute of Chemistry, Academia Sinica, Taiwan (chunhong@gate.sinica.edu.tw)
- [380] Lai, You-Feng (Mr.) State Key Laboratory of Advanced Technology for Materials Synthesis and Processing, Wuhan University of Technology, 122 Luoshi Road, Wuhan430070, China (19951114@whut.edu.cn)

- [381] Lai, Zhen-Yu (Prof.) School of Materials Science and Engineering, Southwest University of Science and Technology, Mianyang 621010, China (laizhenyu@swust.edu.cn)
- [382] Lan, Jin-Le (Dr.) Advanced Composite Center, Beijing University of Chemical Technology, Beijing 100029, China (lanjl@mail.buct.edu.cn)
- [383] Lee, Jae-Shin (Prof.) School of Materials Science and Engineering, University of Ulsan, 93 Daehak-ro, Nam-Ulsan, 44610, South Korea (jslee@ulsan.ac.kr)
- [384] Lee, Sea-Hoon (Prof.) Korea Institute of Materials Science, 797 Changwondaero, Seongsangu, Changwon, Gyeongnam, 51508, Korea (seahoon1@kims.re.kr)
- [385] Lee, Soonil (Prof.) School of Materials Science and Engineering, Changwon National University, Changwon, Gyeongnam 51140, Korea (leesoonil@changwon.ac.kr)
- [386] Lee, Wei-Hao (Dr.) Institute of Mineral Resources Engineering, National Taipei University of Technology, Taiwan (glowing955146@hotmail.com)
- [387] Lee, Yoonjoo (Dr.) Energy & Environment Division, Korea Institute of Ceramic Engineering and Technology, 101 Soho-ro, Jinju-si, Gyeongsangnam-do, 52851, Korea (yoonjoo_lee@kicet.re.kr)
- [388] Lei, Chien-Ming (Prof.) Department of Chemical & Materials Engineering and Graduate Institute of Nanomaterials, Chinese Culture University, 11114 Taipei, Taiwan (ljm9@faculty.pccu.edu.tw)
- [389] Lei, Mu-Yun (Prof.) Brightcrystals Technology Inc., Beijing100018, China (lmy@brightcrystals.cn)
- [390] Lei, Wen (Prof.) Huazhong University of Science and Technology, School of Optical and Electronic Information, Wuhan 430074, China (wenlei@mail.hust.edu.cn)
- [391] Lei, Yong-Peng (Prof.) State Key Laboratory for Powder Metallurgy, Central South University, Changsha 410083, China (lypkd@163.com)
- [392] Levy, Esther (Dr.) Wiley Australia Office, Sydney, Australia (elevy@wiley.com)
- [393] Li, Bei-Bei (Ms.) School of Materials Science and Engineering, Zhejiang University, Hangzhou 310027, China (21726059@zju.edu.cn)
- [394] Li Chang-Qing (Mr.) Heilongjiang University of Science and Technology, Harbin 150027, China (plumevergreen@163.com)
- [395] Li, Chao (Mr.) Hefei Kejing Applied Technology Laboratory, Hefei, 230000, China (18837128101@163.com)
- [396] Li, Da-Chuan (Dr.) China Academy of Aerospace Aerodynamics, No. 17 Yugang West Road, Fengtai District, Beijing 100074, China
- [397] Li, Da-Xin (Mr.) Institute for Advanced Ceramics, School of Materials Science and Engineering, Harbin Institute of Technology, Harbin 150080, China (14b909010@hit.edu.cn)
- [398] Li, Duan (Dr.) Science and Technology on Advanced Ceramic Fibers and Composites Laboratory, National University of Defense Technology, Changsha 410073, P R China (duan_li_2016@163.com)
- [399] Li, Fei (Prof.) Electronic Materials Research Lab, Xi'an Jiaotong University, Xi'an 710049, China (ful124@psu.edu)
- [400] Li, Fei (Dr.) State Key Laboratory for Modification of Chemical Fibers and Polymer Materials, Institute of Functional Materials, Donghua University, Shanghai 201620, China (lifei80380@163.com)
- [401] Li, Guo-Rong (Prof.) Key Lab of Inorganic Functional Ceramics and Devices, Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 200050, China (grli@mail.sic.ac.cn)
- [402] Li, Hai-Bing (Mr.) Key Laboratory of Functional Materials and Devices for Special Environments of CAS, Xinjiang Key Laboratory of Electronic Information Materials and Devices, Xinjiang Technical Institute of Physics & Chemistry of CAS, 40-1 South Beijing Road, Urumqi 830011, China (lihaibing136@sina.com)
- [403] Li, Hai-Liang (Mr.) Institute for Advanced Ceramics, School of Materials Science and Engineering, Harbin Institute of Technology, Harbin 150080, China (leon08hit@163.com)
- [404] Li, He (Ms.) School of Materials Science and Engineering, Northwestern Polytechnical University, Xi'an 710072, China (lihe19950810@163.com)
- [405] Li, He-Ping (Dr.) School of Materials Science and Engineering, Huazhong University of Science and Technology, 1037 Luoyu Road, Wuhan, Hubei, China (liheping@hust.edu.cn)
- [406] Li, Hong-Hao (Mr.) Sinoma Advanced Nitride Ceramics Co., Ltd., Zibo, Shandong, China (1113776733@qq.com)

- [407] Li, Hong-Hua (Ms.) Technical Institute of Physics and Chemistry, CAS, Beijing 100190, China (lihonghua16@mails.ucas.edu.cn)
- [408] Li, Hong-Xia (Prof.) Sinosteel Luoyang Institute of Refractories Research Co., Ltd., Luoyang 471039, China (lihx@lirrc.com)
- [409] Li, Hua-Xin (Ms.) Center of Materials Science and Optoelectronics Engineering, College of Materials Science and Optoelectronic Technology, University of Chinese Academy of Sciences, Beijing 101408, China (lihuaxin17@mails.ucas.ac.cn)
- [410] Li, Ji-Guang (Dr.) National Institute for Materials Science, Research Center for Functional Materials, 1-1 Namiki, Tsukuba, Ibaraki 305-0044, Japan (li.jiguang@nims.go.jp)
- [411] Li, Ji-Jia (Mr.) School of High Temperature Materials and Magnesium Resource Engineering, University of Science and Technology Liaoning, Anshan 114051, China (729036999@qq.com)
- [412] Li, Jia (Ms.) Materials Genome Institute, Shanghai University, Shanghai 200444, China (1034090759@qq.com)
- [413] Li, Jian-Qiang (Prof.) Institute of Process Engineering, Chinese Academy of Sciences, Beijing 100190, China (jqli@ipe.ac.cn)
- [414] Li, Jiang (Prof.) Key Laboratory of Transparent Opto-functional Inorganic Materials, Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 201899, China (lijiang@mail.sic.ac.cn)
- [415] Li, Jiang-Tao (Prof.) Key Laboratory of Cryogenics, Technical Institute of Physics and Chemistry, Chinese Academy of Sciences, Beijing 100190, China (lijiangtao@mail.ipc.ac.cn)
- [416] Li, Jin-Ping (Dr.) National Key Laboratory of Science and Technology on Advanced Composites in Special Environments, Harbin Institute of Technology, Harbin 150080, China (lijinping@hit.edu.cn)
- [417] Li, Jing-Feng (Prof.) School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (jingfeng@tsinghua.edu.cn)
- [418] Li, Jing-Yu (Mr.) Institute of Chemistry, Chinese Academy of Science, Beijing 100190, China (lijingyu1102@iccas.ac.cn)
- [419] Li, Jun (Dr.) Department of Physics, Harbin Institute of Technology, Harbin 150001, China (lijuna@hit.edu.cn)
- [420] Li, Jun (Dr.) School of Materials Science and Engineering, Southwest University of Science and Technology, Mianyang 621010, China (lijun@swust.edu.cn)
- [421] Li, Jun-Feng (Dr.) Aerospace Research Institute of Materials and Processing Technology, Beijing 100076, China (jfli1227@126.com)
- [422] Li, Jun-Shou (Prof.) Institute of Advanced Materials, The Army Engineering University of PLA, Shijiazhuang 050003, China (lijs258@163.com)
- [423] Li, Kai (Mr.) School of Materials Science and Engineering, Jingdezhen Ceramic Institute, Jingdezhen 333403, China (kli_jci@163.com)
- [424] Li, Kewen (Prof.) Department of Energy Resources Engineering, Stanford University, 367 Panama Street, Stanford, CA 94305, USA (kewenli@stanford.edu)
- [425] Li, Ling (Dr.) Shandong Research & Design Institute of Industrial Ceramics Co., Ltd., Zibo 255031, China (sinomaliling@126.com)
- [426] Li, Ling-Yu (Ms.) School of Materials Science and Engineering, Tianjin University, Tianjin 300072, China (lyli2015@tju.edu.cn)
- [427] Li, Long-Biao (Dr.) College of Civil Aviation, Nanjing University of Aeronautics and Astronautics, Nanjing 210016, China (llb451@nuaa.edu.cn)
- [428] Li, Man-Rong (Prof.) School of Chemistry, Sun Yat-Sen University, Guangzhou 510275, China (limanrong@mail.sysu.edu.cn)
- [429] Li, Meng-Jiao (Ms.) Wuhan University of Science and Technology, The State Key Laboratory of Refractories and Metallurgy, Wuhan 430081, China (1461206439@qq.com)
- [430] Li, Mian (Dr.) Ningbo Institute of Industrial Technology, Chinese Academy of Sciences, Ningbo 315201, China (limian@nimte.ac.cn)
- [431] Li, Ming (Dr.) Department of Mechanical, Materials and Manufacturing Engineering, University of Nottingham, University Park, Nottingham, NG7 2RD, UK (ming.li@nottingham.ac.uk)
- [432] Li, Ming-Liang (Dr.) School of Materials Science and Engineering, Zhengzhou University, Zhengzhou 450001, China (bright_de@126.com)

- [433] Li, Ming-Yuan (Mr.) Science and Technology on Advanced Ceramic Fibers and Composites Laboratory, College of Aerospace Science and Engineering, National University of Defense Technology, Changsha 410073, China (m_y_lee@126.com)
- [434] Li, Nan (Ms.) College of Science, Honghe University, Mengzi 661199, China (linan19850226@126.com)
- [435] Li, Neng (Prof.) State Key Laboratory of Silicate Materials for Architectures, Wuhan University of Technology, Wuhan 430070, China (lineng@whut.edu.cn)
- [436] Li, Ning (Mr.) School of Material Science and Engineering, Zhengzhou University, Henan 450001, China (liningzzu163@163.com)
- [437] Li, Qi (Prof.) Environment Functional Materials Division, Institute of Metal Research, Chinese Academy of Sciences, Shenyang 110016, China (qili@imr.ac.cn)
- [438] Li, Qian (Ms.) Institute for Advanced Ceramics, School of Materials Science and Engineering, Harbin Institute of Technology, Harbin 150001, China (qianli@hit.edu.cn)
- [439] Li, Rui-Feng (Mr.) School of Optical and Electronic Information, Huazhong University of Science and Technology, Wuhan, 430074, China (673219314@qq.com)
- [440] Li, Rui-Xing (Prof.) School of Materials Science and Engineering, Beihang University, Beijing 100191, China (rli@buaa.edu.cn)
- [441] Li, Shan (Ms.) CAS Key Laboratory of Space Manufacturing Technology, Technology and Engineering Center for Space Utilization, Chinese Academy of Sciences, Beijing 100094, China (lishan@csu.ac.cn)
- [442] Li, Shu-Fen (Institute of Modern Physics, Chinese Academy of Sciences, Lanzhou 730070, China (lisf@impcas.ac.cn)
- [443] Li, Shu-Xing (Dr.) College of Materials, Xiamen University, Xiamen 361005, China (lishuxing@xmu.edu.cn)
- [444] Li, Shun (Dr.) Academy for Advanced Interdisciplinary Studies, Southern University of Science and Technology, Shenzhen 518005, China (lis3@sustc.edu.cn)
- [445] Li, Song Prof.) Beijing Composite Materials Co., Ltd., Beijing 102101, China (lis@sinomatech.com)
- [446] Li, Tian-Jun (Mr.) School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (litianjun737@sina.com)
- [447] Li, Ting (Dr.) Luminus, Inc., 1145 Sonora Ct., Sunnyvale CA 94086, USA (tli@luminus.com)
- [448] Li, Wei (Mr.) The State Key Laboratory of Refractories and Metallurgy, Wuhan University of Science and Technology, Wuhan 430081, China (willislee0912@163.com)
- [449] Li, Wei (Mr.) Key Laboratory of Inorganic Functional Materials and Devices, Shanghai Institute of Ceramics, Chinese Academy of Sciences, 1295 Dingxi Road, Shanghai 200050, China (liweil@student.sic.ac.cn)
- [450] Li, Wei (Mr.) Qilu University of Technology, School of Materials Science and Engineering, Jinan 250300, China (747508207@qq.com)
- [451] Li, Wen-Ge (Prof.) Shanghai Maritime University, Merchant Marine College, Shanghai 201306, China (liwenge66@163.com)
- [452] Li, Wen-Kui (Prof.) Jiangxi Key Laboratory of Surface Engineering, Jiangxi Science & Technology Normal University, Nanchang 330013, China (13970842948@163.com)
- [453] Li, Wen-Li (Prof.) School of Mechanical and Electric Engineering, Soochow University, 215123 Suzhou, China (wlli@suda.edu.cn)
- [454] Li, Wen-Xian (Prof.) Institute of Materials, Shanghai University, Shanghai 200072, China (shuliwx@shu.edu.cn)
- [455] Li, Wen-Zhi (Mr.) School of Material Science and Engineering, Beijing Institute of Technology, Beijing 100081, China (liwenzhi0418@bit.edu.cn)
- [456] Li, Xiao-Dong (Prof.) School of Materials Science and Engineering, Northeastern University, Shenyang 110004, China (lixd@atm.neu.edu.cn)
- [457] Li, Xiao-Hong (Mr.) School of Materials and Architectural Engineering, Guizhou Normal University, Guiyang 550025, China (2825321520@qq.com)
- [458] Li, Xiao-Hui (Ms.) Xinjiang Technical Institute of Physics & Chemistry of CAS, 40-1 South Beijing Road, Urumqi 830011, China (1530783394@qq.com)

- [459] Li, Xiao-Lei (Prof.) Key Laboratory for Advanced Ceramics and Machining Technology of Ministry of Education, School of Material Science and Engineering, Tianjin University, Tianjin 300072, China (lxlei@tju.edu.cn)
- [460] Li, Xiao-Min (Prof.) Shanghai Institute of Ceramics, Shanghai 200050, China (lixm@mail.sic.ac.cn)
- [461] Li, Xiao-Ying (Ms.) Key Laboratory of Transparent Opto-functional Inorganic Materials, Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 201899, China (lxy113712@163.com)
- [462] Li, Xing-Ao (Prof.) School of Science, Nanjing University of Posts and Telecommunications (NUPT), Nanjing 210046, China (lxahbmy@126.com)
- [463] Li, Xu-Qin (Ms.) School of Materials Engineering, Chengdu Technological University, Chengdu, Sichuan 611730, China (lixuqin@cdu.edu.cn)
- [464] Li, Ya-Hui (Mr.) College of Mechanics and Materials, Hohai University, Nanjing 211100, China (15951935290@163.com)
- [465] Li, Ya-Jie (Ms.) State Key Laboratory of High Performance Ceramics and Superfine Microstructure, Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 200050, China (liyj@shanghaitech.edu.cn)
- [466] Li, Ya-Wei (Prof.) The State Key Laboratory of Refractories and Metallurgy, Wuhan University of Science and Technology, Wuhan 430081, China (liyawei@wust.edu.cn)
- [467] Li, Yan-Hui (Dr.) Guangdong University of Technology, School of Electro-mechanical Engineering, Guangzhou 511400, China (563424776@qq.com)
- [468] Li, Yan-Rui (Mr.) School of Material Science and Engineering, North Minzu University, Yinchuan 750021, China (205022738@qq.com)
- [469] Li, Yang (Prof.) School of Materials and Architectural Engineering, Guizhou Normal University, Guiyang 550025, China (liyang3300@163.com)
- [470] Li, Yang (Dr.) State Key Laboratory of Powder Metallurgy, Central South University, Changsha 410083, China (liyang_csu@126.com)
- [471] Li, Yue-Ming (Prof.) School of Materials Science and Engineering, Jingdezhen Ceramic Institute, Jingdezhen 333403, Jiangxi, China (lym6329@163.com)
- [472] Li, Yue-Ming (Dr.) Shenzhen Institute, Peking University, Shenzhen 518057, China (ymli11s@alum.imr.ac.cn)
- [473] Li, Ze (Mr.) Institute of Advanced Materials, The Army Engineering University of PLA, Shijiazhuang 050003, China (1548953378@qq.com)
- [474] Li, Zhan (Ms.) Department of Materials Science and Engineering, University of Science and Technology of China, Hefei, Anhui 230026, China (lizhan@mail.ustc.edu.cn)
- [475] Li, Zhen (Mr.) School of Materials Science and Engineering, Hefei University of Technology, Hefei 230000, China (19855103252@163.com)
- [476] Li, Zhi (Mr.) State Key Laboratory of Advanced Technology for Materials Synthesis and Processing, and Biomedical Material and Engineering Center, Wuhan University of Technology, Wuhan 430070, China (sylvanelee@whut.edu.cn)
- [477] Li, Zhi-Hong (Prof.) Key Laboratory for Advanced Ceramics and Machining Technology of Ministry of Education, School of Materials Science and Engineering, Tianjin University, Tianjin 300072, China (lizhihong@tju.edu.cn)
- [478] Li, Zi-Qiang (Dr.) Institute of Nuclear and New Energy Technology, Tsinghua University, Beijing 100084, China (liziqiang@tsinghua.edu.cn)
- [479] Li, Zong-Yuan (Mr.) School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (lizongyu16@mails.tsinghua.edu.cn)
- [480] Lian, Yu-Long (Mr.) School of Materials Science and Engineering, Northwestern Polytechnical University, Xi'an 710072, China (1309524607@qq.com)
- [481] Liang, Bin (Dr.) Division of Energy & Environment, Graduate School at Shenzhen, Tsinghua University, Shenzhen 518055, China (liang.bin@sz.tsinghua.edu.cn)
- [482] Liang, Han-Qin (Dr.) State Key Laboratory of High Performance Ceramics and Superfine Microstructure, Shanghai Institute of Ceramics, CAS, Shanghai 200050, China (hqliang@mail.sic.ac.cn)
- [483] Liang, Ji (Dr.) Institute for Superconducting & Electronic Materials (ISEM), Australian Institute of Innovative Materials (AIIM), University of Wollongong, Innovation Campus, Squires way, NSW 2522, Australia (liangj@uow.edu.au)

- [484] Liang, Ji-Sheng (Mr) School of Material Science and Engineering, Guilin University of Electronic Technology, Guilin, 541004, China (373656277@qq.com)
- [485] Liang, Jia (Ms.) School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (liangj18@mails.tsinghua.edu.cn)
- [486] Liang, Peng (Mr.) School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (liangp16@mails.tsinghua.edu.cn)
- [487] Liang, Peng-Peng (Mr.) State Key Laboratory of Advanced Refractories, Sinosteel Luoyang Institute of Refractories Research Co., Luoyang 471039, China (liangpp@lirrc.com)
- [488] Liang, Qian-Ying (Ms.) Midea Microwave and Cleaning Appliance Division, Foshan, Guangdong 528311, China (liangqy1@midea.com)
- [489] Liang, Rui-Hong (Prof.) Key Laboratory of Inorganic Functional Materials and Devices, Shanghai Institute of Ceramics, CAS, Shanghai 200050, China (liangruihong@mail.sic.ac.cn)
- [490] Liang, Xin (Ms.) College of Material Science and Engineering, Wuhan Institute of Technology, Hubei 470073, China (740123982@qq.com)
- [491] Liang, Yan-Yuan (Dr.) Composite Center, AVIC Manufacturing Technology Institute , Beijing 100103, China (liangyanyuan@aliyun.com)
- [492] Liang, Yu-Xin (Ms.) Key Laboratory for Advanced Ceramics and Machining Technology of Ministry of Education, School of Materials Science and Engineering, Tianjin University, Tianjin 300072, China (liangyuxin@163.com)
- [493] Liao, Ning (Dr.) The State Key Laboratory of Refractories and Metallurgy, Wuhan University of Science and Technology, Wuhan 430081, China (2008beijing.ln@163.com)
- [494] Liao, Ting (Dr.) School of Chemistry, Physics and Mechanical Engineering, Queensland University of Technology, QLD 4000, Australia (ting.liao.04@gmail.com)
- [495] Liao, Xing-Qi (Mr.) Institute for Advanced Ceramics, School of Materials Science and Engineering, Harbin Institute of Technology, Harbin 150001, China (hitlxq@163.com)
- [496] Lin, Hang (Dr.) Fujian Institute of Research on the Structure of Matter, Chinese Academy of Sciences, Fuzhou 350001, China (lingh@fjirsm.ac.cn)
- [497] Lin, He (Dr.) CAS Key Laboratory of Optoelectronic Materials Chemistry and Physics, Fujian Institute of Research on the Structure of Matter, Chinese Academy of Sciences, Fuzhou 350002, China (linhe@fjirsm.ac.cn)
- [498] Lin, Hua-Tay (Prof.) Guangdong University of Technology, School of Electromechanical Engineering, Guangzhou 510006, China (huataylin@comcast.net)
- [499] Lin, Shao-Min (Prof.) School of Materials Science and Engineering , Hanshan Normal University, Chaozhou 521041, China (lsm678@126.com)
- [500] Lin, Xu-Ping (Prof.) Institute of Nuclear and New Energy Technology, Tsinghua University, Beijing 100084, China (xplin@tsinghua.edu.cn)
- [501] Lin, Yuan (Prof.) State Key Laboratory of Electronic Thin films and Integrated Devices, University of Electronic Science and Technology of China, Chengdu, Sichuan 610054, China (linyuan@uestc.edu.cn)
- [502] Lin, Yuan-Hua (Prof.) School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (linyh@tsinghua.edu.cn)
- [503] Lin, Zhao-Xu (Mr.) School of Chemistry and Chemical Engineering and Guangxi Key Lab of Petrochemical Resource Processing and Process Intensification Technology, Guangxi University, Nanning 530004, China (2992082386@qq.com)
- [504] Liu, Bin (Prof.) School of Materials Science and Engineering, Shanghai University, Shanghai 200444, China (binliu@shu.edu.cn)
- [505] Liu, Chan (Ms.) State Key Laboratory of New Ceramics and Fine Processing, School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (649329331@qq.com)
- [506] Liu, Da-Kang (Mr.) School of physics, State Key Laboratory of Crystal Materials, Shandong University, Jinan 250100, China (liudakang@163.com)
- [507] Liu, Dian-Guang (Dr.) School of Materials Science and Engineering, Southwest Jiaotong University, Chengdu, Sichuan 610031, China (dianguang@swjtu.edu.cn)
- [508] Liu, Fang-Ming (Dr.) China Academy of Engineering Physics, Institute of Materials, Mianyang, China (fmliu@139.com)

- [509] Liu, Guan-Qi (Mr.) College of Materials Science and Chemical Engineering, Harbin Engineering University, Harbin 150001, China (ad@cyceramic.cn)
- [510] Liu, Guang-Hua (Ms.) School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (liugh17@mails.tsinghua.edu.cn)
- [511] Liu, Hai-Fang (Mr.) State Key Laboratory of Solidification Processing, Northwestern Polytechnical University, Xi'an 710072, China (498372522@qq.com)
- [512] Liu, Hang (Mr.) The State Key Laboratory of Refractories and Metallurgy, Wuhan University of Science and Technology, Wuhan 430081, China (lhwust2019@163.com)
- [513] Liu, Hong-Li (Prof.) School of Materials Science and Engineering, Tianjin Chengjian University, Tianjin 300384, China (lhlbh@163.com)
- [514] Liu, Ji-Xuan (Dr.) Institute of Functional Materials, Donghua University, Shanghai 201620, China (jxliu@dhu.edu.cn)
- [515] Liu, Jia (Dr.) College of Materials Science and Engineering, Xi'an University of Science and Technology, Xi'an, Shaanxi 710054, China (liujia1401@xust.edu.cn)
- [516] Liu, Jia-Chen (Prof.) School of Materials Science and Engineering, Tianjin University, Tianjin 300072, China (jcliu@tju.edu.cn)
- [517] Liu, Jie (Ms.) The State Key Laboratory of Refractories and Metallurgy, Wuhan University of Science and Technology, Wuhan 430081, China (lmcjlieliu0708@163.com)
- [518] Liu, Jin-Huai (Prof.) Institute of Intelligent Machines, Chinese Academy of Sciences, Hefei 230031, China (jhliu@iim.ac.cn)
- [519] Liu, Jin-Ling (Prof.) School of Mechanics and Engineering, Southwest Jiaotong University, Chengdu, Sichuan 610031, China (liujinling@home.swjtu.edu.cn)
- [520] Liu, Jun-Fu (Mr.) School of Materials Science and Engineering, Tsinghua University, Hai Dian District, Beijing 100084, China (liujunfu2014012084@163.com)
- [521] Liu, Jun-Wen (Mr.) Engineering Laboratory of Advanced Energy Materials, Ningbo Institute of Materials Technology and Engineering, Chinese Academy of Sciences, Ningbo, Zhejiang 315201, China (liujunwen@nimte.ac.cn)
- [522] Liu, Li-Sha (Dr.) State Key Laboratory of New Ceramics and Fine Processing, School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (lishaliu@mail.tsinghua.edu.cn)
- [523] Liu, Ling (Dr.) School of Materials Science and Engineering, Beijing Institute of Technology, Beijing 100081, China (richard@bit.edu.cn)
- [524] Liu, Ma-Lin (Dr.) Institute of Nuclear and New Energy Technology, Collaborative Innovation Center of Advanced Nuclear Energy Technology, Tsinghua University, Beijing 100084 China (liumalin@tsinghua.edu.cn)
- [525] Liu, Mei-Jun (Dr.) State Key Laboratory for Mechanical Behavior of Materials, School of Materials Science and Engineering, Xi'an Jiaotong University, Xi'an 710049, China (liumjun@xjtu.edu.cn)
- [526] Liu, Meng (Mr.) Shanghai Institute of Ceramic, Chinese Academy of Science, Shanghai 200050, China (liumeng@student.sic.ac.cn)
- [527] Liu, Meng-Wei (Mr.) Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 201899, China (liumengwei@student.sic.ac.cn)
- [528] Liu, Ming (Prof.) Electronic Materials Research Laboratory, Key Laboratory of the Ministry of Education & International Center for Dielectric Research, Xi'an Jiaotong University, Xi'an 710049, China (mingliu@xjtu.edu.cn)
- [529] Liu, Ming-Qiang (Mr.) School of Materials Science and Engineering, Nanchang Hangkong University, Nanchang 300063, China (1092633077@qq.com)
- [530] Liu, Pei-Ying (Ms.) School of Chemistry and Chemical Engineering, Guangxi University, 100 Daxuedong Road, Nanning 530004, China (liuqiuyang222@163.com)
- [531] Liu, Peng (Prof.) Jiangsu Key Laboratories of Advanced Laser Materials and Devices, School of Physics and Electronics Engineering, Jiangsu Normal University, Xuzhou 221116, China (liupeng_tju@126.com)
- [532] Liu, Pin (Ms.) School of Optical and Electronic Information, Huazhong University of Science and Technology, Luoyu Road 1037, Wuhan 430074, China (pinliu@hust.edu.cn)
- [533] Liu, Qi-Bin (Prof.) College of Material and Metallurgy, Guizhou University, Guiyang 550025, Guizhou, China (qbliugzu@163.com)

- [534] Liu, Qing (Mr.) School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (liuqing9109@163.com)
- [535] Liu, Rong-Jun (Prof.) College of Aerospace Science and Technology, National University of Defense Technology, Changsha, China (rongjunliu@163.com)
- [536] Liu, Rong-Zhen (Dr.) School of Materials Science and Engineering, Huazhong University of Science and Technology, Wuhan 430074, China (rongzhenliu@mail.hust.edu.cn)
- [537] Liu, Rong-Zheng (Dr.) Institute of Nuclear and New Energy Technology, Collaborative Innovation Center of Advanced Nuclear Energy Technology, Tsinghua University, Beijing 100084 China (liurongzheng@mail.tsinghua.edu.cn)
- [538] Liu, Rui (Mr.) State Key Laboratory of New Ceramics and Fine Processing, School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (liur15@mails.tsinghua.edu.cn)
- [539] Liu, Rui-Ping (Dr.) Department of Materials Science and Engineering, China University of Mining & Technology (Beijing), Beijing 100083, China (lrp@cumtb.edu.cn)
- [540] Liu, Shan (Dr.) Beijing Industrial Technology Research Institute, No.5, Xingguang 4 Ave, OPTO-Mechatronics Industrial Park, Zhongguancun Science Park, Tongzhou District, Beijing 101111, China (liushan@bitri.cn)
- [541] Liu, Shan-Hua (Dr.) Composite Center, AVIC Manufacturing Technology Institute, Beijing 100103, China (shanhualiu@yahoo.com)
- [542] Liu, Shi-Jian (Mr.) Composite Center, AVIC Manufacturing Technology Institute, Beijing 100103, China (331743043@qq.com)
- [543] Liu, Shi-Yu (Dr.) College of Physics and Materials Science, Tianjin Normal University, Tianjin 300387, China (lssyy5201314@163.com)
- [544] Liu, Tao-Yi (Mr.) Sichuan University, School of Materials Science and Engineering, Chengdu 610065, China (835102282@qq.com)
- [545] Liu, Ting (Ms.) Key Laboratory of Functional Materials and Devices for Special Environments of CAS; Xinjiang Key Laboratory of Electronic Information Materials and Devices; Xinjiang Technical Institute of Physics & Chemistry of CAS, Urumqi 830011, China (liut_gml@163.com)
- [546] Liu, Wei (Dr.) School of Physical Science and Technology, Shanghai Tech University, Shanghai 201210, China (liuwei1@shanghaitech.edu.cn)
- [547] Liu, Wei-Shu (Dr.) Department of Materials Science and Engineering, Southern University of Science and Technology, Shenzhen 518055, China (liuws@sustc.edu.cn)
- [548] Liu Wen-Jin (Ms.) Jiangxi Key Laboratory of Surface Engineering, Jiangxi Science and Technology Normal University, Nanchang 330038, China (1227614254@qq.com)
- [549] Liu, Wen-Tao (Mr.) China North Nuclear Fuel Co., LTD, Institute of Metallurgy, Baotou 014035, China (562850696@qq.com)
- [550] Liu, Xiang-Xiang (Mr.) School of Material Science and Engineering, Beihang University, Beijing, 100191, China (liuxiangxiang@buaa.edu.cn)
- [551] Liu, Xin (Ms.) Key Laboratory of Transparent Opto-functional Inorganic Materials, Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 201899, China (liuxin@student.sic.ac.cn)
- [552] Liu, Xin-Chao (Mr.) School of Civil Engineering, Beijing Jiaotong University, Beijing 100044, China (18115006@bjtu.edu.cn)
- [553] Liu, Yan (Ms.) Department of Biomedical Engineering, Guangzhou Medical University, Guangzhou 511436, China (1142693224@qq.com)
- [554] Liu, Yang (Mr.) The State Key Laboratory of Refractories and Metallurgy, Wuhan University of Science and Technology, Wuhan 430081, China (295449029@qq.com)
- [555] Liu, Yang (Mr.) School of Material Science and Engineering, North Minzu University, Yinchuan 750021, China (18434364413@qq.com)
- [556] Liu, Yi (Dr.) Shanghai Synchrotron Radiation Facility, Shanghai Institute of Applied Physics, Chinese Academy of Sciences, Shanghai 201203, China (liuyi@sinap.ac.cn)
- [557] Liu, Ying (Ms.) School of Materials Science and Engineering, Inner Mongolia University of Technology, Hohhot 010051, China (893104239@qq.com)
- [558] Liu, Ying-Ying (Ms.) Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 200050, China (liuyingying@student.sic.ac.cn)

- [559] Liu, Yong-Fu (Dr.) Ningbo Institute of Materials Technology and Engineering, Chinese Academy of Sciences, Ningbo 315201, China (liuyongfu@nimte.ac.cn)
- [560] Liu, Yong-Sheng (Prof.) Science and Technology on Thermostructure Composite Materials Laboratory, Northwestern Polytechnical University, Xi'an, Shaanxi 710072, China (yongshengliu@nwpu.edu.cn)
- [561] Liu, Yuan (Ms.) State Key Laboratory of Solidification Processing, Northwestern Polytechnical University, Xi'an, 710072, China (yuannwpu@163.com)
- [562] Liu, Zhang-You (Dr.) Kuberd chemical (Shanghai) Co., Ltd., Shanghai 201512, China (403493450@qq.com)
- [563] Liu, Zhao-Yang (Mr.) School of Metallurgy, Northeastern University, Shenyang 110819, China (zhaoyangliu@stumail.neu.edu.cn)
- [564] Liu, Zhen-Li (Ms.) School of Metallurgy, Northeastern University, Shenyang 110819, China (liuzh111@163.com)
- [565] Liu, Zhi-Fu (Prof.) CAS Key Lab. of Inorganic Functional Materials and Devices, Shanghai Institute of Ceramics, Chinese Academy of Sciences. Shanghai 200050, China (liuzf@mail.sic.ac.cn)
- [566] Liu, Zhi-Yong (Mr.) School of Materials Science and Engineering, Nanchang Hangkong University, Nanchang 330063, PR China (zyliu@nchu.edu.cn)
- [567] Liu, Zhi-Yuan (Dr.) Anhui Key Laboratory of Metal Materials and Processing, School of Materials Science and Engineering, Anhui University of Technology, Maanshan 243002, China (zhiyuanliu826@163.com)
- [568] López-Honorato, Eddie (Prof.) Centro de Investigación y de Estudios Avanzados del IPN, Unidad Saltillo. Av. Industria Metalúrgica 1062, Parque Industrial Saltillo-Ramos Arizpe, Ramos Arizpe, Coahuila, México, 16900 (eddie.lopez@cinvestav.edu.mx)
- [569] Lu, Hao (mr.) Jiangsu Key Laboratories of Advanced Laser Materials and Devices, School of Physics and Electronics Engineering, Jiangsu Normal University, Xuzhou 221116, China (929367276@qq.com)
- [570] Lu, Hong-Xia (Prof.) School of Materials Science and Engineering, Zhengzhou University, Zhengzhou 450001, China (luhx@zzu.edu.cn)
- [571] Lu, Jin-Jun (Prof.) College of Chemistry and Materials Science, Northwest University, Xi'an 710127, China (jjlu@nwu.edu.cn)
- [572] Lu, Kathy (Prof.) Materials Science and Engineering, Virginia Tech, 213 Holden Hall, M/C 0237, Blacksburg, Virginia 24061, USA (klu@vt.edu)
- [573] Lu, Nan (Ms.) Key Laboratory of Cryogenics, Technical Institute of Physics and Chemistry, Chinese Academy of Science, Beijing 100190, China (lunan@mail.ipc.ac.cn)
- [574] Lu, Qing-You (Prof.) Hefei National Laboratory for Physical Sciences at the Microscale, University of Science and Technology of China, Hefei 230026, China (qxl@ustc.edu.cn)
- [575] Lu, Shu-Xin (Ms.) School of Material Science and Engineering, South China University of Technology, Guangzhou 510641, China (lsx_357@qq.com)
- [576] Lu, Xiang (Mr.) Department of Materials Science, Sichuan University, Chengdu 610065, China (lvxiangscu@163.com)
- [577] Lu, Yan-Li (Prof.) State Key Laboratory of Solidification Processing, Northwestern Polytechnic University, Xi'an 710072, China (luyanli@nwpu.edu.cn)
- [578] Lu, You-Jun (Dr.) School of Material Science and Engineering, North Minzu University, Yinchuan 750021, China (youjunlu518@hotmail.com)
- [579] Lu, Zhen-Fei (Mr.) School of Materials Science and Technology, China University of Geosciences (Beijing), Beijing 100083, China (lvzhenfei123@126.com)
- [580] Lu, Zhilun (Dr.) Department of Materials Science & Engineering, University of Sheffield, Sheffield S1 3JD, United Kingdom (zhilun.lu@sheffield.ac.uk)
- [581] Luan, Xin-Gang (Dr.) Science and Technology on Thermostructural Composite Materials Laboratory, Northwestern Polytechnical University, Xi'an, 710072, China (xgluan@nwpu.edu.cn)
- [582] Luo, Chun-Jia (Mr.) School of Science, Northwestern Polytechnical University, Xi'an, 710072, China (925967312@mail.nwpu.edu.cn)
- [583] Luo, Guo-Qiang (Prof.) State Key Laboratory of Advanced Technology for Materials Synthesis and Processing, Wuhan University of Technology, Wuhan 430070, China (luogq@whut.edu.cn)

- [584] Luo, Hang (Dr.) State Key Laboratory of Powder Metallurgy, Central South University, Changsha 410083, China (hangluo@csu.edu.cn)
- [585] Luo, Jian (Prof.) Department of NanoEngineering, University of California, San Diego, 9500 Gilman Drive, Mail Code 0448, La Jolla, CA 92093, USA (jluo@ucsd.edu)
- [586] Luo, Jing (Ms.) Department of Material and Engineering Science, Wuhan University of Technology, Wuhan 430070, China (279866256@qq.com)
- [587] Luo, Pan (Mr.) Southwest Petroleum University, School of Materials Science and Engineering, Chengdu 610500, China (564782898@qq.com)
- [588] Luo, Shan-Shan (Dr.) Jiangxi Provincial Key Laboratory of Drug Design and Evaluation, School of Pharmacy, Jiangxi Science & Technology Normal University, Nanchang 330013, China (13732956698@163.com)
- [589] Luo, Wei (Prof.) State Key Laboratory for Modification of Chemical Fibers and Polymer Materials, College of Materials Science and Engineering, Donghua University 201620, Shanghai, China (wluo@dhu.edu.cn)
- [590] Luo, Wen-Dong (Dr.) Composite Center, AVIC Manufacturing Technology Institute, Beijing 100103, China (lwd524057@qq.com)
- [591] Luo, Xiao-Guang (Dr.) China Academy of Aerospace Aerodynamics, No. 17 Yugang West Road, Fengtai District, Beijing 100074, China (luoxg@hit.edu.cn)
- [592] Ma, Chong-Geng (Prof.) College of Science, Chongqing University of Posts and Telecommunications, Chongqing 400065, China (macg@cqupt.edu.cn)
- [593] Ma, Hui-Qin (Ms.) Institute of Metal Research, Chinese Academy of Sciences, Shenyang, China (hqma15s@imr.ac.cn)
- [594] Ma, Jie (Dr.) School of Physics and Astronomy, Shanghai Jiao Tong University, Shanghai 200240, China (jma3@sjtu.edu.cn)
- [595] Ma, Jing-Tao (Dr.) Institute of Nuclear and New Energy Technology, Tsinghua University, Beijing 100084, China (majingtao@mail.tsinghua.edu.cn)
- [596] Ma, Ming-Zhen (Mr.) Institute of Chemical Materials, China Academy of Engineering Physics, Mianyang 621900, China (937470583@qq.com)
- [597] Ma, Ning-Ning (Mr.) Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 200050, China (maningning@student.sic.ac.cn)
- [598] Ma, Qianli (Dr.) Forschungszentrum Jülich GmbH, Institute of Energy and Climate Research, Materials Synthesis and Processing (IEK-1), 52425 Jülich, Germany (q.ma@fz-juelich.de)
- [599] Ma, Qing-Song (Prof.) Science and Technology on Advanced Ceramic Fibers & Composites Laboratory, National University of Defense Technology, Changsha 410073, China (nudtmqs1975@163.com)
- [600] Ma, Tian-Bao (Prof.) State Key Laboratory of Tribology, Tsinghua University, Beijing 100084, China (mtb@mail.tsinghua.edu.cn)
- [601] Ma, Wei-Bing (Dr.) School of Materials Science and Engineering, Tianjin University, Tianjin 300072, China (maweibing@tju.edu.cn)
- [602] Ma Xin (Dr.) AVIC Composite Technology Center, AVIC Manufacturing Technology Institute, Beijing 101300, China (ustmaxin@163.com)
- [603] Ma, Xue (Dr.) School of Materials Science and Engineering, Southwest University of Science and Technology, Mianyang 621010, China (ma_xue369@163.com)
- [604] Ma, Yong-Hui (Mr.) Institute for Advanced Ceramics, School of Materials Science and Engineering, Harbin Institute of Technology, Harbin 150001, China (yonghui_hit@126.com)
- [605] Ma, Yu-Le (Mr.) School of Materials Science and Engineering, Wuhan University of Technology, Wuhan 430070, China (mayule12345666@whut.edu.cn)
- [606] Ma, Yu-Xiang (Mr.) Henan Province Industrial Technology Research Institute of Resources and Materials, Zhengzhou University, Zhengzhou 450001, China (1147938303@qq.com)
- [607] Ma, Zhuang (Prof.) School of Materials Science and Engineering, Beijing Institute of Technology, Beijing 100081, China (hstrong929@bit.edu.cn)
- [608] Ma, Zong-Qing (Prof.) Tianjin Key Lab of Composite and Functional Materials, School of Materials Science & Engineering, Tianjin University, Tianjin 300072, China (mzq0320@163.com)

- [609] Man, Yi-Ran (Mr.) School of Materials and Metallurgy, University of Science and Technology Liaoning, Anshan 114051, China (625884488@qq.com)
- [610] Mandal, Hasan (Prof.) The Scientific and Technological Research Council of Turkey, Turkey (hmandal@sabanciuniv.edu)
- [611] Mao, Xiao-Jian (Dr.) Shanghai Institute of Ceramics, Chinese Academy of Science, Shanghai 201899, China (maoxiaojian@mail.sic.ac.cn)
- [612] Masuda, Yoshitake (Dr.) National Institute of Advanced Industrial Science and Technology (AIST), 2266-98 Anagahora, Shimoshidami, Moriyama, Nagoya, 463-8560, Japan (masuda-y@aist.go.jp)
- [613] Matsunaga, Katsuyuki (Prof.) Department of Materials Physics, Nagoya University, Nagoya 464-8603, Japan (kmatsunaga@nagoya-u.jp)
- [614] Mei, Jun (Mr.) School of Chemistry, Physics and Mechanical Engineering, Queensland University of Technology, QLD4001, Australia (jun.mei@hdr.qut.edu.au)
- [615] Men, Xiang-Dong (Mr.) Army Engineering University, Shijiazhuang Campus, Department of Artillery Engineering, Shijiazhuang 050003, China (menxd1990@163.com)
- [616] Meng, Fan-Li (Prof.) College of Information Science and Engineering, Northeastern University, Shenyang 110819, China (mengfanli@ise.neu.edu.cn)
- [617] Meng, Qing (Ms.) Technical Institute of Physics and Chemistry, Chinese Academy of Science, Beijing 100190, China (mengqing17@mails.ucas.ac.cn)
- [618] Miao, Chun-Mao (Mr.) Powder Metallurgy Institute, Central South University, Changsha 410083, China (840951315@qq.com)
- [619] Miao, Lei (Prof.) School of Material Science and Engineering, Guilin University of Electronic Technology, Guilin 541004, China (3076526870@qq.com)
- [620] Miao, Yang (Dr.) Taiyuan University of Technology, College of Materials Science and Technology, Taiyuan 030024, China (miaoyang198781@163.com)
- [621] Miele, Philippe (Prof.) Institut Européen des Membranes, Université de Montpellier, Place Eugene Bataillon, 34095 Montpellier cedex 5, France (philippe.miele@umontpellier.fr)
- [622] Mimura, Ken-ichi (Dr.) National Institute of Advanced Industrial Science and Technology (AIST), Anagahora 2266-98, Shimo-shidami, Moriyama-ku, Nagoya 463-8560, Japan (k.mimura@aist.go.jp)
- [623] Mitic, Vojislav (Prof.) Faculty of Electronic Engineering, University of Nis, Serbia (vmitic.d2480@gmail.com)
- [624] Mo, Gao-Ming (Mr.) Engineering Laboratory of Advanced Energy Materials, Ningbo Institute of Materials Technology and Engineering, Chinese Academy of Sciences, 315201 Ningbo, China (mogaoming@nimte.ac.cn)
- [625] Morante, J.R. (Prof.) IREC, Catalonia Institute of Energy Research. Jardins de les Dones de Negre, 1. Sant Adrià del Besòs 08930. Spain (jrmorante@irec.cat)
- [626] Morita, Koji (Dr.) Designated National Research and Development Institute, National Institute for Materials Science (NIMS), Research Center for Functional Materials, 1-2-1 Sengen, Tsukuba, Ibaraki 305-0047, Japan (Morita.koji@nims.go.jp)
- [627] Motz, Günter (Dr.) University of Bayreuth, Ceramic Materials Engineering (CME), Universitätsstraße 30, 95440 Bayreuth, Germany (guenter.motz@uni-bayreuth.de)
- [628] Naito, Makio (Prof.) JWRI, Osaka University, 11-1, Mihogaoka, Ibaraki, 567-0047, Osaka, Japan (m-naito@jwri.osaka-u.ac.jp)
- [629] Nakayama, Tadachiki (Prof.) Extreme Energy-Density Research Institute, Nagaoka University of Technology, 1603-1 Kamitomioka, Nagaoka, Niigata 940-2188, Japan (nky15@vos.nagaokaut.ac.jp)
- [630] Nath, Mithun (Mr.) The State Key Laboratory of Refractories & Metallurgy; Wuhan University of Science and Technology, Wuhan 430081, China (mithunnath@wust.edu.cn)
- [631] Nazeer, Faisal (Mr.) School of Material Science and Engineering, Beijing Institute of Technology, Beijing 100081, China (faisalnazeer221@gmail.com)
- [632] Ng, Yun Hau (Dr.) School of Energy and Environment, City University of Hong Kong, Hong Kong (yunhau.ng@cityu.edu.hk)
- [633] Ni, De-Wei (Dr.) Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 201899, China (deweini@mail.sic.ac.cn)

- [634] Ni, Na (Dr.) School of Mechanical Engineering, Shanghai Jiao Tong University, Shanghai 200240, China (na.ni@sjtu.edu.cn)
- [635] Nie, Yue-Feng (Prof.) National Laboratory of Solid State Microstructures, College of Engineering and Applied Sciences, and Collaborative Innovation Center of Advanced Microstructures, Nanjing University, Nanjing 210093, China (ynie@nju.edu.cn)
- [636] Ning, Cong-Qin (Prof.) Shanghai Institute of Ceramics, CAS, Shanghai 200050, China (cqning@mail.sic.ac.cn)
- [637] Niu, Bo (Mr.) Institute for Advanced Ceramics, School of Materials Science and Engineering, Harbin Institute of Technology, Harbin 150080, China (niubo01@hotmail.com)
- [638] Niu, Min (Dr.) State Key Laboratory for Mechanical Behavior of Materials, Xi'an Jiaotong University, Xi'an, Shaanxi 710049, China (minniu@mail.xjtu.edu.cn)
- [639] Niu, Ya-Ran (Dr.) Shanghai Institute of Ceramics, CAS, Shanghai 200050, China (yrniu@mail.sic.ac.cn)
- [640] Nojiri, Ryohei (Mr.) Advanced Ceramics Research Center, Nagoya Institute of Technology, Honmachi 3-101-1, Tajimi 507-0033 Gifu, Japan (27112061@stn.nitech.ac.jp)
- [641] Noudem, Jacques G. (Prof.) University of Caen Normandy, ENSICAEN, UNICAEN, CNRS, CRISMAT, 14000 Caen, France (jacques.noudem@ensicaen.fr)
- [642] Ohji, Tatsuki (Dr.) National Institute of Advanced Industrial Science and Technology (AIST), Anagahora 2266-98, Shimo-shidami, Moriyama-ku, Nagoya 463-8560, Japan (t-ohji@aist.go.jp)
- [643] Ohsato, Hitoshi (Prof.) Department of Research, Nagoya Industrial Science Research Institute, Nagoya 464-0819, Japan (ohsato.hitoshi@gmail.com)
- [644] Okada, Junpei T. (Prof.) Institute for Materials Research, Tohoku University, 2-1-1 Katahira, Aoba-ku, Sendai 980-8577, Japan (junpei.t.okada@imr.tohoku.ac.jp)
- [645] Olevsky, Eugene A. (Prof.) College of Engineering, San Diego State University, 5500 Campanile Drive, San Diego, CA 92182-1323, USA (eolevsky@sdsu.edu)
- [646] Ong, Tiow-Gan (Prof.) Institute of Chemistry, Academia Sinica, Taiwan (tgong@gate.sinica.edu.tw)
- [647] Osaka, Akiyoshi (Prof.) Henan University of Science and Technology School of Materials Science and Engineering Luoyang 471003, China (akiosaka@okayama-u.ac.jp)
- [648] Ouyang, Jia-Hu (Prof.) Harbin Institute of Technology, School of Materials Science and Engineering, Harbin 150001, China (ouyangjh@hit.edu.cn)
- [649] Ouyang, Shun-Li (Prof.) Key Laboratory of Integrated Exploitation of Bayan Obo Multi-Metal Resources, Inner Mongolia University of Science and Technology, Baotou, 014010, China (ouyangshunli@imust.cn)
- [650] Pabst, Willi (Prof.) Department of Glass and Ceramics, University of Chemistry and Technology, Prague (UCT Prague), Technicka 5, 16628 Prague 6, Czech Republic (pabstw@vscht.cz)
- [651] Pan, Li-Ping (Dr.) The State Key Laboratory of Refractories and Metallurgy, Wuhan University of Science and Technology, Wuhan 430081, China (panliping@wust.edu.cn)
- [652] Pan, Wei (Prof.) School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (panw@tsinghua.edu.cn)
- [653] Pan, Yi-Wu (Mr.) Center for Composite Materials and structures, Harbin Institute of Technology, Harbin 150001, China (panyw666@126.com)
- [654] Pang, Liang (Mr.) Powder Metallurgy Institute Of Central South University, Hunan 410083, China (panggyt@csu.edu.cn)
- [655] Pang, Zhen-Li (Ms.) Brightcrystals Technology Inc., Beijing 100018, China (pangzhenli123@163.com)
- [656] Park, Chul-Hong (Prof.) Department of Physics education, Pusan National University, Janjung, Gumjung, Busan 46241, Korea (cpark@pusan.ac.kr)
- [657] Park Hoyyul (Dr.) Korea Electrotechnology Research Institute (KERI), Changwon, 51543 Korea (hypark@keri.re.kr)
- [658] Parr, Chris (Dr.), Imerys, Paris, France (chris.parr@imerys.com)
- [659] Pedzich, Zbigniew (Prof.) AGH University of Science and Technology, Faculty of Materials Science and Ceramics, 30 Mickiewicza Av., 30-059 Krakow, Poland (pedzich@agh.edu.pl)
- [660] Pei, Jun (Mr.) The Beijing Municipal Key Laboratory of New Energy Materials and Technologies, School of Materials Science and Engineering, University of Science and Technology Beijing, Beijing, 100083, China (18510617169@163.com)

- [661] Pei, Xue-Liang (Dr.) Engineering Laboratory of Advanced Energy Materials, Ningbo Institute of Material Technology and Engineering, Chinese Academy of Sciences, Ningbo, Zhejiang 305201, China (peixueliang@nimte.ac.cn)
- [662] Pei, Yu-Chen (Prof.) Research Institute of Aerospace Special Materials and Processing Technology, Beijing 100074, China
- [663] Pei, Yu-Juan (Ms.) Ningbo Institute of Materials Technology and Engineering, Chinese Academy of Sciences, Ningbo, Zhejiang 315201, China (peiyujuan@nimte.ac.cn)
- [664] Pei, Yuan-Tao (Mr.) The State Key Laboratory of Refractories and Metallurgy, Wuhan University of Science and Technology, Wuhan 430081, China (wustpty@163.com)
- [665] Peng, Chi-How (Prof.) Department of Chemistry, National Tsing Hua University, Hsinchu 30013, Taiwan (chpeng@mx.nthu.edu.tw)
- [666] Peng, Cong-Fei (Mr.) School of Electromechanical Engineering, Guangdong University of Technology, Guangzhou 510006, China (1127752613@qq.com)
- [667] Peng, Hong (Dr.) R&D, Silicon Materials, Fiskaaveien 100, Kristiansand NO-4675, Norway (hong.peng@elkem.no)
- [668] Peng, Shi-Qiang (Mr.) College of Material and Metallurgy, Guizhou University, Guiyang 550025, Guizhou, China (shiqiangpeng@126.com)
- [669] Peng, Xiao-Min (Prof.) School of Mechanical Engineering, Hunan Institute of Engineering, Xiangtan 411104, China (xmpeng@hnie.edu.cn)
- [670] Peng, Ying (Dr.) Department of Materials Physics, Graduate School of Engineering, Nagoya University, Nagoya 464-8603, Japan (11217japan@gmail.com)
- [671] Peng, Zhe (Mr.) State Key Laboratory of Advanced Fiber Composites, Beijing Composite Materials Co., Ltd., Beijing, 102101, China (pz6191@163.com)
- [672] Peng, Zhi-Jian (Prof.) School of Sciences, China University of Geosciences, Beijing 100083, China (pengzhijian@cugb.edu.cn)
- [673] Pfeiffer, Stefan (Dr.) Laboratory for High Performance Ceramics, Empa-Swiss Federal Laboratories for Materials Science and Technology, Überlandstrasse 129, Dübendorf, Switzerland (stefan.pfeiffer@empa.ch)
- [674] Poras Reis de Moraes, Leticia (Ms.) Instituto de Pesquisas Energéticas e Nucleares, 05508-000, São Paulo, SP, Brazil (leticia.porasreisdemoraes@qut.edu.au)
- [675] Qi, Chao (Mr.) Henan Province Industrial Technology Research Institute of Resources and Materials, Zhengzhou University, Zhengzhou 450001, China (15751770530@163.com)
- [676] Qi, Jian-Qi (Dr.) College of Physical Science and Technology, Sichuan University, Chengdu 610064, Sichuan, China (qijianqi@scu.edu.cn)
- [677] Qi, Xi-Wei (Prof.) School of Resources and Materials, Northeastern University at Qinhuangdao, Qinhuangdao 066004, China (qxw@mail.neuq.edu.cn)
- [678] Qin, Shuang-Hong (Mr.) School of Materials Science and Engineering, Henan Polytechnic University, Jiaozuo 454000, China (2942873451@qq.com)
- [679] Qin, Yuan (Ms.) State Key Laboratory for Modification of Chemical Fibers and Polymer Materials, Institute of Functional Materials, College of Materials Science and Engineering, Donghua University, Shanghai 201620, China (yuanqin1711@163.com)
- [680] Qin, Zhi-Guo (Mr.) Jiangsu Key Laboratory for Biomaterials and Devices, School of Biological Sciences and Medical Engineering, Southeast University, Nanjing 210009, China (qzgy2012@163.com)
- [681] Qin, Zi-Xuan (Mr.) Key Laboratory of Optoelectronic Materials Chemistry and Physics, Fujian Institute of Research on the Structure of Matter, CAS, Fuzhou 350002, China (qinzixuan@fjirsm.ac.cn)
- [682] Qiu, Hai-Peng (Prof.) AVIC Composite Technology Center, Beijing 101300, China (hpqiu@163.com)
- [683] Qiu, Peng-Fei (Dr.) State Key Laboratory of High Performance Ceramics and Superfine Microstructure, Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 200050, China (qiupf@mail.sic.ac.cn)
- [684] Qu, Zhi-Xue (Prof.) College of Material Science and Engineering, Beijing University of Technology, Beijing 100124, China (quzhixue@bjut.edu.cn)
- [685] Radovic, Miladin (Dr.) Department of Material Science and Engineering, Texas A&M University, College Station, TX 77843, USA (mradovic@tamu.edu)

- [686] Randall, Clive (Prof) Department of Materials Science and Engineering, Materials Research Institute, The Pennsylvania State University, University Park, Pa 16801, USA (car4@psu.edu)
- [687] Rao, Ping-Gen (Prof.) School of Materials Science and Engineering, South China University of Technology, Guangzhou, 510641, China (pgrao@scut.edu.cn)
- [688] Rao, Zheng-Gang (Dr.) School of Materials Sciences and Engineering, Nanchang University, Nanchang 330031, China (raozhenggang@ncu.edu.cn)
- [689] Reaney, Ian M. (Prof.) Functional Materials and Devices Group, Materials Science and Engineering, University of Sheffield, Sheffield S1 3JD, UK (I.M.Reaney@sheffield.ac.uk)
- [690] Reimani, Ivar (Prof.) Colorado Center for Advanced Ceramics, George S. Ansell Department of Metallurgical and Materials Engineering, Colorado School of Mines, Golden, Colorado 80401, USA (ireimani@mines.edu)
- [691] Ren, Jin-Cui (Dr.) College of Materials Science and Engineering, Xi'an University of Architecture and Technology, Xi'an 710055, China (renjincui@xauat.edu.cn)
- [692] Ren, Jun-Qing (Mr.) School of Science, Beijing University of Posts and Telecommunications, Beijing 100876, China (wsrjqa@163.com)
- [693] Ren, Ke (Mr.) Science and Technology on Thermostructural Composite Materials Laboratory, Northwestern Polytechnical University, Xi'an 710072, China (renke@mail.nwpu.edu.cn)
- [694] Ren, Yi-Xiao (Ms.) Science and Technology on Advanced Functional Composite Laboratory Aerospace Research Institute of Materials & Processing Technology, No.1 South Dahongmen Road, Beijing 100076, China (renyixiao@stu.xmu.edu.cn)
- [695] Riedel, Ralf (Prof.) Department of Materials and Earth Sciences, Institut für Materialwissenschaft, Technische Universität Darmstadt, Jovanka-Bontschits-Str. 2 / Room No 407, 64287 Darmstadt, Germany (riedel@materials.tu-darmstadt.de)
- [696] Rosei, Federico (Prof.) UNESCO Chair in Materials and Technologies for Energy Conversion, Saving and Storage, Centre for Energy, Materials and Telecommunications, INRS, 1650 Boul. Lionel Boulet, J3X 1S2 Varennes (QC), Canada (rosei@emt.inrs.ca)
- [697] Roy, V.A.L. (Dr.) Department of Physics and Materials Science, City University of Hong Kong, Hong Kong (val.roy@cityu.edu.hk)
- [698] Ruan, Jing (Mr.) State Key Laboratory of High Performance Ceramics & Superfine Microstructure, Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 200050, China (ruanjing@shanghaitech.edu.cn)
- [699] Ruan, Xue-Zheng (Dr.) Shanghai institute of Ceramics, Chinese Academy of Sciences, Dingxi 1295, Changning, Shanghai 200050, China (rxz@mail.sic.ac.cn)
- [700] Ryu, Sung-Soo (Dr.) Engineering Ceramics Center, Institute of Ceramic Engineering and Technology, Icheon17303, Korea (ssryu@kicet.re.kr)
- [701] Ryu, Won-Hee (Dr.) Department of Chemical and Biological Engineering, Sookmyung Women's University, 100 Cheongpa-ro 47-gil, Yongsan-gu, Seoul, Korea (whryu@sookmyung.ac.kr)
- [702] Saito, Noriko (Dr.) National Institute for Materials Science, 1-2-1 Sengen, Tsukuba, Ibaraki 305-0047, Japan (saito.noriko@nims.go.jp)
- [703] Šajgalík, Pavol (Prof.) Slovak Academy of Sciences, Bratislava, Slovakia (sajgalik@savba.sk)
- [704] Sakka, Yoshio (Dr.) Advanced Materials Processing Unit, National Institute for Materials Science, 1-2-1 Sengen, Tsukuba, Ibaraki 305-0047 Japan (Sakka.yoshio@nims.go.jp)
- [705] Salameh, Chrystelle (Dr.) Ecole Nationale Supérieure de Chimie de Montpellier, 300 Avenue du Professeur Emile Jeanbrau, 34090 Montpellier, France (chrystelle.salameh@enscm.fr)
- [706] Sang, Xu (Mr.) Key Laboratory of Functional Materials and Devices for Special Environments of CAS, Xinjiang Key Laboratory of Electronic Information Materials and Devices, Xinjiang Technical Institute of Physics and Chemistry of CAS, Urumqi, China (lhbb888@sina.cn)
- [707] Sang, Zhi-Yuan (Mr.) Key Laboratory of Advanced Ceramics and Machining Technology, Ministry of Education, School of Materials Science and Engineering, Tianjin University, Tianjin, 300350, China (1902507556@qq.com)
- [708] Sarkar, Ritwik (Prof.) Department of Ceramic Engineering, National Institute of Technology, Rourkela, India (ritwiksarkar@rediffmail.com)
- [709] Scheffle, Michael (Prof.) Institute for Materials and Joining Technology, Otto-von-Guericke-University Magdeburg, 39106 Magdeburg, Germany (m.scheffler@ovgu.de)

- [710] Schwentenwein, M. (Dr.) Lithoz GmbH, Mollardgasse 85a/2/65-69, 1060 Vienna, Austria (mschwentwnein@lithoz.com)
- [711] Sedlák, Richard (Dr.) Institute of Materials Research, Slovak Academy of Sciences, Division of Ceramic and Non-Metallic Systems, Watsonova 47, 040 01 Košice, Slovak Republic (rsedlak@saske.sk)
- [712] Shan, Ke (Dr.) College of science, Honghe University, Mengzi 661199, Yunnan,661199, China (shankekeshan@163.com)
- [713] Shao, Gang (Dr.) School of Materials Science and Engineering, Zhengzhou University, Zhengzhou 450001, China (gang_shao@zzu.edu.cn)
- [714] Shaukat, S.F. (Prof.) 2Department of Chemistry, COMSATS University Islamabad, Lahore, Pakistan (director@cuisahiwal.edu.pk)
- [715] Sheindlin, Mikhail (Prof.) Joint Institute for High Temperatures, Russian Academy of Sciences, 125412 Izhorskaya 13 bl.2 Moscow, Russia (sheindlin@yandex.ru)
- [716] Shen, Fei-Hong (Ms.) Guangxi Key Laboratory of Information Material, Guangxi Collaborative Innovation Center of Structure and Property for New Energy and Materials, School of Material Science and Engineering, Guilin University of Electronic Technology, Guilin, 541004, China (2630678452@qq.com)
- [717] Shen, Min-Hao (Mr.) School of Materials Science and Engineering, Shanghai Institute of Technology, Shanghai 201418, China (minhao_shen@outlook.com)
- [718] Shen, Xiu-Lin (Ms.) School of Materials Science and Technology, China University of Geosciences (Beijing), Beijing 100083, China (xiulinshen@163.com)
- [719] Shen, Zhong-Lin (Ms.) State Key Laboratory of Solidification Processing, Northwestern Polytechnical University, Xi'an 710072, China (17709292877@163.com)
- [720] Shen, Zong-Yang (Prof.) School of Materials Science and Engineering, Jingdezhen Ceramic Institute, Jingdezhen 333403, China (shenzongyang@163.com)
- [721] Sheng, Zhi-Gao (Prof.) Anhui Key Laboratory of Condensed Matter Physics at Extreme Conditions, High Magnetic Field Laboratory, Chinese Academy of Sciences, Hefei 230031, China (zhigaosheng@hmf.ac.cn)
- [722] Shi, Jia-Qi (Ms.) Guangxi Key Laboratory of Information Material, Guangxi Collaborative Innovation Center of Structure and Property for New Energy and Materials, School of Material Science and Engineering, Guilin University of Electronic Technology, Guilin, 541004, P. R. China (935852775@qq.com)
- [723] Shi, Jiang (Mr.) Shandong Industrial Ceramic Research & Design Institute Co., Ltd., Zibo 255000, China (shijiang4321@163.com)
- [724] Shi, Teng-Teng (Mr.) School of Materials Science and Technology, China University of Geosciences (Beijing), Beijing 100083, China (shitengt1990@163.com)
- [725] Shi, Zhong-Qi (Prof.) School of Materials Science & Engineering, Xi'an Jiaotong University, Xi'an 710049, China (zhongqishi@xjtu.edu.cn)
- [726] Shi, Zong-Mo (Mr.) State Key Laboratory of Solidification Processing, MIIT Key laboratory of Radiation Detection Materials and Devices, School of Material Science and Engineering, Northwestern Polytechnical University, Xi'an, 710072, China (shixin2610@163.com)
- [727] Shin, Tae Ho (Dr.) Korea Institute of Ceramic Engineering & Technology, Jinju 52851, Korea (ths@kicet.re.kr)
- [728] Shklover, Valery (Dr.) ETH Zurich, Gloriastrasse 35, 8092 Zurich, Switzerland (vshklover@ethz.ch)
- [729] Shu, Long-Long (Dr.) School of Materials Sciences and Engineering, Nanchang University, Nanchang 330031, China (llshu@ncu.edu.cn)
- [730] Silvestroni, Laura (Dr.) Structural and Functional Ceramics, CNR - ISTEK Institute of Science and Technology for Ceramics, Via Granarolo, 64 I-48018 Faenza, Italy (silvestroni@istec.cnr.it)
- [731] Singh, Dileep (Dr.) Energy Systems Division, Argonne National Laboratory, 9700 South Cass Avenue, Argonne, IL 60439, USA (dsingh@anl.gov)
- [732] Sloof, Willem G. (Dr.) Delft University of Technology, Department of Materials Science and Engineering, Mekelweg 2, 2628 CD, Delft, The Netherlands (w.g.sloof@tudelft.nl)
- [733] Smeacetto, Federico (Dr.) Department of Energy, Politecnico di Torino, Turin, Italy (federico.smeacetto@polito.it)

- [734] Snyder, G. Jeffrey (Prof.) Northwestern University, Department of Materials Science and Engineering, Evanston IL, USA (gjeffsnyder@gmail.com)
- [735] Song, Guan-Hua (Mr.) Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 200050, China (songguanhua@student.sic.ac.cn)
- [736] Song, Jie-Guang (Prof.) Key Laboratory for Industrial Ceramics of Jiangxi Province, School of Materials and Chemistry Engineering, Pingxiang University, Pingxiang 337055, China (sjg825@163.com)
- [737] Song, Jun-Jie (Dr.) State Key Laboratory of Solid Lubrication, Lanzhou Institute of Chemical Physics, Chinese Academy of Sciences, Lanzhou 730000, China (songjunjie@licp.cas.cn)
- [738] Song, Ning-Ning (Ms.) School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (songnn16@mails.tsinghua.edu.cn)
- [739] Song, Peng (Prof.) Kunming University of Science and Technology, Kunming 650093, China (songpengkm@163.com)
- [740] Song, Tae Kwon (Prof.) School of Materials Science and Engineering, Changwon National University, Changwon Gyeongnam 51140, Korea (tksong@changwon.ac.kr)
- [741] Song, Xi-Wen (Prof.) School of Materials and Metallurgy, Inner Mongolia University of Science and Technology, Baotou 014010, China (xiwensong@126.com)
- [742] Song, Yang (Dr.) Ningbo Institute of Materials Technology and Engineering, Chinese Academy of Sciences, Ningbo, Zhejiang 315201, China (songyang@nimte.ac.cn)
- [743] Sorarù, Gian Domenico (Prof.) Department of Industrial Engineering, University of Trento, Via Sommarive 9, I-38123 Trento, Italy (soraru@ing.unitn.it)
- [744] Su, Chun-Lan (Ms.) School of Materials Science and Engineering, University of Jinan, Jinan 250022, China (1253906115@qq.com)
- [745] Su, Dawei (Dr.) School of Mathematical and Physical Sciences, Centre for Clean Energy Technology, Faculty of Science, University of Technology Sydney, Sydney, NSW 2007, Australia (dawei.su@uts.edu.au)
- [746] Su, Jin (Ms.) State Key Laboratory of Materials Processing and Die & Mould Technology, School of Materials Science and Engineering, Huazhong University of Science and Technology, Wuhan 430074, China (jinsu@hust.edu.cn)
- [747] Su, Xian-Li (Prof.) State Key Laboratory of Advanced Technology for Materials Synthesis and Processing, Wuhan University of Technology, Wuhan 430070, China (suxianli@whut.edu.cn)
- [748] Su, Xing-Hua (Prof.) School of Materials Science and Engineering, Chang'an University, Xi'an 710061, China (suxinghua@chd.edu.cn)
- [749] Su, Yao-Tian (Mr.) State Key Laboratory of Organic-Inorganic Composites, Beijing University of Chemical Technology, Beijing 100029, China (qki3031@163.com)
- [750] Su, Yun-Feng (Dr.) Address: State Key Laboratory of Solid Lubrication, Lanzhou Institute of Chemical Physics, Chinese Academy of Sciences, Lanzhou 730000, China (yfsu@licp.cas.cn)
- [751] Sugahara, Yoshiyuki (Prof.) Waseda University, Okubo 3-4-1, Shinjuku-ku, Tokyo, Japan, 169-8555 (ys6546@waseda.jp)
- [752] Sui, Tian-Yi (Dr.) School of Mechanical Engineering, Tianjin University, Tianjin 300072, China (suity@tju.edu.cn)
- [753] Sui, Xue-Ye (Ms.) Shandong Industrial Ceramics Research & Design Institute Co., Ltd, Zibo 255000, China (sxy001@126.com)
- [754] Sun, Bo-Wen (Mr.) School of Materials Science and Engineering, Hefei University of Technology, Hefei 230000, China (1013559581@qq.com)
- [755] Sun, Cheng-Gong (Mr.) Shandong Industrial Ceramic Research & Design Institute Co., Ltd., Zibo, China (chenggong55@163.com)
- [756] Sun, Hao-Ran (Mr.) China Building Materials Academy, Beijing, 100024, China (moto398@126.com)
- [757] Sun, Hong-Gang (Mr.) State Key Laboratory of Advanced Refractories, Sinosteel Luoyang Institute of Refractories Research Co., Ltd., Luoyang, China (sunhonggang@hotmail.com)
- [758] Sun, Jian-Jie (Mr.) State Key Laboratory of Power Transmission Equipment & System Security and New Technology, Chongqing University, Shapingba District, Shazheng Street No. 174, Chongqing 400044, China (2590937454@qq.com)

- [759] Sun, Kuang (Mr.) Shanghai Chenhua Science Technology Corp., Ltd., No.488 Luyuan Rd. Shanghai 201804, China (18017386958@189.cn)
- [760] Sun, Lu-Chao (Dr.) Shenyang National Laboratory for Materials Science, Institute of Metal Research, Chinese Academy of Sciences, Shenyang 110016, China (lcsun@imr.ac.cn)
- [761] Sun, Nian X, (Prof.) W.M. Keck Laboratory for Integrated Ferroics, & ECE Department, Northeastern University, Boston, MA 02115, USA (nian@ece.neu.edu)
- [762] Sun, Qing-Yun (Ms.) State Key Laboratory of Advanced Technology for Materials Synthesis and Processing, Wuhan University of Technology, 122 Luoshi Road, Wuhan 430070, China (sunqingyun@whut.edu.cn)
- [763] Sun, Shi-Kuan (Dr.) School of Electromechanical Engineering, Guangdong University of Technology, Guangzhou 510006, China (38466053@qq.com)
- [764] Sun, Wenping (Dr.) Institute for Superconducting and Electronic Materials, University of Wollongong, Wollongong, NSW 2522, Australia (wenping@uow.edu.au)
- [765] Sun, Xian-Kai (Mr.) China Building Materials Academy, Ceramic Research Institute, Beijing 100024, China (sunxiankai2008@163.com)
- [766] Sun, Xiao (Ms.) Qilu University Of Technology, School of Materials Science and Engineering, Jinan 250300, China (1477474101@qq.com)
- [767] Sun, Ya-Nan (Ms.) Institute of Chemistry Chinese, Academy of Science, Beijing 100190, China (sunyanan@iccas.ac.cn)
- [768] Sun, Yan-Yan (Ms.) School of Material Science and Engineering, Henan University of Science and Technology, Luoyang, Henan, 471023, China (asunyanan58@163.com)
- [769] Sun, Yi (Mr.) School of Materials Science and Engineering, Jingdezhen Ceramic Institute, Jingdezhen 333403, China (sy120100201@163.com)
- [770] Sun, Yi-Wen (Ms.) Department of Materials Science and Engineering, China University of Mining & Technology, Beijing 100083, China (1363565372@qq.com)
- [771] Sun, Ying (Ms.) School of Materials Science and Engineering, Shanghai Institute of Technology, Shanghai 201418, China (sunying0031@163.com)
- [772] Sun, Yuan (Ms.) Condensed Matter Science and Technology Institute, School of Science, Harbin Institute of Technology, Harbin 150080, Heilongjiang, China
- [773] Sun, Zhen-Hao (Mr.) The State Key Laboratory of Advanced Technology for Materials Synthesis and Processing, Wuhan University of Technology, Wuhan 430070, China (sunzhenhao1209@163.com)
- [774] Sun, Ziqi (Dr.) School of Chemistry, Physics and Mechanical Engineering, Queensland University of Technology, Gardens Point, Brisbane, QLD 4000, Australia (ziqi.sun@qut.edu.au)
- [775] Tan, Fang-Guan (Mr.) Department of Thermal Energy Engineering, School of Materials and Metallurgy, Wuhan University of Science and Technology, Wuhan 430081, China (tanfangguan@foxmail.com)
- [776] Tan, Guo-Long (Prof.) State Key Laboratory of Advanced Technology for Materials Synthesis and Processing, Wuhan University of Technology, Wuhan 430070, China (glta@whut.edu.cn)
- [777] Tan, Qi (Prof.) Guangdong Technion Israel Institute of Technology, 241 Daxue Rd, Jinping District, Shantou, Guangdong 515063, China (daniel.tan@gtiit.edu.cn)
- [778] Tan, Xing (Mr.) School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (tanx14@mails.tsinghua.edu.cn)
- [779] Tanaka, Isao (Prof.) Department of Materials Science and Engineering, Kyoto University, Sakyo, Kyoto, 606-8501 Japan (tanaka@cms.MTL.kyoto-u.ac.jp)
- [780] Tanemura, Sakae (Prof.) Japan Fine Ceramic Center, 2-4-1 Mutsuno, Atsuta-ku, Nagoya 456-8587, Japan (fwhy7047@mb.infoweb.ne.jp)
- [781] Tang, Hai (Mr.) The State Key Laboratory of Refractories and Metallurgy, Wuhan University of Science and Technology, Wuhan 430081, China (969658521@qq.com)
- [782] Tang, Xiang-Jun (Mr.) Army Engineering University, Advanced Material Institute, Shijiazhuang 050003, China (18531107787@163.com)
- [783] Tang, Yuxin (Dr.) Institute of Applied Physics and Materials Engineering, University of Macau, E12 Avenida da Universidade, Taipa, Macau, China (yxtang@um.edu.mo)
- [784] Tao, Hong (Ms.) Department of Materials Science, Sichuan University, Chengdu 610065, China (taohongscu@163.com)

- [785] Tao, Rui (Mr.) School of Materials Science and Engineering, Jingdezhen Ceramic Institute, Jingdezhen 333403, China (383191758@qq.com)
- [786] Tatami, Junichi (Prof.) Yokohama National University, 79-7 Tokiwadai, Hodogayaku, Yokohama 240-8501, Japan (tatami-junichi-xv@ynu.ac.jp)
- [787] Tatarko, Peter (Dr.) Institute of Inorganic Chemistry, Slovak Academy of Sciences, Dubravská cesta 9, 845 36 Bratislava, Slovakia (peter.tatarko@savba.sk)
- [788] Teng, Bing-Jie (Ms.) Key Laboratory of Inorganic Functional Materials and Devices, Shanghai Institute of Ceramics, Chinese Academy of Sciences, 1295 Dingxi Road, Shanghai 200050, China (tengbingjie@student.sic.ac.cn)
- [789] Teng, Ya-Di (Prof.) Shenyang University of Chemical Technology, Applied Chemistry Department, Shenyang 110142, China (tengyadi@syuct.edu.cn)
- [790] Tian, Tian (Ms.) Powder Metallurgy Research Institute, Central South University, Changsha 410083, China (173312140@csu.edu.cn)
- [791] Tian, Tian (Dr.) Shanghai Institute of Ceramics, Chinese Academy of Sciences, Dingxi 1295, Changning, Shanghai 200050, China (tiantian@mail.sic.ac.cn)
- [792] Tian, Ting-Yan (Ms.) Beijing Sinoma Synthetic Crystals Co., Ltd, Beijing 100018, China (tiantingyan@sina.com)
- [793] Tian, Wu-Bian (Dr.) School of Materials Science and Engineering, Southeast University, Nanjing 211189, China (wbtian@seu.edu.cn)
- [794] Tian, Yong-Jun (Prof.) State Key Laboratory of Metastable Materials Science and Technology, Yanshan University, Qinhuangdao, 066004, P. R. China (fhcl@ysu.edu.cn)
- [795] Tian, Zhen (Mr.) School of Materials and Metallurgy, Inner Mongolia University of Science and Technology, Baotou 014010, Inner Mongolia, China (tianzhen410035421@163.com)
- [796] Toda, Kenji (Prof.) Niigata University, Institute for Research Promotion, 8050 Ikarashi 2-no-cho, Niigata 950-2181, Japan (ktoda@eng.niigata-u.ac.jp)
- [797] Tong, Yong-Gang (Mr.) College of Automobile and Mechanical Engineering, Changsha University of Science and Technology, Changsha, China (tygiarh419@163.com)
- [798] Tong, Zong-Wei (Mr.) Key Laboratory for Advanced Ceramics and Machining Technology of Ministry of Education, School of Material Science and Engineering, Tianjin University, Tianjin 300072, China (tongzongwei@tju.edu.cn)
- [799] Töpfer, Jörg (Prof.) University of Applied Sciences Jena, Department of Science and Technology, Carl-Zeiss-Promenade 2, 07745 Jena, Germany (joerg.toepfer@eah-jena.de)
- [800] Torrell, Marc (Dr.) Department of Advanced Materials for Energy, Catalonia Institute for Energy Research, 08930 Sant Adria de Besos, Barcelona, Spain (mtorrell@irec.cat)
- [801] Tsai, Chih-Long (Dr.) Forschungszentrum Jülich GmbH, Institute of Energy and Climate Research, Materials Synthesis and Processing (IEK-1), 52425 Jülich, Germany (c.tsai@fz-juelich.de)
- [802] Tseng, Tseung-Yuen (Prof.) Institute of Electronics, National Chiao Tung University, Hsinchu, Taiwan (tseng@cc.nctu.edu.tw)
- [803] Tu, Bing-Tian (Dr.) State Key Lab of Advanced Technology for Materials Synthesis and Processing, Wuhan University of Technology, Wuhan 430070, China (tubt@whut.edu.cn)
- [804] Tu, Dong (Prof.) School of Physics and Technology, Wuhan University, Wuhan 430072, China (tu-dong@whu.edu.cn)
- [805] Tu, Rong (Prof.) State Key Laboratory of Advanced Technology for Materials Synthesis and Processing, Wuhan University of Technology, Wuhan 430070, China (turong@whut.edu.cn)
- [806] Tuan, Wei-Hsing (Prof.) Department of Materials Science & Engineering, Taiwan University, Taipei, Taiwan (tuan@ntu.edu.tw)
- [807] Vandeperre, L. (Dr.) Centre for Advanced Structural Ceramics & Department of Materials, Imperial College London, South Kensington Campus, London SW7 2AZ, UK (l.vandeperre@imperial.ac.uk)
- [808] Vasylykiv, Oleg (Prof.) National Institute for Materials Science, 1-2-1, Sengen, Tsukuba, Ibaraki 305-0047, Japan (oleg.vasylykiv@nims.go.jp)
- [809] Wan, Peng (Mr.) Ningbo Institute of Materials Technology and Engineering, Chinese Academy of Sciences, Ningbo 315201, China (wanpeng@nimte.ac.cn)

- [810] Wan, Qi-Fa (Mr.) College of Materials, Xi'an University of Architecture & Technology, Xi'an 710055, China (1986817604@qq.com)
- [811] Wang, Bin (Mr.) Key Laboratory of Optoelectronic Materials Chemistry and Physics, Fujian Institute of Research on the Structure of Matter, Chinese Academy of Sciences, Fuzhou 350002, China (wb@fjirsm.ac.cn)
- [812] Wang, Bing (Mr.) Key Laboratory of Functional Materials and Devices for Special Environments of CAS; Xinjiang Key Laboratory of Electronic Information Materials and Devices; Xinjiang Technical Institute of Physics & Chemistry of CAS, 40-1 South Beijing Road, Urumqi 830011, China (wangbing171@mailsucas.ac.cn)
- [813] Wang, Bo (Dr.) State Key Laboratory for Mechanical Behavior of Materials, Xi'an Jiaotong University, Xi'an 710049, China (wangbo_1@xjtu.edu.cn)
- [814] Wang, Bo (Mr.) Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 200050, China (wangbo@shanghaiitech.edu.cn)
- [815] Wang, Chang-An (Prof.) School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (wangca@tsinghua.edu.cn)
- [816] Wang, Da-Wei (Dr.) Sir Robert Hadfield Building, Mappin Street, Sheffield S1 3JD, UK (wangdawei102@gmail.com)
- [817] Wang, Dan-Dan (Mr.) School of Materials Science and Engineering, Southeast University, Nanjing 211189, China (ddwang1111@qq.com)
- [818] Wang, Danyang (Dr.) School of Materials Science & Engineering, The University of New South Wales, Sydney, NSW 2052, Australia (dy.wang@unsw.edu.au)
- [819] Wang, Dong-Dong (Mr.) Institute of Process Engineering, Chinese Academy of Sciences, Beijing 100190, China (ddwang@ipe.ac.cn)
- [820] Wang, Gang (Prof.) State Key Laboratory of Advance Refractories, Sinosteel Luoyang Institute of Refractories Research Co., Ltd., Luoyang, China (wangg@lirrc.com)
- [821] Wang, Gen-Shui (Prof.) Shanghai Institute of Ceramics, CAS, Shanghai 200050, China (genshuiwang@mail.sic.ac.cn)
- [822] Wang, Hai-Hua (Prof.) College of Chemistry and Chemical Engineering, Shanxi University of Science and Technology, Xi'an 710021, China (whh@sust.edu.cn)
- [823] Wang, Hai-Long (Prof.) School of Materials Science and Engineering, Zhengzhou University, Zhengzhou 450001, China (119whl@zzu.edu.cn)
- [824] Wang, Hao (Mr.) School of Materials Science and Engineering, State Key Lab Silicon Mat, Zhejiang University, Hangzhou 310027, China (ustbwanghao@163.com)
- [825] Wang, Hao (Mr.) College of Chemistry and Material Science, Shandong Agricultural University, Tai'an 271018, Shandong, China (1142021484@qq.com)
- [826] Wang, Hao (Prof.) State Key Laboratory of Advanced Technology for Materials Synthesis and Processing, Wuhan University of Technology, Wuhan 430070, P. R. China (shswangh@whut.edu.cn)
- [827] Wang, Hao (Prof.) Department of Civil and Environmental Engineering, Rutgers, The State University of New Jersey, Piscataway 08854, USA (hwang.cee@rutgers.edu)
- [828] Wang, Hong-Jie (Prof.) State Key Laboratory for Mechanical Behavior of Materials, Xi'an Jiaotong University, Xi'an, Shaanxi 710049, China (hjwang@mail.xjtu.edu.cn)
- [829] Wang, Jie-Min (Dr.) Advanced Ceramics and Composites Division, Shenyang National Laboratory for Materials Science, Institute of Metal Research, CAS, Shenyang 110016, China (jieminwang@imr.ac.cn)
- [830] Wang, Jing (Prof.) School of Chemistry / School of Materials Science and Engineering, Sun Yat-Sen University, Guangzhou 510275, China (ceswj@mail.sysu.edu.cn)
- [831] Wang, Jing-Wen (Mr.) Gogo Instruments Technology (Shanghai) Co. Ltd, 4801 Caoan Road, Shanghai 201800, China (wjw@gogoyq.com)
- [832] Wang, Jing-Yang (Prof.) High-performance Ceramics Division, Shenyang National Laboratory for Materials Science, Institute of Metal Research, Shenyang 110016, China (jywang@imr.ac.cn)
- [833] Wang, John (Prof.) Department of Materials Science and Engineering, National University of Singapore, Singapore 117574 (msewangj@nus.edu.sg)
- [834] Wang, Jun (Dr.) School of Physics and Electronic Engineering, Jiangsu Normal University, Xuzhou 221116, China (jwang025@e.ntu.edu.sg)

- [835] Wang, Jun-Kai (Dr.) School of Materials Science and Engineering, Henan Polytechnic University, Jiaozuo 454000, China (jkwang@hpu.edu.cn)
- [836] Wang, Kai-Shi (Dr.) Science and Technology on Advanced Functional Composites Laboratory, Aerospace Research Institute of Materials & Processing Technology, Beijing, 100076, China (bobwang1983@hotmail.com)
- [837] Wang, Kai-Tuo (Dr.) Guangxi University, School of Resources, Environment and Materials, Nanning 530004, Guangxi, China (wangkaituo@gxu.edu.cn)
- [838] Wang, Kai-Yu (Mr.) Shandong Industrial Ceramics Research & Design Institute Co., Ltd, Zibo 255000, China (chrisma24@163.com)
- [839] Wang, Ke (Dr.) State Key Laboratory of New Ceramics and Fine Processing, School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (wang-ke@tsinghua.edu.cn)
- [840] Wang, Ke-Wei (Dr.) School of Mechanical Engineering, Dongguan University of Technology, Dongguan, Guangdong, 523808, China (wangkw@dgut.edu.cn)
- [841] Wang, Kun (Dr.) School of Materials Science and Energy Engineering, Foshan University, Foshan 528000, China (kunwang@fosu.edu.cn)
- [842] Wang, Lei (Mr.) Key Laboratory of Inorganic Functional Materials and Devices, Shanghai Institute of Ceramics, Chinese Academy of Sciences, 1295 Dingxi Road, Shanghai 200050, China (wanglei519nuaa@163.com)
- [843] Wang, Li-Ming (Prof.) College of Textiles, Donghua University, Shanghai 201620, China (wangliming@dhu.edu.cn)
- [844] Wang, Li-Ping (Prof.) Ningbo Institute of Materials Technology and Engineering, Chinese Academy of Sciences, Ningbo 315201, China (wangliping@nimte.ac.cn)
- [845] Wang, Lian-Jun (Prof.) School of Materials Science and Engineering, Donghua University, Shanghai, China (wanglj@dhu.edu.cn)
- [846] Wang, Liang (Mr.) Technical Institute of Physics and Chemistry, Chinese Academy of Sciences, Beijing 100190, China (wangliang161@mailsucas.ac.cn)
- [847] Wang, Liang (Dr.) Integrated Computational Materials Research Centre, Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 201899, China (l.wang@mail.sic.ac.cn)
- [848] Wang, Liang (Prof.) State Key Laboratory Breeding Base of Green-Chemical Synthesis Technology, College of Chemical Engineering, Zhejiang University of Technology, Hangzhou 310014, China (wangliang@zjut.edu.cn)
- [849] Wang, Ling (Dr.) AVIC Composite Technology Center, Beijing 101300, China (lingwang14802@163.com)
- [850] Wang, Lu-Jie (Mr.) State Key Laboratory of High Performance Ceramics and Superfine Microstructure, Shanghai Institute of Ceramics, Chinese Academy of Science, Shanghai 200050, China (lujiewg@foxmail.com)
- [851] Wang, Mei-Ling (Ms.) Institute for Advanced Ceramics, School of Materials Science and Engineering, Harbin Institute of Technology, Heilongjiang, Harbin 150080, China (meilingwang0125@163.com)
- [852] Wang, Mei-Rong (Dr.) School of Materials Science and Engineering, Harbin Institute of Technology Weihai 264209, China (wmr21c@163.com)
- [853] Wang, Ming-Chao (Dr.) College of Science, Civil Aviation University of China; Tianjin 300300; China (mc_wang@cauc.edu.cn)
- [854] Wang, Ping (Ms.) State Key Laboratory of Advanced Technology for Materials Synthesis and Processing, Wuhan University of Technology, Wuhan 430070, China (ann1992@whut.edu.cn)
- [855] Wang, Qi (Ms.) School of Engineering and Technology, China University of Geosciences, Beijing 100083, China (3002160004@cugb.edu.cn)
- [856] Wang, Qian (Ms.) School of Physics Science and Technology, Xinjiang University, Urumqi 830046, China (1060953011@qq.com)
- [857] Wang, Qian-Kun (Mr.) School of Materials Science and Engineering, Northwestern Polytechnical University, Xi'an 710072, China (1185056561@qq.com)
- [858] Wang, Qing-Hu (Dr.) The State Key Laboratory of Refractories and Metallurgy, Wuhan University of Science & Technology, Wuhan 430081, China (wangqinghu@wust.edu.cn)
- [859] Wang, Rong (Mr.) Graduate School at Shenzhen, Tsinghua University, ShenZhen 518055, China (rwang12s@sz.tsinghua.edu.cn)

- [860] Wang, Sen (Mr.) The State Key Laboratory of Refractories and Metallurgy, Wuhan University of Science and Technology, Wuhan 430081, China (wangsen18341264380@163.com)
- [861] Wang, Shan (Ms.) School of Materials Science and Engineering, Shandong University, Jinan 250061, China (1958528628@qq.com)
- [862] Wang, Shiren (Dr.) Department of Materials Science and Engineering, College of Engineering, Texas A&M University, 3127 Tamu, College Station, TX 77843-3127, USA (s.wang@tamu.edu)
- [863] Wang, Shi-Wei (Prof.) Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 200050, China (swwang51@mail.sic.ac.cn)
- [864] Wang, Shi-Yuan (Ms.) University of Science and Technology Beijing, School of Materials Science and Engineering, Beijing 100083, China (wangshiyuan1417@163.com)
- [865] Wang, Si-Hui (Ms.) School of Aeronautics and Astronautics, Tianjin Sino-German University of Applied Sciences, Tianjin 300350, China (wangsihui@tju.edu.cn)
- [866] Wang, Tong-Sheng (Mr.) School of Refractories and Metallurgy, Wuhan University of Science and Technology, Wuhan 430081, China (15527050612@163.com)
- [867] Wang, Tun (Mr.) School of Material Science and Engineering, Shanghai University, Shanghai 200444, China (wangtun@shu.edu.cn)
- [868] Wang, Wei (Ms.) School of Materials Science and Engineering, Jingdezhen Ceramic Institute, Jingdezhen 333403, China (1521314855@qq.com)
- [869] Wang, Wei (Dr.) School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (jiayouwei99@yahoo.com)
- [870] Wang, Wei (Dr.) Key Laboratory for Anisotropy and Texture of Materials (Ministry of Education), Northeastern University, Shenyang, Liaoning 110819, China (wangw@atm.neu.edu.cn)
- [871] Wang, Wei-Qiang (Prof.) School of Mechanical Engineering, Nanjing University of Science and Technology, Nanjing, Jiangsu 210094 China (wangweiqiang@njust.edu.cn)
- [872] Wang, Wen-Wu (Prof.) Sinosteel Luoyang Institute of Refractories Research Co., Ltd., Luoyang 471039, China (wangww@lirrc.com)
- [873] Wang, Xi-Lin (Dr) Graduate School at Shenzhen, Tsinghua University, Shenzhen 518055, China (wang.xilin@sz.tsinghua.edu.cn)
- [874] Wang, Xiao-Hui (Dr.) Shenyang National Laboratory for Materials Science, Institute of Metal Research, Chinese Academy of Sciences, Shenyang 110016, China (wang@imr.ac.cn)
- [875] Wang, Xiao-Jun (Dr.) Jiangsu Normal University, Xuzhou 221116, China (wang.xiaojun@jsnu.edu.cn)
- [876] Wang, Xiaolin (Prof.) ARC Centre of Excellence in Future Low-Energy Electronics Technologies (FLEET), University of Wollongong, Wollongong, NSW 2525, Australia (xiaolin@uow.edu.au)
- [877] Wang, Xiao-Meng (Mr.) AVIC Composite Technology Center, AVIC Composite Corporation Ltd, Beijing, China (bradywang01@163.com)
- [878] Wang, Xiao-Min (Prof.) College of Materials Science and engineering, Taiyuan University of Technology, Taiyuan 030024, China (wangxiaomin@tyut.edu.cn)
- [879] Wang, Xin-Gang (Dr.) State Key Laboratory of High Performance Ceramics and Superfine Microstructure, Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 201899, China (xgwang@mail.sic.ac.cn)
- [880] Wang, Xin-Kun (Mr.) Institute of Advanced Materials, The Army Engineering University of PLA, Shijiazhuang 050003, China (1140644369@qq.com)
- [881] Wang, Xin-Yu (Prof.) State Key Laboratory of Advanced Technology for Materials Synthesis and Processing, Wuhan University of Technology, Wuhan 430070, China (wangxinyu@whut.edu.cn)
- [882] Wang, Xiu-Xia (Ms.) Guangxi Key Laboratory of Information Material, Guangxi Collaborative Innovation Center of Structure and Property for New Energy and Materials, School of Material Science and Engineering, Guilin University of Electronic Technology, Guilin, 541004, China (1490834321@qq.com)
- [883] Wang, Xu (Dr.) School of Materials Science and Engineering, Xi'an University of Technology, 5 South Jinhua Road, Xi'an 710048, China (xwang@alum.imr.ac.cn)
- [884] Wang, Yan-Fei (Dr.) State Key Laboratory of Science and Technology on Advanced Ceramic Fibers and Composites, National University of Defense Technology. Changsha 410073, China (wangyanfei@nudt.edu.cn)

- [885] Wang, Yan-Yan (Ms.) Shandong Research & Design Institute of Industrial Ceramics Co., Ltd, Zibo 255031, China (axx0412@163.com)
- [886] Wang, Yang (Mr.) School of Materials Science and Engineering, Jingdezhen Ceramic Institute, Jingdezhen 333403, China (1527336980@qq.com)
- [887] Wang, Yang (Mr.) School of Materials Science and Engineering, Nanjing University of Science and Technology, Nanjing 210094, China (wangyang1207@njjust.edu.cn)
- [888] Wang, Yao-Jin (Prof.) School of Materials Science and Engineering, Nanjing University of Science and Technology, Nanjing 210094, China (yjiang@njjust.edu.cn)
- [889] Wang, Yi-Ge (Ms.) School of Chemistry and Chemical Engineering, Xinjiang Normal University, Urumqi 830054, China (292892206@qq.com)
- [890] Wang, Yi-Guang (Dr.) Institute of Advanced Structure Technology, Beijing Institute of Technology, Beijing 100081, China (angyiguang@bit.edu.cn)
- [891] Wang, Yi-Ming (Mr.) School of Materials Science and Engineering, Jingdezhen Ceramic Institute, Jingdezhen 333403, China (137076217@qq.com)
- [892] Wang, Yi-Yu (Ms.) Hubei Key Laboratory of Quality Control of Characteristic Fruits and Vegetables, Hubei Engineering University, No. 272 Traffic Avenue, Xiaogan 432000, China (yiyiyuyu.7@163.com)
- [893] Wang, Ying (Ms.) Beijing Sinoma Synthetic Crystals Co., Ltd, Beijing 100018, China (xwxng2016@163.com)
- [894] Wang, Ying-Ying (Ms.) Shandong Industrial Ceramic Research & Design Institute Co., Ltd., Zibo 255031, China (wyy187@126.com)
- [895] Wang, Yong-Ya (Dr.) Department of Material Chemistry, Huzhou University, Huzhou 313000, China (arince@zjhu.edu.cn)
- [896] Wang, You (Prof.) School of Materials Science and Engineering, Harbin Institute of Technology, Harbin 150001, China (wangyou@hit.edu.cn)
- [897] Wang, Yu-Jin (Prof.) Institute for Advanced Ceramics, School of Materials Science and Engineering, Harbin Institute of Technology, Harbin 150001, China (wangyuj@hit.edu.cn)
- [898] Wang, Yu-Long (Mr.) Jiangxi Key Laboratory of Surface Engineering, Jiangxi Science and Technology Normal University, Nanchang 330013, China (415824681@qq.com)
- [899] Wang, Zhi-Hao (Mr.) School of Material Science and Engineering, Qilu University of Technology (Shandong Academy of Sciences), Jinan 250353, China (wangzhihao0805@126.com)
- [900] Wang, Zhi-Jiang (Prof.) Harbin Institute of Technology, School of Chemistry and Chemical Engineering, Harbin 150001, China (wangzhijiang@hit.edu.cn)
- [901] Wang, Zi-Yuan (Ms.) School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (cugbwzy@163.com)
- [902] Wei, Chong (Dr.) School of Mechanics, Civil Engineering and Architecture, Northwestern Polytechnical University, Xi'an 710072, China (chong.wei@nwpu.edu.cn)
- [903] Wei, Jin-Hua (Ms.) Key Laboratory of Advanced Ceramics and Machining Technology, Ministry of Education, School of Mechanical Engineering, Tianjin University, Tianjin 300350, China (15222527210@163.com)
- [904] Wei, Qi-Hong (Ms.) Shandong Research and Design Institute of Industrial Ceramic, Zibo 255000, China (wqh81@163.com)
- [905] Wei, Sheng-Nan (Ms.) School of Material Science and Engineering, Zhengzhou University, Zhengzhou 450001, China (m18736007415@163.com)
- [906] Wei, Xiao-Feng (Ms.) College of Materials Science and Engineering, Donghua University, Shanghai 201620, China (15800927902@163.com)
- [907] Wei, Yu-Quan (Mr.) Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 200050, China (weiyq@shanghaitech.edu.cn)
- [908] Wen, Jin (Prof.) School of Materials and Environmental Engineering, Hunan University of Humanities, Science and Technology University, Loudi 417000, Hunan, China (23185962@qq.com)
- [909] Wen, Quan-Yue (Dr.) Advanced Ceramics Research Center, Nagoya Institute of Technology, Honmachi 3-101-1, Tajimi 507-0033 Gifu, Japan (wenquanyue123@live.com)

- [910] Wen, Tian-Peng (Mr.) School of Metallurgy, Northeastern University, Shenyang 110819, China (wentianpeng@outlook.com)
- [911] Weng, Walter (Mr.) Merck Display Materials (Shanghai) Co., Ltd, Block 7(west side),No.220 Longqiao Road, Shanghai 201206, China (walter.weng@merckgroup.com)
- [912] Winnubst, Louis (Prof.) University of Twente, Inorganic Membranes, MESA+ Research Institute for Nanotechnology, P.O. Box 217, 7500 AE Enschede, the Netherlands (a.j.a.winnubst@utwente.nl)
- [913] Woydt, Mathias (Dr.) BAM (Federal Institute for Materials Research and Testing), Unter den Eichen 87, D-12200 Berlin, Germany (mathias.woydt@bam.de)
- [914] Wu, Chang-Sheng (Mr.) School of Materials Science and Engineering, Wuhan Institute of Technology, Wuhan 430205, China (1044535788@qq.com)
- [915] Wu, Chuan-Gui (Prof.) State Key Laboratory of Electronic Thin Films and Integrated Devices, University of Electronic Science and Technology of China, Chengdu 610054, China (cgwu@uestc.edu.cn)
- [916] Wu, Chun-Zhi (Mr.) College of Aerospace Science and Engineering, National University of Defense Technology, Changsha 410073, China (cfcwcz@163.com)
- [917] Wu, Feng (Dr.) School of High Temperature Materials and Magnesium Resources Engineering, University of Science and Technology Liaoning, Anshan 114051, China (15242205011@163.com)
- [918] Wu, Fu-Shuo (Mr.) Faculty of Material Science and Engineering, Kunming University of Science and Technology, Kunming 650093, China (591481214@qq.com)
- [919] Wu, Hai-Bo (Dr.) State Key Laboratory of High Performance Ceramics and Superfine Microstructure, Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 200050, China (wuhaibo@mail.sic.ac.cn)
- [920] Wu, Jia-Gang (Prof.) Department of Materials Science, Sichuan University, Chengdu 610065, China (wujiagang0208@163.com)
- [921] Wu, Jia-Min (Dr.) State Key Laboratory of Materials Processing and Die & Mould Technology, School of Materials Science and Engineering, Huazhong University of Science and Technology, Wuhan 430074, China (jjiaminwu@hust.edu.cn)
- [922] Wu, Jin-Quan (Mr.) Key Laboratory for Advanced Ceramics and Machining Technology of Ministry of Education, School of Materials Science and Engineering, Tianjin University, Tianjin 300350, China (wjquan1122@163.com)
- [923] Wu, Jin-Yu (Mr.) School of Materials Science and Engineering, Tianjin University, Tianjin 300072, China (328018639@qq.com)
- [924] Wu, Lang (Prof.) Southwest University of Science and Technology, Mianyang, China (lang.wu@163.com)
- [925] Wu, Meng (Ms.) School of Materials Science and Engineering, Henan Polytechnic University, Jiaozuo 454000, China (wumeng32323@163.com)
- [926] Wu, Rui-Li (Ms.) Beijing University of Chemical Technology, College of Materials Science and Engineering, Beijing 100029, China (13161085587@163.com)
- [927] Wu, Shang-Hua (Prof.) Department of Mechanical Engineering, School of Electro-mechanical Engineering, Guangdong University of Technology, Guangzhou 510006, China (swu@gdut.edu.cn)
- [928] Wu, Xiao-Ming (Mr.) Key Laboratory of Cryogenics, Technical Institute of Physics and Chemistry, Chinese Academy of Science, Beijing 100190, China (wuxiaoming2017@qq.com)
- [929] Wu, Yiquan (Dr.) Associate Professor of Materials Science and Engineering, Kazuo Inamori School of Engineering, New York State College of Ceramics, Alfred University, 2 Pine Street, Alfred, NY 14802-1296, USA (wuy@alfred.edu)
- [930] Wu, Yin (Ms.) University of Science and Technology Beijing, School of Materials Science and Engineering, Beijing 100083, China (yinwu.jane@foxmail.com)
- [931] Wu, Yue-Qi (Mr.) State Key Lab of Advanced Technology for Materials Synthesis and Processing, Wuhan University of Technology, Wuhan 430070, China (wyqwhut@foxmail.com)
- [932] Xia, Ai-Lin (Prof.) School of Materials Science and Engineering, Anhui University of Technology, Maanshan 243000, China (alxia@126.com)
- [933] Xia, Jun-Bo (Mr.) Science and Technology on Thermostructural Composite Materials Laboratory, Northwestern Polytechnical University, Xi'an, Shaanxi 710072, China (925580342@qq.com)

- [934] Xia, Kai-Yang (Mr.) School of Materials Science and Engineering, Zhejiang University, Hangzhou 310027, China (hsiakaiyang@zju.edu.cn)
- [935] Xia, Long (Dr.) Harbin Institute of Technology (Weihai), School of Materials Science and Engineering, Weihai 264209, , China (xialong@hit.edu.cn)
- [936] Xia, Yong-Feng (Dr.) Shanghai Institute of Ceramics, Chinese Academy of Sciences, 588 Heshuo Road, Shanghai 201899, China (yfxia@mail.sic.ac.cn)
- [937] Xia, Zhi-Guo (Prof.) The State Key Laboratory of Luminescent Materials and Devices And The School of Materials Science and Engineering, South China University of Technology, Guangzhou, China (xiazg@scut.edu.cn)
- [938] Xian, Liang (Mr.) Key Lab of Advanced Ceramics and Machining Technology of Ministry of Education School of Materials Science and Engineering, Tianjin University, Tianjin 300072, China (xian@tju.edu.cn)
- [939] Xiang, Hai-Ru (Mr.) School of Materials Science and Engineering, Zhengzhou University, Zhengzhou 450001, China (1150287297@qq.com)
- [940] Xiang, Hui-Min (Dr.) Aerospace research Institute of Materials and Processing Technology, Beijing100076, China (hmxiang@alum.imr.ac.cn)
- [941] Xiang, Ji-Chun (Mr.) College of Chemistry and Chemical Engineering and Guangxi Key Lab of Petrochemical Resource Processing and Process Intensification Technology, Guangxi University, Nanning, 530004, China (1501817392@qq.com)
- [942] Xiang, Liu-Yi (Mr.) School of Materials Science and Engineering, Hunan University of Science and Technology, Xiangtan 411201, China (xiangly@xtu.edu.cn)
- [943] Xiang, Xing (Mr.) State Key Lab of Advanced Technology for Materials Synthesis and Processing, Wuhan University of Technology, Wuhan 430070, China (18040516270@163.com)
- [944] Xiang, Yang (Dr.) Science and Technology on Advanced Ceramic Fibers and Composites Laboratory, National University of Defense Technology, Changsha 410073, China (13873149543@163.com)
- [945] Xiao, Hai-Yan (Prof.) School of Physics, University of Electronic Science and Technology of China, Chengdu 610054, China (hyxiao@uestc.edu.cn)
- [946] Xiao, Jun (Dr.) Environment Functional Materials Division, Shenyang National Laboratory for Materials Science, Institute of Metal Research, Chinese Academy of Sciences, Shenyang, 110016, China (jxiao14b@imr.ac.cn)
- [947] Xiao, Peng (Prof.) Central South University, Powder Metallurgy Research Institute, Changsha 410083, China (xiaopeng@mail.csu.edu.cn)
- [948] Xie, Rong-Jun (Prof.) College of Materials, Xiamen University, Xiamen 361005, China (rjxie@xmu.edu.cn)
- [949] Xie, Wei-Jie (Dr.) AVIC Composite Technology Center, Beijing 101300, China (shanhemm@qq.com)
- [950] Xie, Yan-Ping (Ms.) The State Key Laboratory of Advanced Technology for Materials Synthesis and Processing, Wuhan University of Technology, Wuhan 430070, China (472795542@qq.com)
- [951] Xie, Yong-Shuai (Mr.) State Key Laboratory of Crystal Materials and Institute of Crystal Materials, Shandong University, Jinan 250100, China (xieyongshuai@mail.sdu.edu.cn)
- [952] Xin, Ya-Lou (Mr.) College of Materials, Xi'an University of Architecture & Technology, Xi'an 710055, China (854147434@qq.com)
- [953] Xing, Guichuan (Dr.) Institute of Applied Physics and Materials Engineering, University of Macau, Macau (gcxing@umac.mo)
- [954] Xing, Jie (Ms.) College of Materials Science and Engineering, Sichuan University, No.24 South Section 1, Yihuan Road, Chengdu 610065, China (xingjie@scu.edu.cn)
- [955] Xing, Juan-Juan (Dr.) School of Materials Science and Engineering, Shanghai University, Shanghai 200444, China (xingjuanjian@shu.edu.cn)
- [956] Xing, Jun-Jie (Mr.) School of Science, Beijing University of Posts and Telecommunications, Beijing 100876, China (xingjunjiedy@163.com)
- [957] Xing, Yan (Ms.) School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (xingy14@mails.tsinghua.edu.cn)
- [958] Xing, Zheng-Peng (Mr.) Shandong Industrial Ceramic Research & Design Institute Co., Ltd., Zibo, China (xingzhengpeng@163.com)

- [959] Xiong, Hui-Wen (Dr.) State Key Laboratory of Powder Metallurgy, Central South University, Changsha 410083, China (huiwenxiong@csu.edu.cn)
- [960] Xiong, Xiao-Ying (Ms.) School of Materials Science and Engineering, State Key Lab Silicon Mat, Zhejiang University, Hangzhou 310027, China (419765471@qq.com)
- [961] Xu, Chao (Mr.) State Key Laboratory of Power Transmission Equipment & System Security and New Technology, Chongqing University, Shapingba District, Shazheng Street No. 174, Chongqing 400044, China (xuchao1995@cqu.edu.cn)
- [962] Xu, Chao-Nan (Dr.) National Institute of Advanced Industrial Science and Technology (AIST), 2266-98 Shimo-Shidami, Moriyama-ku, Nagoya 463-8560, Japan (cn-xu@aist.go.jp)
- [963] Xu, Chen (Dr.) Institute of Materials, China Academy of Engineering Physics, Mianyang, China (chenxuacademic@163.com)
- [964] Xu, Chong-Hai (Prof.) School of Mechanical and Automotive Engineering, Qilu University of Technology (Shandong Academy of Sciences), Jinan, China (xch@qlu.edu.cn)
- [965] Xu, Dong (Prof.) School of Materials Science and Engineering, Anhui University of Technology, Ma'anshan 243002, China (frankxud@126.com)
- [966] Xu, Fang-Fang (Prof.) State Key Laboratory of High Performance Ceramics and Superfine Microstructure, Shanghai Institute of Ceramics, Shanghai 200050, China (ffxu@mail.sic.ac.cn)
- [967] Xu, Hong-Liang (Prof.) School of Materials Science and Engineering, Zhengzhou University, Zhengzhou 450001, China (xhlxhl@zzu.edu.cn)
- [968] Xu, Jia-Yue (Prof.) School of Materials Science and Engineering, Shanghai Institute of Technology, Shanghai 201418, China (xujiayue@sit.edu.cn)
- [969] Xu, Jian (Dr.) Graduate School of Human and Environmental Studies, Yoshida-nihonmatsu-cho, Sakyo-ku, Kyoto University, Japan (xu.jian.57z@st.kyoto-u.ac.jp)
- [970] Xu, Jian (Dr.) Lab of New Energy Materials and Devices, School of Physics and Electronic Information, Henan Polytechnic University, Jiaozuo 454000, China (xujian@hpu.edu.cn)
- [971] Xu, Jianbin (Prof.) Department of Electronic Engineering, The Chinese University of Hong Kong, Shatin, New Territories, Hong Kong (jbxu@ee.cuhk.edu.hk)
- [972] Xu, Jie (Dr.) School of Materials Science and Engineering, Northwestern Polytechnical University, Xi'an 710072, China (xujie@nwpu.edu.cn)
- [973] Xu, Jie (Mr.) Key Laboratory of Functional Materials and Devices for Special Environments of CAS, Xinjiang Key Laboratory of Electronic Information Materials and Devices, Xinjiang Technical Institute of Physics and Chemistry of CAS, Urumqi 830000, China (xujie171@mailsucas.ac.cn)
- [974] Xu, Jun-Jie (Mr.) Powder Metallurgy Research Institute, Central South University, Changsha 410083, China (2772034554@qq.com)
- [975] Xu, Kai (Prof.) State Key Laboratory of Silicate Materials for Architectures, Wuhan University of Technology, Wuhan 430070, China (kaixu@whut.edu.cn)
- [976] Xu, Meng-Xue (Ms.) Guangxi Key Laboratory of Petrochemical Resource Processing and Process Intensification Technology, School of Chemistry and Chemical Engineering, Guangxi University, Guangxi Nanning, 530004, China (215275326@qq.com)
- [977] Xu, Teng-Teng (Mr.) Harbin University of Science And Technology, Department of Architectural Engineering, Harbin 150080, China (673168552@qq.com)
- [978] Xu, Wei (Mr.) School of Materials Science & Engineering, South China University of Technology, Guangzhou 510640, China (201620113990@mail.scut.edu.cn)
- [979] Xu, Wei-Hang (Mr.) Jiangxi Key Laboratory of Surface Engineering, Jiangxi Science & Technology Normal University, Nanchang 330013, China (635885786@qq.com)
- [980] Xu, Wen-Tao (Dr.) Key Laboratory of Optoelectronic Materials Chemistry and Physics, Fujian Institute of Research on the Structure of Matter, Chinese Academy of Sciences, Fuzhou 350002, China (wtxu@fjirsm.ac.cn)
- [981] Xu, Xi-Qing (Dr.) School of Materials Science & Engineering, Chang'an University, Xi'an 710061, China (xuxiqing0635@163.com)
- [982] Xu, Xiao-Feng (Mr.) The State key Laboratory of Refractories and Metallurgy, Wuhan University of Science and Technology, Wuhan 430081, China (352704371@qq.com)
- [983] Xu, Xin (Prof.) Department of Materials Science and Engineering, University of Science and Technology of China, Hefei, Anhui 230026, China (xuxin@ustc.edu.cn)

- [984] Xu, Yi-Rong (Ms.) College of Materials, Xiamen University, Xiamen 361005, China (xuyirong@stu.xmu.edu.cn)
- [985] Xu, Yong-Long (Mr.) Powder Metallurgy Research Institute, Central South University, Changsha 410083, China (143312068@csu.edu.cn)
- [986] Xu, Yue (Dr.) School of Materials Science and Engineering, Qilu University of Technology (Shandong Academy of Sciences), Jinan 250353, China (woxuyue@126.com)
- [987] Xu, Zhe-Wei (Mr.) Shanghai Institute of Ceramics, Chinese Academy of Science, Shanghai 200050, China (xuzhewei@student.sic.ac.cn)
- [988] Xu, Zheng-Zhong (Mr.) Anshan Economic Development Zone, Anshan 114000, China (252858@qq.com)
- [989] Xuan, Ting-Ting (Ms.) Key Laboratory of Functional Materials and Devices for Special Environments of CAS, Xinjiang Key Laboratory of Electronic Information Materials and Devices, Xinjiang Technical Institute of Physics and Chemistry of CAS, Urumqi 830011, China (1065744076@qq.com)
- [990] Xue, An (Mr.) College of Material and Metallurgy, Guizhou University, Guiyang 550025, Guizhou, China (xuean1129@163.com)
- [991] Xue, Guo-Hui (Mr.) Guangxi Key Laboratory of Petrochemical Resource Processing and Process Intensification Technology, School of Chemistry and Chemical Engineering, Guangxi University, Nanning 530004, China (2474117981@qq.com)
- [992] Xue, Hua-Fei (Mr.) Center for Composite Materials and structures, Harbin Institute of Technology, Harbin 150001, China (xuehuafeixhf@163.com)
- [993] Xue, Jin-Bo (Prof.) Key Laboratory of Interface Science and Engineering in Advanced Materials (Taiyuan University of Technology), Ministry of Education, Taiyuan 030024, China (xuejinbo@tyut.edu.cn)
- [994] Xue, Yun-Jia (Ms.) School of Materials Science and Engineering, Tianjin University, Tianjin 300350, China (xueyj@tju.edu.cn)
- [995] Yamashita, Hiromi (Prof.) Graduate School of Engineering, Osaka University, 2-1 Yamada-oka, Osaka, 565-0871, Japan (yamashita@mat.eng.osaka-u.ac.jp)
- [996] Yan, Da-Chen (Mr.) China Building Materials Academy, Ceramic Research Institute, Beijing 100024, China (ydc4444@126.com)
- [997] Yan, Feng (Prof.) Department of Applied Physics, The Hong Kong Polytechnic University, Hong Kong, China (apafyan@polyu.edu.hk)
- [998] Yan, Haixue (Dr.) School of Engineering and Materials Science, Queen Mary University of London, London, E1 4NS, UK (h.x.yan@qmul.ac.uk)
- [999] Yan, Jing-Yi (Ms.) Structural Ceramics and Composites Engineering Research Center, Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 200050, China (yanjingyi@student.sic.ac.cn)
- [1000] Yan, Shu (Dr.) School of Metallurgy, Northeastern University, Shenyang 110819, Liaoning Province, China (yanshu2504@163.com)
- [1001] Yan, Shuai (Mr.) Key Laboratory for Precision and Non-traditional Machining Technology of Ministry of Education, Dalian University of Technology, Dalian, 116024, China (yanshuai@mail.dlut.edu.cn)
- [1002] Yan, Shuai (Dr.) Key Laboratory of Advanced Ceramics and Machining Technology of Ministry of Education, Tianjin University, Tianjin 300350, China (yanshuai@tju.edu.cn)
- [1003] Yan, Wen (Prof.) The State Key Laboratory of Refractories and Metallurgy, Wuhan University of Science and Technology, Wuhan 430081, China (yanwen@wust.edu.cn)
- [1004] Yan, Xiao-Chun (Mr.) College of Science, Honghe University, Yunnan, Mengzi 661199, China (18187338385@163.com)
- [1005] Yan, Xing-Heng (Mr.) National Key Laboratory of Science and Technology on Advanced Ceramic Fibers and Composites, National University of Defense Technology, Changsha 410073, China (17801016168@163.com)
- [1006] Yan, Xu (Mr.) School of Materials Science and Engineering, Harbin Institute of Technology, Harbin 150001, China (15b909035@hit.edu.cn)
- [1007] Yan, Yu-Xing (Mr.) College of Chemistry and Environmental Science, Qujing Normal University, Qujing 655011, China (58536437@qq.com)
- [1008] Yan, Zheng-Guo (Mr.) School of Metallurgy, Northeastern University, Shenyang, 110004, China (yanzg@smm.neu.edu.cn)

- [1009] Yan, Zhong-Na (Mr.) State Key Laboratory of Powder Metallurgy, Central South University, Changsha 410083, China (yanzn@foxmail.com)
- [1010] Yang, Cheng (Mr.) National Key Laboratory of Science and Technology on Advanced Composites in Special Environments, Harbin Institute of Technology, Harbin 150080, China (yangcheng0627@126.com)
- [1011] Yang, De-Xuan (Mr.) National Key Laboratory of Science and Technology on Advanced Ceramic Fibers and Composites, National University of Defense Technology, Changsha 410073, China (491351679@qq.com)
- [1012] Yang, Dong (Mr.) School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (yangdong4792@tsinghua.edu.cn)
- [1013] Yang, Dong-Jiang (Prof.) School of Materials Science and Engineering, Qingdao University, Qingdao 266071, China (yjdj0203@gmail.com)
- [1014] Yang, Guan-Jun (Prof.) State Key Laboratory for Mechanical Behavior of Materials, School of Materials Science and Engineering, Xi'an Jiaotong University, Xi'an 710049, China (ygj@mail.xjtu.edu.cn)
- [1015] Yang, Hui (Mr.) Institute of Nuclear and New Energy Technology, Tsinghua University, Beijing 100084, China (yanghui17@mails.tsinghua.edu.cn)
- [1016] Yang, Jian-Feng (Prof.) State Key Laboratory for Mechanical Behavior of Materials, Xi'an Jiaotong University, Xi'an 710049, China (yang155@mail.xjtu.edu.cn)
- [1017] Yang, Jihui (Prof.) Materials Science and Engineering Department, University of Washington, Seattle, WA, USA (jihuiy@uw.edu)
- [1018] Yang, Jin-Shan (Dr.) Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 200050, China (jyang@mail.sic.ac.cn)
- [1019] Yang, Jin-Xing (Mr.) Shenyang National Laboratory for Materials Science, Institute of Metal Research, Chinese Academy of Sciences, Shenyang 110016, China (jxyang15s@imr.ac.cn)
- [1020] Yang, Jing-Zhou (Dr.) Center of Biomedical Materials 3D Printing, National Engineering Laboratory for Polymer Complex Structure Additive Manufacturing, Hebei Dazhou Smart Manufacturing Technology Co. Ltd., China (jingzhou.yang@hotmail.com)
- [1021] Yang, Jun-You (Prof.) School of Materials Science and Engineering, Huazhong University of Science and Technology, Wuhan 430074, China (jyyang@mail.hust.edu.cn)
- [1022] Yang, Lei (Dr.) Sichuan University, School of Materials Science and Engineering, Chengdu 610065, China (lyang1986@scu.edu.cn)
- [1023] Yang, Liang-Liang (Mr.) School of Materials Science and Engineering, Beihang University, Beijing 100191, China (18811783718@126.com)
- [1024] Yang, Pao (Mr.) School of Science, China University of Geosciences, Beijing 100083, China (tianjiale2@sina.com)
- [1025] Yang, Rong-Kun (Ms.) School of Materials Science and Engineering, Shandong University, Jinan 250061, China (13791105505@163.com)
- [1026] Yang, Rui (Mr.) National Key Laboratory of Advanced Composites, AECC Beijing Institute of Aeronautical Materials, Beijing 100095, China (19801122672@163.com)
- [1027] Yang, Shou-Lei (Mr.) College of Materials Science and Engineering, Xi'an University of Architecture and Technology, Xi'an 710055, China (yanglei20080807@163.com)
- [1028] Yang, Ting (Mr.) School of Materials Science and Engineering, Inner Mongolia University of Technology, Hohhot 010051, China (632812149@qq.com)
- [1029] Yang, Wei-Yi (Dr.) Institute of Metal Research, Chinese Academy of Sciences, Shenyang 110016, China (wyyang@imr.ac.cn)
- [1030] Yang, Wei-You (Prof.) Institute of Materials, Ningbo University of Technology, Ningbo 315211, Zhejiang, China (weiyouyang@tsinghua.org.cn)
- [1031] Yang, Xu-Kun (Mr.) School of Materials Science and Engineering, Tianjin University, Tianjin 300350, China (xukun_yang@163.com)
- [1032] Yang, Ya (Prof.) Beijing Institute of Nanoenergy and Nanosystems, Chinese Academy of Sciences, China (yayang@binn.cas.cn)
- [1033] Yang, Yao-Dong (Prof.) Frontier Institute of Science and Technology, Xi'an Jiaotong University, Xi'an 710054, China (ydyang@xjtu.edu.cn)

- [1034] Yang, Ying (Prof.) State Key Laboratory of Heavy Oil Processing, China University of Petroleum, Changping, Beijing 102249, China
- [1035] Yang, Ying-Jie (Ms.) Materials Science and Engineering, Henry Samueli School of Engineering, University of California, Irvine, CA92697, USA (yingjiey@uci.edu)
- [1036] Yang, Yu-Xi (Ms.) State Key Laboratory of Silicon Materials, School of Materials Science and Engineering, Zhejiang University, Hangzhou 310027, China (1418589063@qq.com)
- [1037] Yang, Ze-Sheng (Mr.) School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (yzs18@mails.tsinghua.edu.cn)
- [1038] Yang, Zhi-Hua (Dr.) School of Materials Science and Engineering, Harbin Institute of Technology, Harbin 150080, China (zhyang@hit.edu.cn)
- [1039] Yao, Dong-Hui (Mr.) College of Material Science and Engineering, Wuhan Institute of Technology, Hubei 470073, China (ydh0525@126.com)
- [1040] Yao, Dong-Xu (Dr.) Structural Ceramics Engineering Research Center, Shanghai Institute of Ceramics, Shanghai 201899, China (yaodongxu@mail.sic.ac.cn)
- [1041] Yao, Fang-Zhou (Dr.) State Key Laboratory for Mechanical Behavior of Materials, School of Materials Science and Engineering, Xi'an Jiaotong University, Xi'an 710049, China (yaofangzhou@xjtu.edu.cn)
- [1042] Yao, Hai-Long (Dr.) Jiangxi Province Engineering Research Center of Materials Surface Enhancing & Remanufacturing, School of Mechanical and Materials Engineering, Jiujiang University, Jiujiang 332005, China (yhl206@163.com)
- [1043] Yao, Jin-Cheng (Dr.) Xinjiang Technical Institute of Physics & Chemistry of Chinese Academy of Sciences, China (yaojc@ms.xjb.ac.cn)
- [1044] Yao, Mian-Yi (Mr.) Institute for Advanced Ceramics, School of Materials Science and Engineering, Harbin Institute of Technology, Harbin 150080, China (yaomianyi@126.com)
- [1045] Yao, Xing-He (Ms.) School of Materials Science and Engineering, Tianjin University, Tianjin 300350, China (806687582@qq.com)
- [1046] Yao, Yong-Xia (Ms.) School of Materials Science and Engineering, Shanghai Institute of Technology, Shanghai 201418, China (yao917287552@126.com)
- [1047] Ye, Shi-Ya (Mr.) National Key Laboratory of Science and Technology on Advanced Ceramic Fibers and Composites, National University of Defense Technology, Changsha 410073, China (17801007677@163.com)
- [1048] Ye, Zi-Ming (Mr.) State Key Laboratory of Powder Metallurgy, Central South University, Changsha 410083, China (yeziming@csu.edu.cn)
- [1049] Ye, Zuo-Guang (Prof.) Department of Chemistry & 4D LABS, Simon Fraser University, 8888 University Drive, Burnaby, B.C., V5A 1S6, Canada (zye@sfu.ca)
- [1050] Yi, Zhong-Zhou (Prof.) College of Science, Honghe University, Mengzi 661199, China (yizhongzhou@126.com)
- [1051] Yin, Hong-Feng (Prof.) College of Materials, Xi'an University of Architecture & Technology, Xi'an 710055, China (yinhf01@163.com)
- [1052] Yin, Jie (Dr.) Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 200050, China (jieyin@mail.sic.ac.cn)
- [1053] Yin, Rui (Ms.) Henan Building Materials Research & Design Institute Co. Ltd., Zhengzhou 450002, China (1838846453@qq.com)
- [1054] Yin, Shuang (Mr.) College of Materials Science and Engineering, Nanjing Tech University, Nanjing 210009, China (m15062285972@163.com)
- [1055] Yin, Shu-Jia (Ms.) School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (yinsj17@mails.tsinghua.edu.cn)
- [1056] Yin, Xiao-Wei (Prof.) Science and Technology on Thermostructural Composite Materials Laboratory, Northwestern Polytechnical University, Xi'an, 710072, China (yinxw@nwpu.edu.cn)
- [1057] Ying, Guo-Bing (Dr.) Department of Materials Science and Engineering, College of Mechanics and Materials, Hohai University, Nanjing 211100, China (yinggb2010@126.com)
- [1058] Yoshiya, Masato (Dr.) Department of Adaptive Machine Systems, Osaka University, 2-1 Yamadaoka, Suita, Osaka 565-0871, Japan (yoshiya@ams.osaka-u.ac.jp)

- [1059] You, Xiao (Mr.) Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 200050, China (youxiao@student.sic.ac.cn)
- [1060] Yu, Hong-Jun (Dr.) Department of Astronautic Science and Mechanics, Harbin Institute of Technology, Harbin 150001, China (yuhongjun@hit.edu.cn)
- [1061] Yu, Kun (Mr.) School of Mechanical Engineering, Nanjing University of Science and Technology, Nanjing, Jiangsu 210094, China (18761690578@163.com)
- [1062] Yu, Lei (Dr.) School of Chemistry and Materials Engineering, Changshu Institute of Technology, Changshu 215500, China (huppbyulei@163.com)
- [1063] Yu, Ren-Hong (Prof.) High Temperature Materials Institute, Henan University of Science and Technology, Luoyang 471003, China (yurenhong_wby@sina.com)
- [1064] Yu, Shu-Hui (Prof.) Shenzhen Institute of Advanced Electronic Materials, Shenzhen Institutes of Advanced Technology, Chinese Academy of Sciences, Shenzhen 518055, China (sh.yu@siat.ac.cn)
- [1065] Yu, Si-Wen (Mr.) Department of Engineering Mechanics, Harbin University of Science and Technology, Harbin 150080, China (yusiwen_6@live.com)
- [1066] Yu, Ya-Ling (Ms.) School of Materials Science and Engineering , Hanshan Normal University, Chaozhou 521041, China (1159527574@qq.com)
- [1067] Yu, Yi-Ping (Dr.) Science and Technology on Advanced Ceramic Fibers and Composites Laboratory, National University of Defense Technology, Changsha 410073, China (beijingyuyiping@163.com)
- [1068] Yu, Yuan (Dr.) I. Physikalisches Institut (IA), RWTH Aachen University, Sommerfeldstraße, 52074 Aachen, Germany (yu@physik.rwth-aachen.de)
- [1069] Yu, Zhao-Ju (Prof.) College of Materials, Key Laboratory of High Performance Ceramic Fibers (Xiamen University), Ministry of Education, Xiamen 361005, China (zhaojuyu@xmu.edu.cn)
- [1070] Yuan, Bo (Prof.) Sinosteel Luoyang Institute of Refractories Research Co., Ltd., Luoyang 471039, China (boyuan0401@163.com)
- [1071] Yuan, Hao-Cheng (Mr.) College of Materials Science and Technology, Beijing University of Chemical Technology, Beijing 100029, China (yuanhc@mail.buct.edu.cn)
- [1072] Yuan, Jing-Kun (Mr.) School of Materials Science and Engineering, Harbin Institute of Technology, P. O. Box 433 Harbin 150001, China (yuanjingkun@126.com)
- [1073] Yuan, Li-Juan (Ms.) School of Electromechanical Engineering, Guangdong University of Technology, Guangzhou 510006, China (935842213@qq.com)
- [1074] Yuan, Qin (Dr.) Ningbo Institute of Material Technology and Engineering, Chinese Academy of Sciences, Ningbo, Zhejiang 315201, China (yuanqin@nimte.ac.cn)
- [1075] Yuan, Shuai (Mr.) School of Material Science and Engineering, Beihang University, Beijing 100191, China (961599928@qq.com)
- [1076] Yuan, Wen-Jie (Prof.) The State Key Laboratory of Refractories and Metallurgy, Wuhan University of Science and Technology, Wuhan 430081, China (yuanwenjie@wust.edu.cn)
- [1077] Yue, Xian (Mr.) Center of Materials Science and Optoelectronics Engineering, College of Materials Science and Optoelectronic Technology, University of Chinese Academy of Sciences, Beijing 101408, China (lexian16@mails.ucas.ac.cn)
- [1078] Yue, Zhen-Xing (Prof.) State Key Laboratory of New Ceramics and Fine Processing, School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (yuezhx@mail.tsinghua.edu.cn)
- [1079] Yun, Hui-Suk (Prof.) Materials Processing Innovation Research Division, Korea Institute of Materials Science, 797 Changwondaero, Seongsangu, Changwon, Gyeongnam 51508, Korea (yuni@kims.re.kr)
- [1080] Zaima, Shigeaki (Prof.) Department of Crystalline Materials Science, Graduate School of Engineering, Nagoya University, Furo-cho, Chikusa-ku, Nagoya 464-8603, Japan (zaima@alice.xtal.nagoya-u.ac.jp)
- [1081] Zang, Tian-Chan (Ms.) College of Chemistry and Material Science, Shandong Agricultural University, Tai'an, Shandong Province 271018, China (313989522@qq.com)
- [1082] Zeng, Fang-Fang (Ms.) College of Material and Metallurgy, Guizhou University, Guiyang 550025, Guizhou, China (ffzeng@163.com)
- [1083] Zeng, Jiang-Tao (Prof.) Shanghai Institute of Ceramics, CAS, Shanghai 200050, China (zjt@mail.sic.ac.cn)
- [1084] Zeng, Kuan-Hong (Dr.) Science and Technology on Advanced Ceramic Fibers & Composites Laboratory, National University of Defense Technology, Changsha 410073, China (zkhong147@126.com)

- [1085] Zeng, Qing-Feng (Prof.) School of Materials Science and Engineering, Northwestern Polytechnical University, Xi'an 710072, China (qfzeng@nwpu.edu.cn)
- [1086] Zeng, Rong-Hua (Dr.) School of Chemistry and Environment, South China Normal University, Guangzhou 510006, China (zengronghua@m.scnu.edu.cn)
- [1087] Zeng, Yu-Ping (Prof.) Shanghai Institute of Ceramics, Chinese Academy of Science, 1295 Dingxi Road, Shanghai 20050, China (yuping-zeng@mail.sic.ac.cn)
- [1088] Zhai, Feng-Rui (Dr.) College of Science, Honghe University, Mengzi 661199, China (zhaifr0873@126.com)
- [1089] Zhai, Ji-Wei (Prof.) School of Materials Science and Engineering, Tongji University, Shanghai 201804, China (apzhai@tongji.edu.cn)
- [1090] Zhai, Ping (Ms.) Shandong Research & Design Institute of Industrial Ceramics Co., Ltd., Zibo 255031, China (zbgty_zhp@126.com)
- [1091] Zhan, Zi-Zhang (Mr.) Powder Metallurgy Research Institute, Central South University, Changsha 410083, China (zhanzizhang@csu.edu.cn)
- [1092] Zhang, Bing-Yu (Ms.) AVIC Composite Technology Center, Beijing 101300, China (760576907@qq.com)
- [1093] Zhang, Chen-Yang (Dr.) School of Materials Science and Engineering, Hanshan Normal University, Chaozhou 521041, China (yaxiulingwu@163.com)
- [1094] Zhang, Cong (Mr.) The State Key Laboratory of Refractories and Metallurgy, Wuhan University of Science and Technology, Wuhan 430081, China (583365873@qq.com)
- [1095] Zhang, Dong-Yang (Mr.) National Key Laboratory of Science and Technology on Advanced Composites in Special Environments, and Center for Composite Materials and structures, Harbin Institute of Technology, Harbin, 150080, China (zhangdyhit88@163.com)
- [1096] Zhang, Dou (Prof.) State Key Laboratory of Powder Metallurgy, Central South University, Changsha 410083, China (dzhang@csu.edu.cn)
- [1097] Zhang, Fa-Qiang (Dr.) Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 200050, China (zhangfq@mail.sic.ac.cn)
- [1098] Zhang, Fei (Dr.) KU Leuven (University of Leuven) & Dentistry, BIOMAT, Department of Oral Health Sciences, University Hospitals Leuven, 3000 Leuven, Belgium (fei.zhang@kuleuven.be)
- [1099] Zhang, Gao (Mr.) State Key Laboratory for Mechanical Behavior of Materials, School of Materials Science and Engineering, Xi'an Jiaotong University, Xi'an 710049, China (zhanggao@stu.xjtu.edu.cn)
- [1100] Zhang, Guo-Jun (Prof.) State Key Laboratory for Modification of Chemical Fibers and Polymer Materials, Institute of Functional Materials, Donghua University, Shanghai 201620, China (gjzhang@dhu.edu.cn)
- [1101] Zhang, Hai-Ming (Mr.) Science and Technology on Advanced Functional Composite Laboratory, Aerospace Research Institute of Materials & Processing Technology, No. 1 South Dahongmen Road, Beijing 100076, China (15116362@bjtu.edu.cn)
- [1102] Zhang, Heng (Mr.) School of Materials Science and Engineering, Southeast University, Nanjing 211189, China (zhanghenghpu@163.com)
- [1103] Zhang, Hong (Prof.) van't Hoff Institute for Molecular Sciences (HIMS), University of Amsterdam, P.O. Box 94157, 1090 GD Amsterdam, the Netherlands (h.zhang@uva.nl)
- [1104] Zhang, Hong-Bo (Prof.) School of Material Science and Engineering, Changchun University of Science and Technology, Changchun 130022, China (zhhb5388460@126.com)
- [1105] Zhang, Hong-Fang (Prof.) Department of Physics, Suzhou University of Science and Technology, Suzhou 215009, China (constance_zhanghf@126.com)
- [1106] Zhang, Hong-Song (Prof.) School of Mechanical Engineering, Henan University of Engineering, Zhengzhou 451191, China (zhs761128@163.com)
- [1107] Zhang, Jia-Lian (Ms.) The State Key Laboratory of Refractories and Metallurgy, Wuhan University of Science and Technology, Wuhan 430081, China (15272512465@163.com)
- [1108] Zhang, Jia-Liang (Prof.) School of physics, State Key Laboratories of Crystal Materials, Shandong University, Jinan 250100, China (zhangjialiang@sdu.edu.cn)
- [1109] Zhang, Jian (Mr.) School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (zj17@mails.tsinghua.edu.cn)

- [1110] Zhang, Jian (Prof.) Key Laboratory of Transparent Opto-functional Inorganic Materials, Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 201899, China (jianzhang@mail.sic.ac.cn)
- [1111] Zhang, Jian (Mr.) Science and Technology on Advanced Ceramic Fibers and Composites Laboratory, National University of Defense Technology, Changsha 410073, China (15574944095@163.com)
- [1112] Zhang, Jian-Feng (Prof.) College of Mechanics and Materials, Hohai University, Nanjing 210098, China (jfzhang_sic@163.com)
- [1113] Zhang, Jie (Ms.) Wuhan University of Science and Technology, School of Materials and Metallurgy, Wuhan 430081, China (940617816@qq.com)
- [1114] Zhang, Jie (Dr.) High-performance Ceramics Division, Shenyang National Laboratory for Materials Science, Institute of Metal Research, Shenyang 110016, China (jiezhang@imr.ac.cn)
- [1115] Zhang, Jin (Prof.) Southwest Petroleum University, School of Materials Science and Engineering, Chengdu 610500, China (jzhang@swpu.edu.cn)
- [1116] Zhang, Jing (Mr.) Sinoma Advanced Nitride Ceramics Co., Ltd, No. 789, Luxin Road, Zibo 255000, Shandong, China (zhji86@163.com)
- [1117] Zhang, Jing-Tao (Prof.) Collaborative Innovation Centre of Food Production and Safety, Henan Key Laboratory of Cold Chain Food Quality and Safety Control, School of Food and Bioengineering, Zhengzhou University of Light Industry, Zhengzhou 450002, China (jtzhang@zzuli.edu.cn)
- [1118] Zhang, Jing-Xian (Prof.) State Key Laboratory of High Performance Ceramics and Superfine Microstructures, Shanghai Institute of Ceramics, Chinese Academy of Sciences, 1295 Dingxi road, Shanghai 200050, China (jxzhang@mail.sic.ac.cn)
- [1119] Zhang, Jing-Xin (Mr.) School of Materials Science and Engineering, Inner Mongolia University of Technology, Hohhot 010051, China (zhangjingxin1994@hotmail.com)
- [1120] Zhang, Jun-Wei (Dr.) College of Material Science and Engineering, North China University of Science and Technology, Tangshan, 063210, China (jwzhangceram@163.com)
- [1121] Zhang, Jun-Yu (Mr.) Key Laboratory of Transparent and Opto-functional Inorganic Materials, Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 201899, China (zhangjunyu@student.sic.ac.cn)
- [1122] Zhang, Ke-Hao (Mr.) Henan Province Industrial Technology Research Institute of Resources and Materials, Zhengzhou University, Zhengzhou 450001, China (545502840@qq.com)
- [1123] Zhang, Ke-Qiang (Mr.) Institute of Advanced Structure Technology, Beijing Institute of Technology, Beijing 100081, China (zhangkeq@126.com)
- [1124] Zhang, Kui-Bao (Prof.) State Key Laboratory Cultivation Base for Nonmetal Composites and Functional Materials, Southwest University of Science and Technology, Mianyang 621010, China (xiaobao320@163.com)
- [1125] Zhang, Lei (Dr.) Academy for Advanced Interdisciplinary Studies and School of Microelectronics Planning Office, Southern University of Science and Technology, Shenzhen 518055, China (zhangl6@sustc.edu.cn)
- [1126] Zhang, Li (Prof.) School of Materials Science and Engineering, Shaanxi University of Science & Technology, Xi'an 710021, China (zhangli@sust.edu.cn)
- [1127] Zhang, Lu (Mr.) Institute of Advanced Structure Technology, Beijing Institute of Technology, Beijing 100081, China (2120161193@bit.edu.cn)
- [1128] Zhang, Meng (Ms.) School of Materials Science and Engineering, Nanchang Hangkong University, Nanchang 330063, China (1440331861@qq.com)
- [1129] Zhang, Ming-Hui (Dr.) Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 201899, China (zhangminghui@mail.sic.ac.cn)
- [1130] Zhang, Nan (Ms.) Department of Materials Science, Sichuan University, Chengdu 610065, China (2668437431@qq.com)
- [1131] Zhang, Nan (Prof.) Electronic Materials Research Laboratory, Key Laboratory of the Ministry of Education & International Center for Dielectric Research, Xi'an Jiaotong University, Xi'an 710049, China (nzhangl@xjtu.edu.cn)
- [1132] Zhang, Pei-Gen (Prof.) School of Materials Science and Engineering, Southeast University, Nanjing 211189, China (zhpeigen@seu.edu.cn)

- [1133] Zhang, Peng (Dr.) State Key Laboratory of New Ceramics and Fine Processing, Department of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (zhangpeng86@mail.tsinghua.edu.cn)
- [1134] Zhang, Peng (Mr.) Key Laboratory of Advanced Ceramic and Machining Technology of Ministry of Education, School of Material Science and Engineering, Tianjin University, Tianjin 300072, China (1004869293@qq.com)
- [1135] Zhang, Qi (Mr.) School of Materials Science and Engineering, Zhejiang University, Hangzhou 310027, China (11726061@zju.edu.cn)
- [1136] Zhang, Qi-Long (Prof.) School of Materials Science and Engineering, Zhejiang University, Hangzhou 310027, China (mse237@zju.edu.cn)
- [1137] Zhang, Qian (Prof.) Department of Materials Science and Engineering, and Institute of Materials Genome & Big Data, Harbin Institute of Technology, Shenzhen 518055, China (zhangqf@hit.edu.cn)
- [1138] Zhang, Qian (Dr.) Chongqing University of Posts and Telecommunications, College of Electroning Engineering, Chongqing 400065, China (zhangqian@cqupt.edu.cn)
- [1139] Zhang, Ru-Yi (Dr.) Ningbo Institute of Materials Technology and Engineering, Chinese Academy of Sciences, Ningbo, Zhejiang 315201, China (zhangruyi@nimte.ac.cn)
- [1140] Zhang, Shanqing (Prof.) Centre for Clean Environment and Energy, School of Environment and Science, Gold Coast Campus, Griffith University, QLD 4222, Australia (s.zhang@griffith.edu.au)
- [1141] Zhang, Shujun (Prof.) ISEM, AIIM, University of Wollongong, NSW 2500, Australia (shujun@uow.edu.au)
- [1142] Zhang, Wei (Mr.) Science and Technology on Advanced Ceramic Fibers & Composites Laboratory, National University of Defense Technology, Changsha 410073, China (wzhang1993@126.com)
- [1143] Zhang, Wen-Ke (Ms.) The State Key Laboratory of Refractories and Metallurgy, Wuhan University of Science and Technology, Wuhan 430081, China (16635081970@163.com)
- [1144] Zhang, Xi-Lian (Ms.) Jiangxi Key Laboratory of Surface Engineering, Jiangxi Science & Technology Normal University, Nanchang 330013, China (2100949489@qq.com)
- [1145] Zhang, Xiang (Mr.) School of Materials Science and Engineering, Tianjin University, Tianjin 300350, China (operazx23@163.com)
- [1146] Zhang, Xiao-Jun (Ms.) The State Key Laboratory of Advanced Technology for Materials Synthesis and Processing, Wuhan University of Technology, Wuhan 430070, China (1519068279@qq.com)
- [1147] Zhang, Xin-Yue (Prof.) Henan Key Laboratory of Aeronautical Material and Application Technology, Zhengzhou University of Aeronautics, Zhengzhou 450015, China (xyzhang@zua.edu.cn)
- [1148] Zhang, Xue (Ms.) Jiangxi Key Laboratory of Surface Engineering, Jiangxi Science and Technology Normal University, Nanchang 330038, China (2454121263@qq.com)
- [1149] Zhang, Xue-Ying (Ms.) School of Materials Science and Engineering, Tianjin University, Tianjin 300072, China (zxy_92@163.com)
- [1150] Zhang, Yan (Ms.) Guangdong University of Technology, Mechanic and Electronic Engineering, Guangzhou 510006, China (935308551@qq.com)
- [1151] Zhang, Yanhui (Dr.) School of Physics and CRANN, Trinity College Dublin, Dublin 2, Ireland (yzhang1@tcd.ie)
- [1152] Zhang, Yi (Mr.) Science and Technology on Thermostructural Composite Materials Laboratory, Northwestern Polytechnical University, West Youyi Rd., No. 127, Xi'an, Shaanxi 710072, China (yit.zhang@outlook.com)
- [1153] Zhang, Ying (Ms.) School of Materials Science and Engineering, Key Lab of Advanced Ceramics and Machining Technology of Ministry of Education, Tianjin University, Tianjin 300072, China (xiamoliuhu0@163.com)
- [1154] Zhang, Ying (Ms.) Institute of Process Engineering, Chinese Academy of Sciences, Beijing 100190, China (yingzhang@ipe.ac.cn)
- [1155] Zhang, Yong-Sheng (Prof.) State Key Laboratory of Solid Lubrication, Lanzhou Institute of Chemical Physics, Chinese Academy of Sciences, Lanzhou 730000, China (zhysh@licp.cas.cn)
- [1156] Zhang, Yu (Dr.) State Key Laboratory of Refractories and Metallurgy, Wuhan University of Science and Technology, Wuhan 430081, China (zhangyuref@hotmail.com)

- [1157] Zhang, Yu-Jun (Prof.) Key Laboratory for Liquid-Solid Structural Evolution & Processing of Materials of Ministry of Education; Key Laboratory of Special Functional Aggregated Materials, Ministry of Education, Shandong University, Jinan 250061, China (yujunzhangcn@sdu.edu.cn)
- [1158] Zhang, Yu-Ping (Ms.) School of Materials Science and Engineering, Zhengzhou University of Aeronautics, Zhengzhou 450046, China (13298318292@163.com)
- [1159] Zhang, Yu-Tong (Ms.) College of Physical Science and Technology, Sichuan University, Chengdu, 610064, China (Ms. Y.T. Zhang, 724781349@qq.com)
- [1160] Zhao, Yu-Xiao (Mr.) Yamashita Lab., Course of Materials Science and Engineering, Division of Materials and Manufacturing Science, Graduate School of Engineering, Osaka University, 11-1 Mihogaoka Ibaraki, Osaka 567-0047, Japan (yuxiao.zhang@mat.eng.osaka-u.ac.jp)
- [1161] Zhang, Yu-Xuan (Mr.) Key Laboratory of Integrated Exploitation of Bayan Obo Multi-Metal Resources, Inner Mongolia University of Science and Technology, Baotou, 014010, China (ldu2013yuxuan@outlook.com)
- [1162] Zhang, Yuanwen (Mr.) Queensland University of Technology, 2 George Street, Brisbane City, QLD 4000, Australia (y268.zhang@qut.edu.au)
- [1163] Zhang, Yue (Prof.) School of Materials Science and Engineering, Beihang University, Beijing 100191, China (zhangy@buaa.edu.cn)
- [1164] Zhang, Yun-Li (Ms.) Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 201899, China (zyunli@student.sic.ac.cn)
- [1165] Zhang, Zhou-Yang (Ms.) Department of Materials Science and Engineering, Nanchang University, Jiangxi 330031, China (1660959185@qq.com)
- [1166] Zhang, Zu-Hua (Prof.) Hunan University, China (zuhuazhang@hnu.edu.cn)
- [1167] Zhao, Biao (Dr.) School of Materials Science and Engineering, Zhengzhou University of Aeronautics (Henan), 450046, China (biao_zhao@zua.edu.cn)
- [1168] Zhao, Fang (Prof.) Institute of Advanced Materials, The Army Engineering University of PLA, Shijiazhuang 050003, China (zhaofang19821106@163.com)
- [1169] Zhao, Fei-Fei (Ms.) Ministry of education of Key Laboratory of Advanced Ceramics and Machining Technology, School of Mechanical Engineering, Tianjin University, Tianjin 300350, China (zfftju2016@163.com)
- [1170] Zhao, Fu-Jian (Dr.) Department of Biomedical Engineering, School of Materials Science and Engineering, South China University of Technology, Guangzhou 510641, China (691537544@qq.com)
- [1171] Zhao, Guo-Rui (Dr.) Guangdong Institute of New Materials, Guangzhou 510651, China (grzhaols@alum.imr.ac.cn)
- [1172] Zhao, Hong-Sheng (Dr.) Institute of Nuclear and New Energy Technology, Tsinghua University, Beijing 100084, China (hshzhao@tsinghua.edu.cn)
- [1173] Zhao, Huan-Yu (Mr.) School of Materials Science and Engineering, Northeastern University, Shenyang 110819, China (huanyu1456@163.com)
- [1174] Zhao, Jin-Jin (Prof.) School of Materials Science and Engineering, Shijiazhuang Tiedao University, Shijiazhuang 050043, China (Jinjinzhao2012@163.com)
- [1175] Zhao, Li (Ms.) Midea Microwave and Cleaning Appliance Division, Foshan, Guangdong, 528311, China (li1.zhao@midea.com)
- [1176] Zhao, Li-Dong (Prof.) School of Materials Science and Engineering, Beihang University, Beijing 100191, China (zhaolidong@buaa.edu.cn)
- [1177] Zhao, Lin (Prof.) Jingdezhen Ceramic Institute, School of Materials Science and Engineering, Jingdezhen 333403, China (linzhaocn@126.com)
- [1178] Zhao, Peng-Bo (Mr.) School of Materials Science and Engineering, Zhengzhou University, Zhengzhou 450001, China (786937732@qq.com)
- [1179] Zhao, Shi-Jiao (Ms.) Institute of Nuclear and New Energy Technology, Tsinghua University, Beijing 100084, China (zhaosj16@mails.tsinghua.edu.cn)
- [1180] Zhao, Shi-Xian (Mr.) State Key Laboratory of Advanced Refractories, Sinosteel Luoyang Institute of Refractories Research Co., Ltd., Luoyang 471039, China (andyzhaosx@163.com)
- [1181] Zhao, Ting-Ting (Ms.) School of Materials Science and Engineering, Shanghai University, Shanghai 200444, China (tt7035t@163.com)

- [1182] Zhao, Tong (Prof.) Institute of Chemistry Chinese, Academy of Science, Beijing 100190, China (tzhao@iccas.ac.cn)
- [1183] Zhao, Wei-Ming (Mr.) School of Materials Science and Engineering, Shanghai Institute of Technology, Shanghai 201418, China (zm877264161@163.com)
- [1184] Zhao, Xue-Tong (Prof.) State Key Laboratory of Power Transmission Equipment & System Security and New Technology, Chongqing University, Shapingba District, Chongqing 400044, China (zxt201314@cqu.edu.cn)
- [1185] Zhao, Ya-Hui (Mr.) School of Materials Science and Engineering, Jingdezhen Ceramic Institute, Jingdezhen 333403, Jiangxi, China (richard.zhao@foxmail.com)
- [1186] Zhao, Yi-Feng (Ms.) College of Physics Science and Technology, Xinjiang University, Urumqi 830011, China (1357474312@qq.com)
- [1187] Zhao, Yuan-Tao (Dr.) Shanghai Maritime University, Merchant Marine College, Shanghai 201306, China (zhaoyt@shmtu.edu.cn)
- [1188] Zhao, Zi-Fan (Mr.) Science and Technology on Advanced Functional Composite Laboratory, Aerospace Research Institute of Materials & Processing Technology, No. 1 South Dahongmen Road, Beijing 100076, China (710729435@qq.com)
- [1189] Zhaxi Cuo (Ms.) Institute of Process Engineering, Chinese Academy of Sciences. Beijing, 100049, China (zhaxicuo@ipe.ac.cn)
- [1190] Zheng, Hang-Bo (Mr.) College of Materials Science and Engineering, Hunan University, Changsha 410082, China (1433908314@qq.com)
- [1191] Zheng, Jia-Qi (Mr.) State Key Laboratory of High Performance Ceramics and Superfine Microstructure, Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 200050, China (zhengjiaqi@student.sic.ac.cn)
- [1192] Zheng, Liao-Ying (Prof.) Key Laboratory of Inorganic Functional Material and Device, Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 200050, China (zhengly@mail.sic.ac.cn)
- [1193] Zheng, Peng (Mr.) College of Materials, Xiamen University, Xiamen 361005, China (zheng_peng@foxmail.com)
- [1194] Zheng, Ren-Kui (Prof.) School of Materials Science and Engineering, Nanchang University, Nanchang 330031, China (zrk@ustc.edu)
- [1195] Zheng, Shu-Qi (Prof.) College of New Energy and Materials, China University of Petroleum Beijing, Beijing 102249, China (zhengsq09@163.com)
- [1196] Zheng, Xue-Bing (Prof.) Key Laboratory of Inorganic Coating Materials, Shanghai Institute of Ceramics, Chinese Academy of Sciences, 1295 Dingxi Road, Shanghai 200050, China (xbzheng@mail.sic.ac.cn)
- [1197] Zheng, Yan (Ms.) Dalian Gomore Materials Technology Co., Ltd., Floor 22, Foreign Economic & Trading Building, 219 Huanghe Road, Dalian 116011, China (zhengyan@gomore-tech.com)
- [1198] Zhong, Xi-Qiang (Mr.) School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (zxq18@mails.tsinghua.edu.cn)
- [1199] Zhong, Xin (Dr.) Key Laboratory of Inorganic Coating Materials, Shanghai Institute of Ceramics, Chinese Academy of Science, Shanghai 200050, China (centerzx1104@163.com)
- [1200] Zhong, Yu-Lin (Dr.) School of Environment and Science, Centre for Clean Environment and Energy, Griffith University, Gold Coast Campus, QLD 4222, Australia (y.zhong@griffith.edu.au)
- [1201] Zhou, Ai-Guo (Prof.) School of Materials Science and Engineering, Henan Polytechnic University, Jiaozuo, Henan 454000, China (zhouag@hpu.edu.cn)
- [1202] Zhou, Chang-Ling (Mr.) Shandong Industrial Ceramic Research & Design Institute Co., Ltd., Zibo 255031, China (zhcl189@163.com)
- [1203] Zhou, Ding (Dr.) School of Materials Science and Engineering, Shanghai Institute of Technology, Shanghai 201418, China (dzhou@sit.edu.cn)
- [1204] Zhou, Hua-Jian (Mr.) School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (zhou-hj17@mails.tsinghua.edu.cn)
- [1205] Zhou, Jun-Yi (Mr.) Xinjiang Technical Institute of Physics & Chemistry of CAS, 40-1 South Beijing Road, Urumqi 830011, China (2815149954@qq.com)
- [1206] Zhou, Ke-Chao (Prof.) State Key Laboratory of Powder Metallurgy, Central South University, Changsha 410083, China (zhoukc2@csu.edu.cn)

- [1207] Zhou, Ming-Xing (Mr.) Shanghai Institute of Ceramics, Chinese Academy of Sciences, Shanghai 201800, China (zhoumingxing@student.sic.ac.cn)
- [1208] Zhou, Rui (Mr.) School of Science, Northwestern Polytechnical University, Xi'an 710072, China (rayzhou@mail.nwpu.edu.cn)
- [1209] Zhou Sheng-Jian (Mr.) School of Materials Science and Engineering, Inner Mongolia University of Technology, Inner Mongolia Key Laboratory of Thin Film and Coatings, Hohhot 010051, Inner Mongolia, China (2398597145@qq.com)
- [1210] Zhou, Sheng-Ming (Prof.) Shanghai Institute of Optics and Fine Mechanics (SIOM), Chinese Academy of Sciences (CAS), Shanghai 201800, China (zhouism@siom.ac.cn)
- [1211] Zhou, Shi-Cong (Mr.) College of Material Science and Engineering, Wuhan Institute of Technology, Hubei 470073, China (751827214@qq.com)
- [1212] Zhou, Shuang (Ms.) College of Chemistry and Material Science, Shandong Agricultural University, Tai'an, Shandong Province 271018, China (shuangzhou@sdau.edu.cn)
- [1213] Zhou, Xiao-Bing (Dr.) Engineering Laboratory of Advanced Energy Materials, Ningbo Institute of Materials Technology and Engineering, Chinese Academy of Sciences, Ningbo, Zhejiang 315201, China (zhouxb@nimte.ac.cn)
- [1214] Zhou, Xiao-Yuan (Prof.) Department of Applied Physics Chongqing University, Chongqing 400000, China (xiaoyuan2013@cqu.edu.cn)
- [1215] Zhou, Xue-Fan (Ms.) State Key Laboratory of Powder Metallurgy, Central South University, South Lushan Road, Changsha 410083, China (zxf143312115@csu.edu.cn)
- [1216] Zhou Yan-Chun (Prof.) Science and Technology of Advanced Functional Composite Laboratory, Aerospace Research Institute of Materials and Processing Technology, P.O. Box 9211-73-13, No.1 South Dahongmen Road, Beijing 100076, China (yczhou@imr.ac.cn)
- [1217] Zhou Yi-Ran (Ms.) National Key Laboratory of Advanced Composites, AECC Beijing Institute of Aeronautical Materials, Beijing 100095, China (bunny6166@163.com)
- [1218] Zhou, You (Dr.) National Institute of Advanced Industrial Science and Technology (AIST), 2266-98 Shimo-Shidami, Moriyama-ku, Nagoya 463-8560, Japan (you.zhou@aist.go.jp)
- [1219] Zhou, You-Fu (Prof.) Key Laboratory of Optoelectronic Materials Chemistry and Physics, Fujian Institute of Research on the Structure of Matter, Chinese Academy of Sciences, Fuzhou 350001, China (yfzhou@fjirsm.ac.cn)
- [1220] Zhou, Zhen (Mr.) School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (zhouzhen14@mails.tsinghua.edu.cn)
- [1221] Zhu, Chao-Qiong (Ms.) State Key Laboratory of New Ceramics and Fine Processing, School of Materials Science and Engineering, Tsinghua University, Beijing 100084, China (zcq17@mails.tsinghua.edu.cn)
- [1222] Zhu, Ji-Xin (Prof.) Institute for Advanced Materials, Nanjing Tech University, Nanjing 211816, China (iamjxzhu@njtech.edu.cn)
- [1223] Zhu, Jia-Hua (Prof.) Whitby Hall 411A, Department of Chemical & Biomolecular Engineering, The University of Akron, Akron, Ohio 44325, USA (jzhu1@uakron.edu)
- [1224] Zhu, Jian-Feng (Prof.) School of Materials Science and Engineering, Shaanxi University of Science and Technology, Xi'an 710021, China (zhujf@sust.edu.cn)
- [1225] Zhu, Jian-Guo (Prof.) College of Materials Science and Engineering, Sichuan University, Chengdu 610064, Sichuan, China (nic0400@scu.edu.cn)
- [1226] Zhu, Jin-Peng (Dr.) Henan Province Industrial Technology Research Institute of Resources and Materials, Zhengzhou University, Zhengzhou 450001, China (zhujinpeng@zzu.edu.cn)
- [1227] Zhu, Kong-Jun (Prof.) State Key Laboratory of Mechanics and Control of Mechanical Structures, College of Aerospace Engineering, Nanjing University of Aeronautics and Astronautics, Nanjing 210016, China (kjzhu@nuaa.edu.cn)
- [1228] Zhu, Lin-Lin (Dr.) School of Electromechanical Engineering, Guangdong University of Technology, Guangzhou 510006, China (zhulinlin122@126.com)
- [1229] Zhu, Lu-Yi (Dr.) Institute of Crystal Materials, Shandong University, Jinan 250100, China (zhuly6677@163.com)
- [1230] Zhu, Peng-Fei (Mr.) Graduate School at Shenzhen, Tsinghua University, Shenzhen 518055, China (pfzhu13s@imr.ac.cn)

- [1231] Zhu, Tian-Bin (Dr.) The State Key Laboratory of Refractories and Metallurgy, Wuhan University of Science and Technology, Wuhan 430081, China (zhutianbin@wust.edu.cn)
- [1232] Zhu, Yong-Fa (Mr.) School of Materials Science and Engineering, Southeast University, Nanjing, 211189, China (zyf664223838@163.com)
- [1233] Zhu, Yong-Fa (Prof.) Department of Chemistry, Tsinghua University, Beijing 100084, China (zhuyf@tsinghua.edu.cn)
- [1234] Zhu, Yu-Fang (Prof.) School of Materials Science and Engineering, University of Shanghai for Science and Technology, 516 Jungong Road, Shanghai 200093, China (yfzhu@usst.edu.cn)
- [1235] Zhu, Zuo-Xiang (Mr.) Suntech Advanced Ceramic of Shenzhen Co., Ltd., Shenzhen 518125, China (zxzhu@esuntech.com)
- [1236] Zoli, Luca (Dr.) CNR-ISTEC, National Research Council of Italy - Institute of Science and Technology for Ceramics, Via Granarolo 64, I-48018 Faenza, Italy (luca.zoli@istec.cnr.it)
- [1237] Zou, Ji (Dr.) School of Metallurgy and Materials, University of Birmingham, Birmingham, B15 2TT, UK (j.zou@bham.ac.uk)
- [1238] Zou, Yong-Shun (Mr.) The State Key Laboratory of Refractories and Metallurgy, Wuhan University of Science and Technology, Wuhan 430081, China (yongshunzou@163.com)
- [1239] Zych, Eugeniusz (Prof.) Faculty of Chemistry, University of Wroclaw, 14 F. Joliot-Curie Street, 50-383 Wroclaw, Poland (eugeniusz.zych@chem.uni.wroc.pl)